

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

89070


15

we

COTTON

QUALITY

CROP OF 1967



J. S. DEPT OF AGRICULTURE
NATIONAL LIBRARY

FEB 25 1971

& K-PHE

UNITED STATES DEPARTMENT OF AGRICULTURE

Consumer and Marketing Service Cotton Division

Memphis, Tennessee

~~Vol. 41, No. 8~~

October 1968

CONTENTS

<u>Table No.</u>	<u>Page No.</u>
INTRODUCTION	3
Map of Smith-Doxey cotton classing office territories.	4
1. Grade and staple of upland cotton ginned in the United States, 1967-68	5
2. Grade and staple of upland cotton ginned in the United States, 1966-67	6
3. Grade and staple of upland cotton ginned in the United States, during specified periods, 1967-68	7
4. Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1967-68.	8
5. Grade index and average staple of upland cotton ginned in the United States, by states, crops of 1964-1967	9
6. Tenderability of upland cotton ginned, by states, 1967-68.	10
7. Tenderability of upland cotton ginned in the United States, 1951-1967.	10
8. Grade and staple of upland cotton ginned by states, 1967-68.	11-26
Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68	27-40
Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68.	41-54
11. Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1967-68 with comparisons.	55
12. Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68.	56-62
13. Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1967-68 with comparisons.	63
14. Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68	64-70
15. Grade and staple of American-Egyptian cotton ginned, by states and United States, 1967-68.	71
16. Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1967-68	72
17. Percentage distribution of micronaire readings for American-Egyptian cotton ginned in the United States, by states, 1967-68 with comparisons	73

Cotton Quality - United States

1967 Crop

Introduction

The quality of cotton ginned in the United States from the 1967 crop is presented in this report. These quality estimates are based on the classification of samples representing approximately ten percent of the 1967 cotton crop. The sample distribution of the various qualities of upland and American-Egyptian cotton was raised to total ginnings as reported by the Bureau of the Census. Quality statistics on the grade, staple, mike and fiber strength of the 1967 crop, by Smith-Doxey Cotton Classing Office territories and major cotton-producing states are presented in this report.

A report covering the qualities of cotton on hand August 1, 1968, by principal types of storage was released in September. In addition to quality estimates of cotton in the carry-over, this report included quality data on the crop, supply and disappearance of upland cotton for the 1967-68 season with comparative data for preceding years.

Upland cotton ginned from the 1967 crop contained a record high proportion of 1-3/32" and longer staples. One-third of total ginnings was in these longer lengths. There were substantial decreases in the proportions of medium and shorter staple cotton from a year earlier. Cotton stapling 1-1/16" comprised 29 percent of the total against 35 percent last season. The percentage of ginnings in the 1" and 1-1/32" lengths, combined, was the lowest on record. Cotton stapling 31/32" and shorter accounted for 23 percent of 1967 ginnings compared with 27 percent last season. The average staple of the 1967 upland crop was 33.4 thirty-seconds inches against 33.0 thirty-seconds in the preceding season.

The grade index of upland cotton in the 1967 crop was 92.8 (Middling White equals 100) compared with 92.0 last season. Middling and higher White grades accounted for a larger percentage of total ginnings than a year earlier. Strict Low Middling accounted for over one-third of the 1967 crop, the highest proportion since 1946. Light Spotted and the other Colored grades comprised 36 percent of the season's ginnings compared with 43 percent in the preceding season.

The micronaire distribution of the 1967 crop indicated an increase in the proportion of cotton miking in the desirable categories from the preceding season. Cotton miking in the 3.5-4.9 range accounted for 70 percent of total ginnings compared with 67 percent in 1966. The average mike reading of the 1967 crop was 4.0 against 4.2 a year earlier.

The fiber strength of upland cotton ginned from the 1967 crop averaged 83,000 pounds per square inch compared with 82,000 a year ago. Cotton in the 80,000-89,000 fiber strength range comprised 38 percent of total ginnings against 47 percent for the 1966 crop. Cotton testing 90,000 pounds and stronger accounted for 21 percent of ginnings compared with 15 percent a year earlier.

American-Egyptian cotton ginned from the 1967 crop averaged longer in staple but slightly lower in grade than a year earlier. Cotton stapling 1-3/8" and longer accounted for 92 percent of the 1967 crop compared with 90 percent in the preceding season. Ginnings of Grades 3 and higher comprised 52 percent of the 1967 crop against 56 percent for 1966.

Cotton ginned from the 1967 crop totaled 7,435,000 bales, according to the Bureau of the Census. This is the smallest crop since 1895 and compares with 9,562,000 bales a year earlier and 14,933,000 bales two years ago.

UNITED STATES

Smith-Doxey Cotton Classing Office Territories




Table 1. -- Grade and staple of upland cotton ginned in the United States, 1967-68

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	10	-	53	123	38	21	77	22	-	-	344
S.M.	(21)	11	-	247	937	910	1,067	7,122	37,785	28,556	4,865	7,406	1,361	49	32	90,348
M.+	(30)	11	-	11	136	55	76	31	295	584	199	429	28	-	9	1,864
S.L.M.+	(31)	21	684	13,435	65,305	69,566	56,082	104,377	452,813	393,502	109,836	89,636	15,911	580	4,860	1,376,610
S.L.M.	(40)	-	11	98	1,014	757	1,080	3,683	22,813	38,499	15,970	10,141	1,335	98	1,820	97,319
S.L.M.	(41)	-	769	14,523	89,818	99,592	98,211	222,036	867,259	790,272	204,633	61,517	16,239	1,683	12,185	2,478,737
L.M.+	(50)	-	33	290	964	862	978	6,230	41,096	53,378	15,003	1,586	421	399	622	121,862
L.M.	(51)	-	241	2,816	10,279	6,935	10,596	61,904	175,595	141,659	38,435	4,010	1,792	313	1,130	455,705
S.G.O.+	(60)	-	-	45	179	117	137	1,024	2,441	3,285	2,257	534	21	-	-	10,040
S.G.O.	(61)	-	65	838	2,124	2,445	5,622	15,047	19,738	21,167	5,999	229	142	-	39	73,455
G.O.+	(70)	-	-	13	71	12	39	32	85	128	373	-	-	-	-	753
G.O.	(71)	-	24	311	876	1,039	1,792	4,022	4,930	4,829	738	40	22	-	10	18,633
Total		43	1,827	32,627	171,703	182,300	175,680	425,561	1,624,973	1,475,897	398,331	175,605	37,294	3,122	20,707	4,725,670
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	21	9	-	-	-	-	-	-	30
S.M.	(22)	-	458	5,565	9,122	4,983	1,985	2,748	4,889	1,446	690	881	119	-	19	32,905
M.	(32)	403	7,701	106,020	290,472	195,672	97,142	70,712	119,046	38,134	18,251	23,960	3,249	353	1,837	972,952
S.L.M.	(42)	221	13,308	94,561	152,136	86,311	49,081	87,210	202,569	109,505	28,359	8,203	4,535	794	2,899	839,692
L.M.	(52)	165	5,595	37,569	34,872	12,109	14,464	36,323	57,031	32,097	7,736	920	734	203	315	240,133
Total		789	27,062	243,715	486,602	299,075	162,672	197,014	383,544	181,182	55,036	33,964	8,637	1,350	5,070	2,085,712
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	103	580	3,572	2,337	657	620	981	275	157	31	-	-	-	9,313
M.	(33)	151	2,662	19,850	58,163	28,145	10,653	8,095	14,033	5,786	1,327	391	292	31	175	149,754
S.L.M.	(43)	284	4,383	17,792	26,790	9,837	6,001	20,000	40,215	13,361	2,062	235	234	41	112	141,347
L.M.	(53)	191	3,379	11,515	10,245	4,283	8,555	23,097	19,211	6,407	1,051	159	107	23	40	88,261
Total		626	10,527	49,737	98,768	44,602	25,866	51,812	74,440	25,829	4,597	816	633	95	327	388,675
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
S.M.	(24)	-	21	313	818	471	35	14	29	-	-	-	-	-	-	1,701
M.	(34)	38	594	4,092	7,883	2,246	732	652	952	192	40	-	20	-	-	17,441
S.L.M.	(44)	27	552	2,985	3,461	1,243	1,083	2,936	2,326	349	97	17	28	-	10	15,114
L.M.	(54)	28	460	756	1,741	1,218	2,550	4,637	1,337	279	27	-	-	-	-	13,033
Total		93	1,627	8,146	13,903	5,178	4,400	8,239	4,653	820	164	17	48	-	10	47,298
Stained:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
S.M.	(25)	-	-	-	19	-	-	-	-	-	-	-	-	-	-	19
M.	(35)	-	37	265	186	32	18	11	-	21	-	10	-	-	-	580
Total		-	37	265	205	32	18	11	-	30	-	10	-	-	-	608
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	31	382	333	395	1,522	2,999	830	358	247	19	-	-	7,116
M.	(36)	-	11	61	429	551	917	4,211	3,825	2,775	895	83	10	-	11	13,779
S.L.M.	(46)	-	-	22	63	165	756	2,083	1,427	1,489	376	-	-	-	11	6,392
Total		-	11	114	874	1,049	2,066	7,816	8,251	5,094	1,629	330	29	-	22	27,287
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	15	-	17	-	82	71	-	19	-	-	-	-	204
M.	(37)	-	-	-	52	97	151	339	185	115	89	32	-	-	10	1,070
S.L.M.	(47)	-	-	39	63	103	342	1,223	533	486	56	-	-	-	-	2,845
Total		-	-	54	115	217	493	1,644	789	601	164	32	-	-	10	4,119
Below Grade																
		225	1,738	4,283	8,449	8,216	20,001	23,103	12,317	7,295	1,163	100	65	10	67	87,032
All grades		1,776	42,829	338,941	780,619	540,669	391,198	715,200	2,108,967	1,696,748	461,064	210,874	46,706	4,577	26,213	7,366,401
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		*	0.6	4.6	10.6	7.3	5.3	9.7	28.7	23.0	6.3	2.9	0.6	0.1	0.3	100.0
1/ As reported by the Bureau of the Census, running bales.																
* Less than 0.05 percent.																
Percentage rough preparation..... 0.1																
Grade index..... 92.8																
Average staple..... 33.4																

Table 2. -- Grade and staple of upland cotton ginned in the United States, 1966-67

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	19	72	132	12	12	78	33	-	-	358
S.M.	(21)	-	10	73	138	459	2,582	19,603	70,572	19,981	2,091	7,894	1,786	98	143	125,430
M.	(31)	-	-	21	166	86	63	542	1,947	753	101	275	31	-	14	3,999
M.+	(41)	-	130	2,749	17,658	15,813	27,813	172,416	758,469	435,263	31,689	83,585	15,003	566	3,576	1,564,730
S.L.M.	(51)	-	-	-	-	319	841	6,440	37,453	39,509	3,753	11,924	1,760	34	920	103,495
S.L.M.+	(61)	33	830	14,403	54,505	36,332	51,385	366,800	1,317,429	727,432	67,817	40,299	8,563	1,396	7,100	2,694,324
L.M.	(71)	-	-	292	1,585	778	1,455	12,086	73,493	73,248	12,332	1,780	517	146	330	178,052
L.M.+	(81)	-	459	9,298	19,770	7,860	19,770	125,687	285,498	127,789	16,422	2,173	1,081	318	497	616,820
S.G.O.	(91)	-	10	80	415	172	128	1,183	3,943	5,051	739	75	-	10	10	11,810
S.G.O.+	(101)	30	387	3,248	6,149	3,540	8,377	22,150	37,028	9,710	1,672	195	76	10	10	92,578
G.O.	(111)	-	-	29	125	116	106	152	267	261	9	-	-	-	-	1,065
G.O.+	(121)	11	95	955	1,787	1,362	2,059	4,782	7,280	917	164	31	30	-	10	19,483
Total		74	1,931	31,208	102,778	66,837	114,598	731,913	2,593,511	1,439,926	136,601	148,309	28,880	2,568	12,610	5,411,944
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	10	9	-	-	-	-	-	19
S.M.	(22)	-	31	783	2,737	2,225	3,067	6,771	8,973	1,227	1,850	4,669	463	48	235	33,079
M.	(32)	43	4,894	78,623	361,347	149,570	76,161	136,241	182,056	34,032	11,076	20,643	2,957	199	2,518	1,060,360
S.L.M.	(42)	423	24,566	233,714	427,039	107,635	67,842	205,261	306,920	85,604	10,478	5,307	1,638	294	3,045	1,479,766
L.M.	(52)	157	14,841	80,022	84,588	24,472	32,073	77,547	92,812	20,104	2,669	377	503	50	539	430,754
Total		623	44,332	393,142	875,711	283,902	179,143	425,820	590,771	140,976	26,073	30,996	5,561	591	6,337	3,003,978
Spotted:																
G.M.	(13)	-	-	-	-	-	10	11	-	8	-	-	-	-	-	29
S.M.	(23)	-	33	286	1,106	696	332	686	964	206	278	347	19	-	-	4,953
M.	(33)	297	5,831	69,284	186,449	41,411	16,289	16,375	18,832	2,848	895	440	116	31	186	359,244
S.L.M.	(43)	923	10,514	71,567	136,779	25,133	16,919	38,059	39,180	5,772	580	194	198	63	244	346,125
L.M.	(53)	410	4,510	17,821	24,248	6,167	10,870	28,154	20,578	2,329	278	110	59	29	111	115,674
Total		1,630	20,888	158,958	348,582	73,407	44,420	83,285	79,554	11,163	1,991	1,091	392	123	541	826,025
Tinged:																
G.M.	(14)	-	-	-	-	-	10	249	50	-	-	-	-	-	-	309
S.M.	(24)	-	40	68	110	37	9	55	64	10	31	-	-	-	10	434
M.	(34)	921	7,790	23,582	20,560	2,583	1,019	1,490	827	72	-	10	18	10	21	58,903
S.L.M.	(44)	1,377	7,973	19,358	13,027	1,387	2,627	4,628	1,534	46	17	-	8	-	10	51,992
L.M.	(54)	634	2,502	4,782	2,748	748	2,424	3,597	880	75	7	-	-	-	-	18,397
Total		2,932	18,305	47,790	36,445	4,755	6,089	10,019	3,355	203	55	10	26	10	41	130,035
Stained:																
G.M.	(15)	-	13	-	-	-	-	-	4	-	-	-	-	-	-	17
S.M.	(25)	-	-	27	7	10	-	-	-	-	-	-	-	-	-	44
M.	(35)	332	1,415	1,589	437	50	64	24	19	-	-	-	-	-	-	3,930
Total		332	1,428	1,616	444	60	64	24	23	-	-	-	-	-	-	3,991
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	22	49	9	-	-	-	-	-	80
S.M.	(26)	8	-	30	113	122	276	3,284	3,905	648	10	50	-	-	-	8,446
M.	(36)	-	9	91	646	1,382	3,547	11,959	8,103	1,066	44	22	50	-	8	26,927
S.L.M.	(46)	-	33	22	180	422	1,108	2,668	3,624	120	-	-	-	10	10	8,197
Total		8	42	143	939	1,926	4,931	17,933	15,681	1,843	54	72	50	10	18	43,650
Gray:																
G.M.	(17)	-	-	-	-	-	-	9	-	-	-	-	-	-	-	9
S.M.	(27)	-	-	21	21	21	31	89	233	-	-	-	-	-	-	395
M.	(37)	-	14	10	153	291	433	839	633	18	-	-	-	-	10	2,401
S.L.M.	(47)	-	21	40	135	215	404	736	1,231	32	-	-	-	-	-	2,814
Total		-	35	50	309	527	868	1,673	2,097	50	-	-	-	-	10	5,619
Below Grade		2,104	6,398	8,471	11,279	5,757	8,761	12,669	9,008	1,192	231	35	40	-	10	65,955
All grades		7,703	93,359	641,378	1,376,487	437,171	358,874	1,263,336	3,294,000	1,595,353	165,205	180,513	34,949	3,302	19,567	9,491,197
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		0.1	1.0	6.8	14.5	4.6	3.8	13.5	34.8	15.8	1.7	1.9	0.4	0.1	0.1	100.0
1/ As reported by the Bureau of the Census, running bales.																
* Less than 0.05 percent.																
Percentage rough preparation..... 0.1																
Grade index..... 92.0																
Average staple..... 33.0																

Table 3. -- Grade and staple of upland cotton ginned in the United States, during specified periods, 1967-68

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
White:													
G.M.	(11)	35	94	166	49	-	344	*	*	*	*	-	*
S.M.	(21)	9,696	15,057	52,915	11,991	689	90,348	1.5	4.0	2.3	0.4	0.1	1.2
M.+	(30)	211	187	1,054	388	24	1,864	*	*	*	*	*	*
M.	(31)	120,046	68,279	671,289	486,485	30,511	1,376,610	19.0	17.9	29.7	16.3	2.8	18.8
S.L.M.+	(40)	4,535	2,947	51,374	35,890	2,573	97,319	0.7	0.8	2.3	1.2	0.2	1.3
S.L.M.	(41)	230,540	105,888	931,686	1,089,052	121,571	2,478,737	36.6	27.9	41.1	36.4	11.1	33.7
L.M.+	(50)	3,794	2,638	43,837	66,066	5,527	121,862	0.6	0.7	1.9	2.2	0.5	1.7
L.M.	(51)	37,305	18,773	119,243	218,060	62,324	455,705	5.9	4.9	5.3	7.3	5.7	6.2
S.G.O.+	(60)	237	153	1,328	6,148	2,174	10,040	*	*	0.1	0.2	0.2	0.1
S.G.O.	(61)	5,068	5,241	8,923	22,289	31,934	73,455	0.8	1.4	0.4	0.7	2.9	1.0
G.O.+	(70)	63	-	21	421	248	753	*	-	*	*	*	*
G.O.	(71)	1,145	2,524	1,156	3,162	10,646	18,633	0.2	0.7	0.1	0.1	1.0	0.3
Total		412,675	221,781	1,882,992	1,940,001	268,221	4,725,670	65.3	58.3	83.2	64.8	24.5	64.3
Light Spotted:													
G.M.	(12)	-	-	11	9	10	30	-	-	*	*	*	*
S.M.	(22)	8,413	1,562	7,386	12,078	3,466	32,905	1.3	0.4	0.3	0.4	0.3	0.4
M.	(32)	121,900	35,948	152,182	447,564	215,358	972,952	19.4	9.4	6.7	15.0	19.7	13.2
S.L.M.	(42)	70,382	66,916	143,937	366,459	191,998	839,692	11.1	17.6	6.4	12.2	17.6	11.4
L.M.	(52)	8,756	26,615	49,083	81,966	73,713	240,133	1.4	7.0	2.2	2.7	6.7	3.3
Total		209,451	131,041	352,599	908,076	484,545	2,085,712	33.2	34.4	15.6	30.3	44.3	28.3
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	50	55	306	4,664	4,238	9,313	*	*	*	0.2	0.4	0.1
M.	(33)	2,649	1,262	2,224	45,563	98,056	149,754	0.4	0.3	0.1	1.5	9.0	2.0
S.L.M.	(43)	1,708	7,749	6,889	54,891	70,110	141,347	0.3	2.0	0.3	1.8	6.4	1.9
L.M.	(53)	614	8,994	9,143	17,485	52,025	88,261	0.1	2.4	0.4	0.6	4.8	1.2
Total		5,021	18,060	18,562	122,603	224,429	388,675	0.8	4.7	0.8	4.1	20.6	5.2
Tinged:													
G.M.	(14)	-	-	-	9	-	9	-	-	-	*	-	*
S.M.	(24)	-	-	10	129	1,562	1,701	-	-	*	*	0.1	*
M.	(34)	24	32	63	999	16,323	17,441	*	*	*	*	1.5	0.2
S.L.M.	(44)	11	105	23	2,194	12,781	15,114	*	*	*	0.1	1.2	0.2
L.M.	(54)	-	69	60	649	12,255	13,033	-	*	*	*	1.1	0.2
Total		35	206	156	3,980	42,921	47,298	*	*	*	0.1	3.9	0.6
Stained:													
G.M.	(15)	-	-	-	-	9	9	-	-	-	-	*	*
S.M.	(25)	-	-	-	-	19	19	-	-	-	-	*	*
M.	(35)	-	10	11	44	515	580	-	*	*	*	*	*
Total		-	10	11	44	543	608	-	*	*	*	*	*
Light Gray:													
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	516	626	2,114	3,117	743	7,116	0.1	0.2	0.1	0.1	0.1	0.1
M.	(36)	2,485	950	2,285	5,033	3,026	13,779	0.4	0.2	0.1	0.2	0.3	0.2
S.L.M.	(46)	554	910	356	1,332	3,240	6,392	0.1	0.2	*	*	0.3	0.1
Total		3,555	2,486	4,755	9,482	7,009	27,287	0.6	0.6	0.2	0.3	0.7	0.4
Gray:													
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	25	44	42	93	204	-	*	*	*	*	*
M.	(37)	208	64	164	338	296	1,070	*	*	*	*	*	*
S.L.M.	(47)	80	1,337	74	394	960	2,845	*	0.4	*	*	0.1	*
Total		288	1,426	282	774	1,349	4,119	*	0.4	*	*	0.1	*
Below Grade		676	6,131	3,853	11,534	64,838	87,032	0.1	1.6	0.2	0.4	5.9	1.2
All grades		631,701	381,141	2,263,210	2,996,494	1,093,855	7,366,401 1/	100.0	100.0	100.0	100.0	100.0	100.0
Grade index		94.4	91.8	94.9	93.1	87.2	92.8	-	-	-	-	-	-
Staple (inches)													
13/16 & shorter	(26)	347	119	606	316	388	1,776	0.1	*	*	*	*	*
7/8	(28)	6,943	6,060	15,486	6,639	7,701	42,829	1.1	1.6	0.7	0.2	0.7	0.6
29/32	(29)	73,771	51,496	71,462	66,316	75,896	338,941	11.7	13.5	3.2	2.2	6.9	4.6
15/16	(30)	64,764	25,946	88,995	314,236	286,678	780,619	10.3	6.8	3.9	10.5	26.3	10.6
31/32	(31)	48,940	3,980	26,418	272,906	188,425	540,669	7.7	1.0	1.2	9.1	17.3	7.3
1	(32)	60,603	6,450	24,305	184,081	115,759	391,198	9.6	1.7	1.1	6.1	10.6	5.3
1-1/32	(33)	123,122	73,891	160,441	215,133	142,613	715,200	19.5	19.4	7.1	7.2	13.0	9.7
1-1/16	(34)	226,271	153,118	796,033	779,445	154,100	2,108,967	35.8	40.1	35.1	26.1	14.1	28.7
1-3/32	(35)	24,073	46,756	766,160	774,184	85,575	1,696,748	3.8	12.3	33.9	25.9	7.8	23.0
1-1/8	(36)	2,085	7,070	158,527	271,039	22,363	461,084	0.3	1.9	7.0	9.0	2.0	6.3
1-5/32	(37)	440	5,626	120,854	78,447	5,507	210,874	0.1	1.5	5.3	2.6	0.5	2.9
1-3/16	(38)	136	346	24,961	17,921	3,342	46,706	*	0.1	1.1	0.6	0.3	0.6
1-7/32	(39)	22	24	1,920	1,808	803	4,577	*	*	0.1	0.1	0.1	0.1
1-1/4	(40)	184	259	7,042	14,023	4,705	26,213	*	0.1	0.3	0.4	0.4	0.3
& longer													
All staples		631,701	381,141	2,263,210	2,996,494	1,093,855	7,366,401 1/	100.0	100.0	100.0	100.0	100.0	100.0
Average staple (32nd inches)		32.4	32.9	34.2	33.6	31.9	33.4	-	-	-	-	-	-

1/ As reported by the Bureau of the Census, running bales.
 * Less than 0.05 percent.

Table 4. -- Preparation and grade reductions by specified causes of upland cotton ginned in the United States, by states, 1967-68

State	Preparation			Grade Reductions by Causes 1/										Total	
	Normal Bales	Rough Preparation Prep. 3 and 4		Bark Bales	Cloth Bales	Dust Bales	Grass Bales	Motes Bales	Oil Bales	Plastic Mulch Bales	Seed and Hulls Bales	Spindle Twist Bales	Stems Bales	Total Bales	
		Bales	Bales												
Virginia	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina	47,740	40	-	64	-	-	2,355	64	-	-	-	-	-	2,483	-
South Carolina	184,063	144	-	1,142	-	-	10,982	-	-	-	-	-	-	12,124	-
Georgia	229,185	64	-	1,879	-	-	9,352	-	-	-	-	8	-	11,239	-
Florida	7,159	19	-	150	-	-	440	-	-	-	-	-	-	590	-
Alabama	198,396	36	-	4,451	-	-	16,935	-	-	-	37	-	8	21,431	-
Mississippi	1,056,698	4,952	-	2,253	12	-	23,089	25	14	-	-	25	86	25,504	-
Illinois	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kentucky	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	146,103	27	-	249	-	-	3,156	-	-	-	-	-	-	3,405	-
Missouri	60,077	11	-	148	-	-	372	-	-	-	-	-	-	520	-
Arkansas	503,065	186	-	3,938	22	-	7,104	43	6	-	104	21	181	11,419	-
Louisiana	429,895	88	-	1,763	-	-	21,717	-	19	-	-	-	-	23,499	-
Oklahoma	189,150	446	-	4,853	-	-	907	-	-	-	-	-	-	5,760	-
Texas	2,691,471	3,175	-	99,174	-	20	17,478	56	281	-	258	421	98	117,786	-
New Mexico	138,380	30	10	4,794	-	-	209	-	-	-	113	169	-	5,285	-
Arizona	415,305	55	-	27,346	-	12	6,309	-	111	16	203	131	-	34,128	-
Nevada	3,950	-	-	36	-	-	189	-	-	-	46	-	-	271	-
California	1,055,227	926	-	11,849	-	-	21,914	-	30	-	51	1,768	186	35,798	-
United States	7,356,192	10,199	10	164,089	34	32	142,508	188	461	16	812	2,543	559	311,242	-

1/ Cotton reduced in grade for reasons other than preparation.

Table 5. -- Grade index and average staple of upland cotton ginned in the United States,
by states, crops of 1964-1967

State	Grade index <u>1/</u>				Average staple <u>2/</u>			
	1964	1965	1966	1967	1964	1965	1966	1967
	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>Index</u>	<u>32nd</u> <u>inches</u>	<u>32nd</u> <u>inches</u>	<u>32nd</u> <u>inches</u>	<u>32nd</u> <u>inches</u>
Virginia	89.4	98.5	89.9	81.0	33.4	32.8	33.8	34.3
North Carolina	88.8	92.5	91.6	91.2	33.3	33.4	33.8	34.3
South Carolina	90.4	92.7	91.7	92.2	33.5	33.9	34.0	34.6
Georgia	89.3	90.6	89.8	91.9	33.0	33.2	33.2	33.7
Florida	88.2	87.9	91.0	90.5	32.7	33.1	32.9	33.5
Alabama	93.0	93.1	92.2	89.5	33.1	33.2	33.2	33.3
Mississippi	95.1	93.5	94.0	92.8	33.9	34.0	34.2	34.5
Illinois	92.4	91.2	87.2	-	33.6	33.3	33.9	-
Kentucky	95.6	92.6	94.2	90.0	33.7	33.5	33.9	33.7
Tennessee	94.8	93.9	93.2	91.0	33.7	33.4	34.0	34.1
Missouri	93.5	91.6	92.5	90.7	33.7	33.4	34.6	34.4
Arkansas	93.5	91.7	91.0	90.1	33.8	33.8	34.5	34.4
Louisiana	94.4	93.4	94.3	94.5	33.5	33.8	33.8	34.0
Oklahoma	86.4	90.9	89.7	92.9	30.1	30.4	30.8	31.0
Texas	92.3	93.0	90.1	93.0	30.5	30.7	30.8	31.7
New Mexico	97.1	96.9	96.6	96.1	35.4	35.5	36.2	36.3
Arizona	92.4	93.1	91.9	93.6	33.6	33.6	33.6	34.0
Nevada	99.6	92.5	97.4	96.4	36.8	35.8	35.8	36.6
California	95.3	94.0	94.7	93.6	34.6	34.5	34.4	35.1
United States	93.2	93.0	92.0	92.8	32.8	32.8	33.0	33.4

1/ Computed by weighting the quantity in each grade by the 1937-39 average price per pound for such grade of 15/16 inch staple. Converted to an index with Middling White equaling 100.

2/ Averages calculated on numerical equivalents of the staple designations (for example, 29/32"=29).

Table 6. -- Tenderability of upland cotton ginned, by states, 1967-68

State	Tenderable <u>1/</u>		Untenderable		Total crop	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
Virginia	-	-	148	100.0	148	100.0
North Carolina	27,103	56.7	20,677	43.3	47,780	100.0
South Carolina	125,061	67.9	59,146	32.1	184,207	100.0
Georgia	162,093	70.7	67,156	29.3	229,249	100.0
Florida	4,788	66.7	2,390	33.3	7,178	100.0
Alabama	110,274	55.6	88,158	44.4	198,432	100.0
Mississippi	713,184	67.2	348,466	32.8	1,061,650	100.0
Illinois	-	-	-	-	-	-
Kentucky	42	23.3	138	76.7	180	100.0
Tennessee	73,023	50.0	73,107	50.0	146,130	100.0
Missouri	29,873	49.7	30,215	50.3	60,088	100.0
Arkansas	275,016	54.6	228,235	45.4	503,251	100.0
Louisiana	300,155	69.8	129,828	30.2	429,983	100.0
Oklahoma	52,305	27.6	137,291	72.4	189,596	100.0
Texas	891,446	33.1	1,803,200	66.9	2,694,646	100.0
New Mexico	73,428	53.0	64,992	47.0	138,420	100.0
Arizona	297,728	71.7	117,632	28.3	415,360	100.0
Nevada	2,279	57.7	1,671	42.3	3,950	100.0
California	869,639	82.3	186,514	17.7	1,056,153	100.0
All states	4,007,437	54.4	3,358,964	45.6	7,366,401	100.0

1/ Tenderable with respect to grade and staple in settlement of futures contracts.

Table 7. -- Tenderability of upland cotton ginned in the United States, 1951-1967

Year	Tenderable <u>1/</u>		Untenderable		Total crop <u>2/</u>	
	Bales	Pct.	Bales	Pct.	Bales	Pct.
1951	10,793,023	71.8	4,232,480	28.2	15,025,503	100.0
1952	10,982,423	73.9	3,875,742	26.1	14,858,165	100.0
1953	13,691,670	84.2	2,560,929	15.8	16,252,599	100.0
1954	11,506,960	84.8	2,070,033	15.2	13,576,993	100.0
1955	11,106,760	76.6	3,393,764	23.4	14,500,524	100.0
1956	10,609,930	81.0	2,492,207	19.0	13,102,137	100.0
1957	6,859,873	63.5	3,940,845	36.5	10,800,718	100.0
1958	9,768,742	86.0	1,584,723	14.0	11,353,465	100.0
1959	11,401,025	78.9	3,044,992	21.1	14,446,017	100.0
1960	10,050,977	70.8	4,148,110	29.2	14,199,087	100.0
1961	11,655,270	81.7	2,608,095	18.3	14,263,365	100.0
1962	11,373,949	77.1	3,380,447	22.9	14,754,396	100.0
1963	12,395,120	81.9	2,733,655	18.1	15,128,775	100.0
1964	10,154,264	67.5	4,878,050	32.5	15,032,314	100.0
1965	9,540,115	64.3	5,307,177	35.7	14,847,292	100.0
1966	4,902,137	51.6	4,589,060	48.4	9,491,197	100.0
1967	4,007,437	54.4	3,358,964	45.6	7,366,401	100.0

1/ Tenderable with respect to grade and staple in settlement of futures contracts.

2/ As reported by the Bureau of the Census, running bales.

Table 8. -- Grade and staple of upland cotton ginned in North Carolina, 1967-68

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	72	43	27	-	-	-	-	0.3
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	252	-	-	-	-	-	-	-	-
S.L.M.+	(40)	-	-	-	-	-	-	34	3,405	1,938	152	15	-	-	-	12.1
S.L.M.	(41)	-	-	-	-	-	9	301	1,069	428	32	8	-	-	-	3.3
L.M.+	(50)	-	-	-	-	-	-	25	11,647	6,568	326	39	-	-	-	18,890
L.M.	(51)	-	-	-	-	-	18	205	2,655	2,065	92	-	-	-	-	10.1
S.G.O.+	(60)	-	-	-	-	-	-	144	3,613	2,503	184	-	-	-	-	13.7
S.G.O.	(61)	-	-	-	-	-	18	72	349	148	-	-	-	-	-	0.4
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2
G.O.	(71)	-	-	-	-	-	-	-	67	-	-	-	-	-	-	0.1
Total		-	-	-	-	-	45	889	23,021	13,725	813	62	-	-	-	38,555
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	88	51	-	-	-	-	-	0.3
M.	(32)	-	-	-	-	-	-	145	1,139	199	17	-	-	-	-	3.1
S.L.M.	(42)	-	-	-	-	-	9	206	1,566	574	73	-	-	-	-	1,500
L.M.	(52)	-	-	-	-	-	63	255	1,026	379	15	-	-	-	-	2,428
Total		-	-	-	-	-	72	606	3,819	1,203	105	-	-	-	-	1,738
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	91	203	62	-	-	-	-	-	0.7
S.L.M.	(43)	-	-	-	-	-	36	275	757	195	-	-	-	-	-	356
L.M.	(53)	-	-	-	-	18	180	526	315	56	9	-	-	-	-	1,263
Total		-	-	-	-	18	216	892	1,275	313	9	-	-	-	-	1,104
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	18	9	-	-	-	-	-	-	-	27
L.M.	(54)	-	-	-	-	9	27	54	28	-	-	-	-	-	-	118
Total		-	-	-	-	9	45	63	28	-	-	-	-	-	-	145
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	8	8	33	-	-	-	-	-	-	49
M.	(36)	-	-	-	-	-	9	-	17	-	-	-	-	-	-	26
S.L.M.	(46)	-	-	-	-	-	-	9	18	8	-	-	-	-	-	35
Total		-	-	-	-	-	17	17	68	8	-	-	-	-	-	110
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	15	-	-	-	-	-	-	-	15
M.	(37)	-	-	-	-	-	-	9	-	-	-	-	-	-	-	9
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	24	-	-	-	-	-	-	-	24
Below Grade																
		-	-	-	-	27	81	256	45	9	-	-	-	-	-	418
All grades																
Percent		-	-	-	-	54	476	2,747	28,256	15,258	927	62	-	-	-	47,780
Percent		-	-	-	-	0.1	1.0	5.7	59.3	31.9	1.9	0.1	-	-	-	100.0
All grades																
1/ As reported by the Bureau of the Census, running bales.																
Less than 0.05 percent.																
Percentage rough preparation.... 0.1																
Grade Index..... 91.2																
Average staple..... 34.3																

Table 8. -- Grade and staple of upland cotton ginned in South Carolina, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	76	1,245	1,385	40	-	-	-	-	2,746
M.	(31)	-	-	-	-	-	8	-	-	-	-	-	-	-	-	1.5
S.L.M.+	(41)	-	-	-	-	-	-	372	15,149	21,478	2,906	134	-	-	-	40,047
S.L.M.	(41)	-	-	-	-	-	-	28	843	1,574	360	-	-	-	-	2,805
L.M.+	(51)	-	-	-	-	-	-	904	23,030	35,254	4,839	64	13	-	-	64,104
L.M.	(51)	-	-	-	-	-	-	136	2,958	5,127	845	-	-	-	-	8,466
S.G.O.+	(61)	-	-	-	-	-	56	663	11,917	17,238	2,519	8	-	-	-	32,401
S.G.O.	(61)	-	-	-	-	-	-	40	233	344	16	-	-	-	-	633
G.O.+	(70)	-	-	-	-	-	32	222	1,585	1,185	75	-	-	-	-	3,099
G.O.	(71)	-	-	-	-	-	-	32	288	29	12	-	-	-	-	361
Total		-	-	-	-	-	96	2,473	56,648	83,614	11,612	206	13	-	-	154,662
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	540	366	53	-	-	-	-	959
M.	(32)	-	-	-	-	-	28	189	2,425	3,108	335	48	-	-	-	6,133
S.L.M.	(42)	-	-	-	-	-	24	311	3,826	4,790	747	32	8	-	-	9,738
L.M.	(52)	-	-	-	-	-	48	885	3,141	2,360	269	13	-	-	-	6,716
Total		-	-	-	-	-	100	1,385	9,932	10,624	1,404	93	8	-	-	23,546
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	12	12	13	-	-	-	-	37
M.	(33)	-	-	-	-	-	-	61	213	109	12	-	-	-	-	395
S.L.M.	(43)	-	-	-	-	16	12	476	713	351	12	-	-	-	-	1,580
L.M.	(53)	-	-	-	-	-	12	651	1,500	463	12	-	-	-	-	2,638
Total		-	-	-	-	16	24	1,188	2,438	935	49	-	-	-	-	4,650
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	-	12	49	36	-	-	-	-	-	-	97
L.M.	(54)	-	-	-	-	-	12	85	84	12	-	-	-	-	-	193
Total		-	-	-	-	-	24	134	120	12	-	-	-	-	-	290
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	24	151	74	-	-	-	-	-	249
M.	(36)	-	-	-	-	-	12	12	44	-	-	-	-	-	-	68
S.L.M.	(46)	-	-	-	-	-	-	8	12	-	-	-	-	-	-	20
Total		-	-	-	-	-	12	44	207	74	-	-	-	-	-	337
Below Grade																
		-	-	-	-	-	36	230	412	44	-	-	-	-	-	722
All grades																
		-	-	-	-	16	292	5,454	69,757	95,303	13,065	299	21	-	-	184,207 1/
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	0.2	3.0	37.9	51.6	7.1	0.2	*	-	-	100.0
1/ As reported by the Bureau of the Census, running bales.																
Percentage rough preparation....																
Grade index.....																
Average staple.....																
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	92.2
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	34.6

Table 8. -- Grade and staple of upland cotton ginned in Georgia, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	58	2,170	2,585	12	-	-	-	-	12	-
S.M.	(21)	-	-	-	-	-	-	19	28	765	238	104	-	-	5,920	2.6
M.+	(30)	-	-	-	-	-	-	-	-	-	12	-	-	-	81	-
M.	(31)	-	-	-	-	31	260	10,201	14,935	4,635	1,042	138	-	-	31,242	13.6
S.L.M.+	(40)	-	-	-	-	8	19	937	1,528	735	132	36	-	-	3,395	1.5
S.L.M.	(41)	-	-	-	-	46	836	32,915	45,214	12,059	1,711	49	-	-	92,830	40.5
L.M.+	(50)	-	-	-	-	-	25	2,897	3,156	545	39	-	-	-	6,662	2.9
L.M.	(51)	-	-	-	9	15	537	10,738	10,864	1,824	204	-	-	-	24,191	10.6
S.G.O.+	(60)	-	-	-	-	-	8	313	258	67	8	-	-	-	654	0.3
S.G.O.	(61)	-	-	-	8	15	225	1,479	648	107	8	-	-	-	2,490	1.1
G.O.+	(70)	-	-	-	-	-	-	11	-	-	-	-	-	-	11	-
G.O.	(71)	-	-	-	-	8	59	158	61	11	-	-	-	-	297	0.1
Total		-	-	-	17	123	2,027	61,838	79,271	20,786	3,394	327	-	-	167,785	73.2
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	23	66	643	465	58	27	-	-	-	-	0.6
M.	(32)	-	-	-	-	12	506	6,563	3,985	558	75	-	-	-	11,699	5.1
S.L.M.	(42)	-	-	-	-	91	890	12,236	10,838	2,513	459	-	-	-	27,027	11.8
L.M.	(52)	-	-	-	-	168	664	5,181	3,687	615	24	-	-	-	10,339	4.5
Total		-	-	-	-	294	2,126	24,623	18,975	3,744	585	-	-	-	50,347	22.0
Spotted:																
G.M.	(13)	-	-	-	-	-	-	79	61	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	15	52	392	214	55	10	-	-	-	140	0.1
M.	(33)	-	-	-	-	38	311	1,189	689	70	13	-	-	-	738	0.3
S.L.M.	(43)	-	-	-	9	102	388	983	536	193	13	-	-	-	2,319	1.0
L.M.	(53)	-	-	-	-	441	1,346	3,431	1,500	318	36	-	-	-	3,986	1.7
Total		-	-	-	111	441	1,346	3,431	1,500	318	36	-	-	-	7,183	3.1
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	9	-	-	-	-	-	-	9	-
M.	(34)	-	-	-	-	-	9	39	19	-	-	-	-	-	67	-
S.L.M.	(44)	-	-	-	-	19	59	27	19	-	-	-	-	-	124	0.1
L.M.	(54)	-	-	-	195	278	332	153	32	13	-	-	-	-	1,003	0.4
Total		-	-	-	195	297	400	228	70	13	-	-	-	-	1,203	0.5
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	29	23	-	-	-	-	-	52	-
M.	(36)	-	-	-	-	-	-	242	108	23	-	-	-	-	373	0.2
S.L.M.	(46)	-	-	-	-	9	8	92	22	-	-	-	-	-	131	0.1
Total		-	-	-	-	9	8	363	153	23	-	-	-	-	556	0.3
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	27	-	-	-	-	-	-	27	-
M.	(37)	-	-	-	-	-	-	-	-	-	-	-	-	-	19	-
S.L.M.	(47)	-	-	-	-	19	-	-	-	-	-	-	-	-	46	-
Total		-	-	-	-	19	-	27	-	-	-	-	-	-	46	-
Below Grade																
		-	9	9	154	411	725	542	235	44	-	-	-	-	2,129	0.9
All grades																
		-	9	9	477	1,594	6,632	91,052	100,204	24,930	4,015	327	-	-	229,249	100.0
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades																
		-	-	-	0.2	0.7	2.9	39.7	43.7	10.9	1.8	0.1	-	-	100.0	-
As reported by the Bureau of the Census, running bales.																
Grade index.....																
Average staple.....																
Percentage rough preparation....																
Less than 0.05 percent.																
91.9																
33.7																

Table 8. -- Grade and staple of upland cotton ginned in Florida, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	-	199	166	31	-	-	-	-	396	5.5
S.L.M.+	(40)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(41)	-	-	-	-	-	39	1,809	1,423	195	12	-	-	-	3,478	48.7
L.M.+	(50)	-	-	-	-	-	33	590	450	76	-	-	-	-	24	0.3
L.M.	(51)	-	-	-	-	-	23	29	19	15	-	-	-	-	1,149	16.0
S.G.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	86	1.2
S.G.O.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	14	0.2
G.O.	(71)	-	-	-	-	-	-	14	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	95	2,641	2,082	317	12	-	-	-	5,147	71.9
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(32)	-	-	-	-	-	-	79	92	12	-	-	-	-	183	2.5
S.L.M.	(42)	-	-	-	-	-	-	744	442	64	-	-	-	-	1,250	17.4
L.M.	(52)	-	-	-	-	-	31	272	87	7	-	-	-	-	397	5.5
Total		-	-	-	-	-	31	1,095	621	83	-	-	-	-	1,830	25.4
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(43)	-	-	-	-	-	10	29	12	-	-	-	-	-	51	0.7
L.M.	(53)	-	-	-	-	-	29	82	-	-	-	-	-	-	111	1.5
Total		-	-	-	-	-	39	111	12	-	-	-	-	-	162	2.2
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	10	-	-	-	-	-	-	-	10	0.1
S.L.M.	(46)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	10	-	-	-	-	-	-	-	10	0.1
Below Grade																
		-	-	-	-	10	-	-	19	-	-	-	-	-	29	0.4
All Grades																
		-	-	-	-	10	175	3,847	2,734	400	12	-	-	-	7,178 1/2	100.0
All grades																
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	-	-	-	0.1	2.4	53.6	38.1	5.6	0.2	-	-	-	100.0	

1/ As reported by the Bureau of the Census, running bales.

Percentage rough preparation.... 0.3
Grade index..... 90.5
Average staple..... 33.5

Table 8. -- Grade and staple of upland cotton ginned in Alabama, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	36	429	373	63	28	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	-	-	-	-	855	11,246	7,297	1,151	202	-	-	-	-	10.5
S.L.M.+	(40)	-	-	-	-	-	11	58	95	17	-	-	-	-	-	181
S.L.M.	(41)	-	-	-	-	-	32	2,495	21,396	5,090	543	132	26	9	-	64,842
L.M.+	(50)	-	-	-	-	-	11	378	437	130	-	-	-	-	-	956
L.M.	(51)	-	-	9	9	42	1,015	17,195	9,630	2,099	221	41	-	-	-	30,252
S.G.O.+	(60)	-	-	-	-	-	8	19	30	-	-	-	-	-	-	57
S.G.O.	(61)	-	-	-	15	81	840	3,513	1,681	220	9	9	-	-	-	6,368
S.G.O.+	(70)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9
G.O.	(71)	-	-	-	8	123	182	490	242	9	-	-	-	-	-	1,054
Total		-	-	-	32	278	5,455	68,447	41,190	8,799	1,003	182	26	9	-	125,421
																63.2
Light Spotted:																
G.M.	(12)	-	-	-	-	-	28	328	293	81	27	-	-	-	-	10
S.M.	(22)	-	-	-	-	9	634	6,180	3,270	433	131	45	-	-	-	766
M.	(32)	-	-	-	10	27	1,960	16,990	7,074	1,184	187	17	9	-	-	10,730
S.L.M.	(42)	-	-	-	8	112	1,960	16,990	7,074	1,184	187	17	9	-	-	27,541
L.M.	(52)	-	-	-	15	125	1,350	7,844	2,973	363	56	-	-	-	-	12,726
Total		-	-	-	33	273	3,972	31,352	13,610	2,061	401	62	9	-	-	51,773
																26.1
Spotted:																
G.M.	(13)	-	-	-	-	-	36	148	101	46	19	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	8	161	827	179	49	-	-	-	-	350
M.	(33)	-	-	-	53	57	617	2,357	1,722	312	17	-	-	-	-	2,008
S.L.M.	(43)	-	-	-	544	771	1,745	3,131	991	79	10	-	-	-	-	5,135
L.M.	(53)	-	-	15	597	836	2,559	6,420	3,641	616	95	-	-	-	-	7,286
Total		-	-	15	597	836	2,559	6,420	3,641	616	95	-	-	-	-	14,779
																7.5
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	8	10	37	128	161	20	-	-	-	-	-	-
S.L.M.	(44)	-	8	-	76	152	175	162	164	40	10	-	-	-	-	364
L.M.	(54)	8	91	89	610	284	213	272	106	10	-	-	-	-	-	787
Total		8	99	89	694	446	425	562	431	70	10	-	-	-	-	1,683
																0.8
																1.4
Stained:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	8	-	-	-	-	-	-	-	-	-	-	8
Total		-	-	-	8	-	-	-	-	-	-	-	-	-	-	8
Light Gray:																
G.M.	(16)	-	-	-	-	-	31	103	21	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	132	473	36	-	-	-	-	-	-	155
M.	(36)	-	-	-	-	94	92	237	18	-	-	-	-	-	-	641
S.L.M.	(46)	-	-	-	-	94	255	813	75	-	-	-	-	-	-	441
Total		-	-	-	-	94	255	813	75	-	-	-	-	-	-	1,237
																0.6
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	11	24	9	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	11	24	9	-	-	-	-	-	-	44
S.L.M.	(47)	-	-	8	15	25	48	24	-	-	-	-	-	-	-	120
Total		-	-	8	15	25	59	48	9	-	-	-	-	-	-	164
																0.1
Below Grade		15	24	38	297	450	648	569	175	-	-	-	-	-	-	2,216
All grades		29	123	150	1,676	2,402	13,373	108,211	59,131	11,546	1,509	244	35	9	-	198,432
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.1	0.1	0.1	0.8	1.2	6.7	54.6	29.8	5.8	0.8	0.1				100.0
All grades																89.5
As reported by the Bureau of the Census, running bales.																
Grade index.....																
Average staple.....																
Percentage rough preparation....																
Less than 0.05 percent.																

Table 8. -- Grade and staple of upland cotton ginned in Mississippi, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	-	13	13	-	-	-	-	-	26
S.M.	(21)	-	-	-	-	-	9	722	15,832	17,367	1,545	27	-	-	-	35,502
M.+	(31)	-	-	-	-	-	-	-	76	428	63	-	-	-	-	567
M.	(41)	-	-	-	-	-	139	5,243	87,228	79,240	5,432	309	10	-	-	177,601
S.L.M.+	(51)	-	-	-	-	-	-	90	5,070	7,533	440	13	-	-	-	13,146
S.L.M.	(61)	-	-	-	-	-	177	11,698	207,104	234,949	19,432	1,303	340	52	68	475,123
L.M.+	(71)	-	-	-	-	-	9	275	13,804	21,934	3,441	367	84	23	10	39,947
L.M.	(81)	-	-	-	-	-	85	3,753	43,470	43,028	8,470	606	324	19	39	99,794
S.G.O.+	(91)	-	-	-	-	-	-	30	583	923	175	32	10	-	-	1,753
S.G.O.	(101)	-	-	-	-	-	207	1,399	3,740	2,152	761	19	-	-	10	8,305
G.O.+	(111)	-	-	-	-	-	-	10	10	-	-	-	-	-	-	20
G.O.	(121)	-	-	-	-	-	95	363	399	102	42	-	-	-	-	1,001
Total		-	-	-	-	17	721	23,583	377,329	407,669	39,801	2,676	768	94	127	882,785
Light Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	68	310	1,318	450	-	-	-	-	-	2,146
M.	(33)	-	-	-	-	-	296	4,730	25,423	11,397	497	23	10	-	-	42,386
S.L.M.	(43)	-	-	-	-	-	382	5,886	47,735	29,910	2,769	122	61	-	-	86,874
L.M.	(53)	-	-	-	-	-	378	3,194	13,267	6,158	925	62	10	-	-	23,997
Total		-	-	-	-	22	1,124	14,120	87,743	47,915	4,191	207	81	-	-	155,403
Spotted:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	27	1,071	4,783	2,340	77	-	-	-	-	572
M.	(34)	-	-	-	-	-	206	2,642	3,375	171	-	-	-	-	-	8,298
S.L.M.	(44)	-	-	-	-	-	980	3,701	4,800	1,004	86	-	-	-	-	15,265
L.M.	(54)	-	-	-	-	-	69	923	807	39	6	-	-	-	-	10,640
Total		-	-	-	-	69	1,213	7,430	18,913	6,806	344	-	-	-	-	34,775
Tinged:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	73	575	861	146	10	-	-	-	-	1,665
M.	(36)	-	-	-	-	-	20	148	443	175	-	-	-	-	-	786
S.L.M.	(46)	-	-	-	-	-	73	143	71	19	-	-	-	-	-	306
Total		-	-	-	-	-	166	866	1,375	340	10	-	-	-	-	2,757
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	6	16	20	9	-	-	-	-	-	31
S.L.M.	(47)	-	-	-	-	-	38	73	-	-	-	-	-	-	-	61
Total		-	-	-	-	-	44	110	30	9	-	-	-	-	-	111
Below Grade																
		-	-	-	34	194	4,314	7,281	1,482	324	76	3	-	10	-	13,718
All grades		-	-	-	40	312	7,800	54,313	487,679	463,112	44,428	2,886	849	104	127	1,061,650
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	0.7	5.1	46.0	43.6	4.2	0.3	0.1	-	-	100.0
As reported by the Bureau of the Census, running bales.																
* Less than 0.05 percent.																
Percentage rough preparation.... 0.5																
Grade index..... 92.8																
Average staple..... 34.5																

Table 8. -- Grade and staple of upland cotton ginned in Tennessee, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	67	2,492	2,195	105	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	-	24	47	12	-	-	-	-	3.3
M.+	(30)	-	-	-	-	-	-	597	11,001	693	22	100	-	-	-	83
S.L.M.	(40)	-	-	-	-	-	-	31	866	769	22	-	-	-	-	24,105
S.L.M.+	(41)	-	-	-	-	-	28	1,891	26,389	16,449	1,004	51	-	-	-	1,688
L.M.+	(50)	-	-	-	-	-	-	60	1,345	750	32	-	-	-	-	45,812
L.M.	(51)	-	-	-	-	-	14	738	5,500	2,340	195	22	-	-	-	2,187
S.G.O.+	(60)	-	-	-	-	-	10	31	-	-	-	-	-	-	-	8,809
S.G.O.	(61)	-	-	-	-	-	54	360	480	131	-	-	-	-	-	51
G.O.+	(70)	-	-	-	-	-	-	-	20	-	-	-	-	-	-	1,025
G.O.	(71)	-	-	-	-	-	-	14	38	-	-	-	-	-	-	20
Total		-	-	-	-	-	106	3,768	48,899	33,682	2,063	173	-	-	-	88,691
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	71	270	71	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	33	1,348	5,116	505	-	-	-	-	-	412
M.	(32)	-	-	-	-	-	246	3,780	14,235	1,863	51	-	-	-	-	7,002
S.L.M.	(42)	-	-	-	-	-	239	1,693	3,131	379	12	-	-	-	-	20,175
L.M.	(52)	-	-	-	-	15	-	-	-	-	-	-	-	-	-	5,469
Total		-	-	-	-	15	518	6,892	22,752	2,818	63	-	-	-	-	33,058
Spotted:																
G.M.	(13)	-	-	-	-	-	-	10	31	10	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	24	848	2,213	162	-	-	-	-	-	51
M.	(33)	-	-	-	-	-	369	3,118	5,553	422	10	-	-	-	-	3,247
S.L.M.	(43)	-	-	-	-	9	1,272	2,299	1,883	66	5	-	-	-	-	9,492
L.M.	(53)	-	-	-	-	9	-	-	-	-	-	-	-	-	-	5,534
Total		-	-	-	-	9	1,685	6,275	9,680	660	15	-	-	-	-	18,324
Tinged:																
G.M.	(14)	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	55	59	-	-	-	-	-	-	5
M.	(34)	-	-	-	-	-	204	826	312	5	-	-	-	-	-	114
S.L.M.	(44)	-	-	-	-	44	528	963	277	5	-	-	-	-	-	1,347
L.M.	(54)	-	-	-	14	44	-	-	-	-	-	-	-	-	-	1,831
Total		-	-	-	14	44	732	1,849	648	10	-	-	-	-	-	3,297
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	10	10	62	20	-	-	-	-	-	102
M.	(36)	-	-	-	-	-	5	10	10	-	-	-	-	-	-	25
S.L.M.	(46)	-	-	-	-	-	5	29	10	-	-	-	-	-	-	44
Total		-	-	-	-	-	20	49	82	20	-	-	-	-	-	171
Below Grade																
		-	-	5	19	247	1,286	692	129	9	-	-	-	-	-	2,589
All grades																
		-	-	5	33	315	4,349	19,725	82,190	37,199	2,141	173	-	-	-	146,130 1/2
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	-	-	-	0.2	3.0	13.5	56.2	25.5	1.5	0.1	-	-	-	100.0
All grades																
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
As reported by the Bureau of the Census, running bales.																
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grade index.....																
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	91.0
Average staple.....																
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	34.1

1/ As reported by the Bureau of the Census, running bales.
 ■ Less than 0.05 percent.

Table 8. -- Grade and staple of upland cotton ginned in Missouri, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	-	226	432	37	-	-	-	-	695 1.2
S.M.	(21)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.+	(30)	-	-	-	-	-	-	24	1,778	4,009	580	-	-	-	-	6,391 10.6
M.	(31)	-	-	-	-	-	-	-	58	328	66	-	-	-	-	452 0.8
S.L.M.+	(40)	-	-	-	-	-	-	333	8,367	14,625	2,341	11	-	-	-	25,680 42.8
S.L.M.	(41)	-	-	-	-	-	3	-	303	643	311	-	-	-	-	1,268 2.1
L.M.+	(50)	-	-	-	-	11	11	67	447	237	71	-	-	-	-	825 1.4
L.M.	(51)	-	-	-	-	3	3	11	21	-	-	-	-	-	-	32 0.1
S.G.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.G.O.	(61)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.+	(70)	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	17	446	11,200	20,274	3,406	11	-	-	-	-	35,354 59.0
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	88	11	-	-	-	-	-	110 0.2
S.M.	(22)	-	-	-	-	-	-	130	1,465	650	-	-	-	-	-	2,245 3.7
M.	(32)	-	-	-	-	-	38	912	5,730	2,221	121	-	-	-	-	9,022 15.0
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L.M.	(52)	-	-	-	12	58	256	366	165	-	-	-	-	-	-	857 1.4
Total		-	-	-	12	96	1,298	7,649	3,047	132	-	-	-	-	-	12,234 20.3
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	11	-	-	-	-	-	-	11 -
S.M.	(23)	-	-	-	-	-	-	274	794	161	-	-	-	-	-	1,236 2.1
M.	(33)	-	-	-	-	-	69	1,434	4,001	697	11	-	-	-	-	6,215 10.3
S.L.M.	(43)	-	-	-	-	3	219	935	770	45	-	-	-	-	-	1,969 3.3
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	3	295	2,643	5,576	903	11	-	-	-	-	9,431 15.7
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	7	133	115	11	-	-	-	-	-	266 0.4
S.L.M.	(44)	-	-	-	-	-	77	306	341	18	-	-	-	-	-	742 1.2
L.M.	(54)	-	-	-	12	70	287	406	72	-	-	-	-	-	-	847 1.4
Total		-	-	-	12	70	371	845	528	29	-	-	-	-	-	1,855 3.0
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(36)	-	-	-	-	-	-	11	12	-	-	-	-	-	-	23 -
S.L.M.	(46)	-	-	-	-	-	12	23	12	-	-	-	-	-	-	47 0.1
Total		-	-	-	-	-	12	34	24	-	-	-	-	-	-	70 0.1
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	11	12	-	-	-	-	-	-	-	23 -
S.L.M.	(47)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total		-	-	-	-	-	11	12	-	-	-	-	-	-	-	23 -
Below Grade																
		-	-	12	47	120	491	348	82	21	-	-	-	-	-	1,121 1.9
All grades																
		-	-	12	71	193	1,293	5,626	25,059	24,274	3,549	11	-	-	-	60,088 1/ 100.0
All grades																
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	-	*	0.1	0.3	2.2	9.4	41.7	40.4	5.9	*	-	-	-	100.0
1/ As reported by the Bureau of the Census, running bales.																
Percentage rough preparation....																
Grade index.....																
Average staple.....																
90.7																
34.4																

Table 8. -- Grade and staple of upland cotton ginned in Arkansas, 1967-68 (Continued)

Grade	Code	13/16" and shorter (25)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	-	-	-	-	202	2,237	1,845	203	-	-	-	-	4,487
M.+	(30)	-	-	-	-	-	-	12	35	70	12	-	-	-	-	129
M.	(31)	-	-	-	-	-	56	1,453	24,261	17,382	1,745	76	-	-	-	44,973
S.L.M.+	(40)	-	-	-	-	-	-	65	1,578	2,063	285	10	-	-	-	4,001
S.L.M.	(41)	-	-	-	-	-	154	3,652	96,225	94,164	12,973	985	66	-	-	208,219
L.M.+	(50)	-	-	-	-	-	-	106	4,625	8,606	1,868	149	-	-	-	15,354
L.M.	(51)	-	-	-	-	17	124	1,759	23,189	25,129	3,676	216	-	-	-	54,110
S.G.O.+	(60)	-	-	-	-	-	-	34	336	548	117	-	-	-	-	1,035
S.G.O.	(61)	-	-	-	-	9	169	763	1,591	995	193	11	-	-	-	3,750
G.O.+	(70)	-	-	-	-	-	11	-	7	-	-	-	-	-	-	18
G.O.	(71)	-	-	-	-	-	55	211	140	44	-	-	-	-	-	450
Total		-	-	-	19	26	569	8,257	154,224	150,846	21,072	1,447	66	-	-	336,526
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	11	-	-	-	-	-	-	-	11
S.M.	(22)	-	-	-	-	-	-	36	184	23	-	-	-	-	-	243
M.	(32)	-	-	-	-	-	70	1,067	6,900	3,101	526	-	-	-	-	11,664
S.L.M.	(42)	-	-	-	-	-	224	5,292	37,704	25,414	3,920	187	11	-	-	72,752
L.M.	(52)	-	-	-	-	14	441	3,725	10,920	4,904	724	31	-	-	-	20,759
Total		-	-	-	-	14	735	10,131	55,708	33,442	5,170	218	11	-	-	105,429
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	28	18	42	-	-	-	-	-	88
M.	(33)	-	-	-	-	-	49	682	2,226	788	168	-	-	-	-	3,913
S.L.M.	(43)	-	-	-	-	-	224	5,441	14,521	4,656	536	28	-	-	-	25,406
L.M.	(53)	-	-	-	20	112	1,195	7,132	5,668	1,143	63	-	-	-	-	15,333
Total		-	-	-	20	112	1,468	13,283	22,433	6,629	767	28	-	-	-	44,740
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	11	40	111	11	-	-	-	-	-	173
S.L.M.	(44)	-	-	-	-	-	205	1,074	909	138	-	-	-	-	-	2,326
L.M.	(54)	-	-	-	19	173	809	1,947	443	40	-	-	-	-	-	3,431
Total		-	-	-	19	173	1,025	3,061	1,463	189	-	-	-	-	-	5,930
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	39	129	20	-	-	-	-	-	188
M.	(36)	-	-	-	-	-	17	51	132	75	-	-	-	-	-	275
S.L.M.	(46)	-	-	-	9	-	26	145	85	10	-	-	-	-	-	275
Total		-	-	-	9	-	43	235	346	105	-	-	-	-	-	738
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	10	-	11	-	-	-	-	-	-	-	21
M.	(37)	-	-	-	-	-	-	7	-	-	-	-	-	-	-	7
S.L.M.	(47)	-	-	-	-	-	-	-	-	11	-	-	-	-	-	20
Total		-	-	-	-	10	-	27	-	11	-	-	-	-	-	48
Below Grade																
		-	10	10	141	599	2,717	4,905	1,308	139	11	-	-	-	-	9,840
All grades																
		-	10	10	208	934	6,557	39,899	235,482	191,361	27,020	1,693	77	-	-	503,251
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades																
		-	-	-	-	0.2	1.3	7.9	46.9	36.0	5.4	0.3	-	-	-	100.0
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1/ As reported by the Bureau of the Census, running bales.																
■ Less than 0.05 percent.																
Percentage rough preparation.... 90.1																
Grade index..... 90.1																
Average staple..... 34.4																

Table 8. -- Grade and staple of upland cotton ginned in Louisiana, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	31	72	-	-	-	-	-	-	103
S.M.	(21)	-	-	-	-	-	-	672	5,303	1,101	21	-	-	-	-	7,097
M.+	(30)	-	-	-	-	-	-	-	51	-	-	-	-	-	-	51
M.	(31)	-	-	-	-	-	49	8,319	88,091	11,353	323	10	-	-	-	108,145
S.L.M.+	(40)	-	-	-	-	-	-	20	1,312	287	-	-	-	-	-	1,619
S.L.M.	(41)	-	-	-	-	-	70	15,732	166,509	29,280	1,388	62	10	-	-	213,051
L.M.+	(50)	-	-	-	-	-	-	330	5,821	1,992	84	-	-	-	-	29,935
L.M.	(51)	-	-	-	-	-	89	3,742	21,993	3,932	179	-	-	-	-	231
S.G.O.+	(60)	-	-	-	-	-	-	17	193	21	-	-	-	-	-	2,061
S.G.O.	(61)	-	-	-	-	-	10	547	1,364	130	10	-	-	-	-	26
G.O.+	(70)	-	-	-	-	-	7	-	19	-	-	-	-	-	-	183
G.O.	(71)	-	-	-	-	-	9	104	70	-	-	-	-	-	-	370,729
Total		-	-	-	-	-	234	29,514	290,798	48,096	2,005	72	10	-	-	86.3
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9
S.M.	(22)	-	-	-	-	-	52	475	568	42	10	-	-	-	-	1,147
M.	(32)	-	-	-	9	14	116	5,723	14,988	1,086	10	-	-	-	-	21,946
S.L.M.	(42)	-	-	-	-	-	63	4,281	17,481	2,528	55	-	-	-	-	24,408
L.M.	(52)	-	-	-	-	-	23	814	2,725	156	-	-	-	-	-	3,718
Total		-	-	-	9	14	254	11,293	35,771	3,812	75	-	-	-	-	51,228
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	39	180	242	18	-	-	-	-	-	479
M.	(33)	-	-	-	-	-	19	883	956	58	-	-	-	-	-	1,916
S.L.M.	(43)	-	-	-	-	-	26	566	741	32	-	-	-	-	-	1,365
L.M.	(53)	-	-	-	-	-	31	305	264	9	-	-	-	-	-	609
Total		-	-	-	-	-	115	1,934	2,203	117	-	-	-	-	-	4,369
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	9	-	-	-	-	-	-	9
S.M.	(24)	-	-	-	-	-	-	-	13	-	-	-	-	-	-	13
M.	(34)	-	-	-	-	-	-	7	76	-	-	-	-	-	-	83
S.L.M.	(44)	-	-	-	-	-	-	26	36	-	-	-	-	-	-	62
L.M.	(54)	-	-	-	-	-	-	39	20	-	-	-	-	-	-	59
Total		-	-	-	-	-	-	72	154	-	-	-	-	-	-	226
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	292	915	21	-	-	-	-	-	1,228
M.	(36)	-	-	-	-	-	-	486	820	-	-	-	-	-	-	1,306
S.L.M.	(46)	-	-	-	-	-	10	161	89	-	6	-	-	-	-	266
Total		-	-	-	-	-	10	939	1,824	21	6	-	-	-	-	2,800
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	35	-	-	-	-	-	-	-	35
M.	(37)	-	-	-	-	-	-	36	41	-	-	-	-	-	-	79
S.L.M.	(47)	-	-	-	-	-	-	26	11	-	-	-	-	-	-	37
Total		-	-	-	-	-	-	99	52	-	-	-	-	-	-	151
Below Grade																
		-	-	-	-	-	98	294	88	-	-	-	-	-	-	480
All grades		-	-	-	9	14	711	44,145	330,890	52,046	2,086	72	10	-	-	429,983 1/100.0
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		-	-	-	-	-	0.2	10.3	76.9	12.1	0.5	-	-	-	-	100.0
All grades		-	-	-	-	-	-	-	-	-	-	-	-	-	-	Percentage rough preparation....
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	Grade index.....
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	Average staple.....
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	94.5
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	34.0

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Table 8. -- Grade and staple of upland cotton ginned in Oklahoma, 1967-68 (continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	137	47	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	21	144	-	-	62	52	11	11	-	-	-	-	485 0.3
M.+	(30)	-	-	-	-	11	-	-	-	-	-	-	-	-	-	11
S.L.M.+	(31)	-	11	656	5,710	4,947	2,494	1,555	2,783	1,538	985	141	23	11	21	20,875 11.0
S.L.M.	(40)	-	-	-	141	190	259	181	120	89	11	-	-	23	-	1,014 0.5
S.L.M.	(41)	-	21	490	5,313	6,705	4,063	2,659	4,098	1,277	680	269	211	51	111	25,968 13.7
L.M.+	(50)	-	9	10	107	185	181	55	92	62	58	30	22	-	-	811 0.4
L.M.	(51)	-	25	202	1,665	1,032	730	449	1,000	389	82	80	61	-	32	5,747 3.0
S.G.O.+	(60)	-	-	11	32	12	11	-	-	-	-	-	-	-	-	66
S.G.O.	(61)	-	-	25	154	60	90	51	85	27	11	17	11	-	-	531 0.3
G.O.+	(70)	-	-	-	-	6	-	-	-	-	-	-	-	-	-	6
G.O.	(71)	-	-	-	30	10	11	35	31	-	-	-	-	-	-	117 0.1
Total		-	66	1,415	13,296	13,295	7,886	5,047	8,261	3,393	1,838	557	328	85	164	55,631 29.3
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	10	200	403	160	10	-	-	-	-	-	-	-	-	783 0.4
M.	(32)	76	345	8,252	32,580	14,605	4,909	2,043	834	457	157	29	11	-	-	64,298 34.0
S.L.M.	(42)	10	260	5,582	20,901	11,569	4,606	2,278	1,291	242	86	50	29	10	6	46,920 24.7
L.M.	(52)	-	47	829	2,922	963	630	416	381	50	32	-	11	10	9	6,300 3.3
Total		86	662	14,863	56,806	27,297	10,155	4,737	2,506	749	275	79	51	20	15	118,301 62.4
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	10	21	139	27	6	6	6	-	-	-	-	-	-	215 0.1
M.	(33)	42	376	1,194	3,052	1,224	550	216	84	63	10	-	-	-	-	6,811 3.6
S.L.M.	(43)	23	104	915	2,329	1,047	433	271	158	52	21	-	-	-	-	5,353 2.8
L.M.	(53)	6	21	200	658	152	82	64	74	9	-	-	-	-	-	1,266 0.7
Total		71	511	2,330	6,178	2,450	1,071	557	322	124	31	-	-	-	-	13,645 7.2
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	6	-	-	-	-	-	-	-	-	-	6
M.	(34)	-	6	27	180	87	36	6	-	-	-	-	-	-	-	342 0.2
S.L.M.	(44)	-	-	49	166	80	21	9	-	-	6	-	-	-	-	331 0.2
L.M.	(54)	-	13	38	94	6	6	16	-	-	-	-	-	-	-	173 0.1
Total		-	19	114	440	179	63	31	-	-	6	-	-	-	-	852 0.5
Stained:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(35)	-	-	-	-	-	-	-	-	11	-	-	-	-	-	11
Total		-	-	-	-	-	-	-	-	11	-	-	-	-	-	11
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	-	-	-	11	21	-	-	-	-	-	32
M.	(36)	-	-	-	-	-	11	-	10	-	-	-	-	-	-	21
S.L.M.	(46)	-	-	-	-	-	10	-	10	-	-	-	-	-	-	20
Total		-	-	-	-	-	21	-	31	21	-	-	-	-	-	73
Below Grade		-	25	165	540	46	137	85	58	6	9	6	-	-	6	1,083 0.6
All grades		157	1,283	18,887	77,260	43,267	19,333	10,457	11,178	4,304	2,159	642	379	105	185	189,596 1/ 100.0
Percent		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		0.1	0.7	10.0	40.7	22.8	10.2	5.5	5.9	2.3	1.1	0.3	0.2	0.1	0.1	100.0
1/ As reported by the Bureau of the Census, running bales.																
■ Less than 0.05 percent.																
Percentage rough preparation..... 0.2																
Grade index..... 92.9																
Average staple..... 31.0																

Table 8. -- Grade and staple of upland cotton ginned in Texas, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (26)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	10	-	22	38	13	11	28	12	-	-	134
S.M.	(21)	11	-	226	793	763	915	2,415	3,820	1,071	791	2,422	138	10	22	13,397
M.	(31)	11	-	11	136	44	76	-	76	11	52	419	18	-	9	863
S.I.M.	(41)	21	660	12,671	59,162	63,868	51,821	51,975	51,349	8,485	16,480	42,649	3,904	430	2,940	366,415
S.I.M.	(41)	-	748	13,815	83,599	91,786	89,113	99,691	156,167	20,263	19,934	36,228	9,821	1,034	8,519	18,880
L.M.	(51)	-	24	280	857	633	638	972	2,620	685	409	228	108	21	153	629,718
L.M.	(51)	-	204	2,583	8,490	5,525	5,433	12,008	30,127	4,244	2,413	1,373	1,145	109	621	74,275
S.G.O.	(61)	-	-	34	126	78	36	96	124	185	9	33	-	-	-	721
S.G.O.	(61)	-	65	795	1,496	1,310	1,694	3,668	3,769	1,122	473	164	118	-	19	14,693
G.O.	(71)	-	-	13	50	-	-	-	9	11	-	-	-	-	-	83
G.O.	(71)	-	24	244	515	274	750	2,110	1,731	430	132	40	22	-	10	6,282
Total		43	1,736	30,770	156,065	164,807	151,255	174,653	251,668	37,287	42,496	91,838	15,746	1,643	13,097	1,133,104
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	448	5,365	8,719	4,780	1,761	680	256	136	260	291	22	-	19	22,737
M.	(32)	327	7,330	97,570	257,159	180,267	89,886	36,881	15,908	3,545	8,640	16,986	2,787	333	1,817	719,436
S.I.M.	(42)	211	13,036	88,855	130,565	74,090	38,908	26,126	33,054	6,868	6,505	6,594	3,978	581	2,490	431,851
L.M.	(52)	165	5,448	36,703	30,918	8,953	4,332	5,068	9,370	2,503	1,110	723	678	94	306	106,431
Total		703	26,262	228,493	427,361	268,090	134,947	68,755	58,598	13,052	16,515	24,594	7,465	1,008	4,632	1,280,455
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	93	559	3,433	2,310	576	153	28	41	85	11	-	-	-	7,289
M.	(33)	109	2,286	18,644	55,021	26,840	9,675	2,535	1,004	676	741	361	280	31	175	118,378
S.I.M.	(43)	261	4,279	16,847	24,301	8,595	3,268	1,626	1,341	965	887	197	234	41	112	62,954
L.M.	(53)	188	3,316	11,294	8,738	2,372	1,300	2,038	1,587	391	264	140	95	23	40	31,783
Total		555	9,974	47,344	91,493	40,117	14,819	6,352	3,960	2,073	1,977	709	609	95	327	220,404
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	21	313	818	465	35	-	-	-	-	-	-	-	-	1,652
M.	(34)	38	588	4,065	7,657	2,149	581	188	131	83	40	-	10	-	-	15,530
S.I.M.	(44)	27	544	2,936	3,219	981	246	91	134	72	68	17	28	-	10	8,373
L.M.	(54)	20	356	629	785	338	117	130	25	41	24	-	-	-	-	2,465
Total		85	1,509	7,943	12,479	3,933	979	409	290	196	132	17	38	-	10	28,020
Stained:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	37	265	178	32	18	11	-	-	-	-	-	-	-	19
M.	(35)	-	37	265	197	32	18	11	-	-	-	-	-	-	-	551
Total		-	-	-	-	-	-	-	-	-	-	-	-	-	-	570
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	31	382	321	236	198	60	31	185	148	19	-	-	1,611
M.	(36)	-	11	61	429	542	595	1,140	765	201	183	83	10	-	11	4,031
S.I.M.	(46)	-	-	22	54	40	343	883	453	42	62	-	-	-	11	1,910
Total		-	11	114	865	903	1,174	2,221	1,278	274	430	231	29	-	22	7,552
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	15	-	7	-	-	-	-	19	-	-	-	-	41
M.	(37)	-	-	-	52	87	87	99	49	21	70	32	-	-	10	507
S.I.M.	(47)	-	-	31	48	35	162	1,018	333	41	21	-	-	-	-	1,689
Total		-	-	46	100	129	249	1,117	382	62	110	32	-	-	10	2,237
Below Grade																
		158	1,254	3,561	3,471	1,150	2,597	5,472	3,249	809	385	72	65	-	61	22,304
All grades																
Percent		1,544	40,783	318,536	692,031	479,161	306,038	258,990	319,415	53,753	62,045	117,493	23,952	2,746	18,159	2,694,646
Percent		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
All grades																
Percent		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
As reported by the Bureau of the Census, running bales.																
Percent		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
Grade index.																
Average staple		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
Percentage rough preparation.																
Percent		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
Less than 0.05 percent.																
Percent		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
Percentage rough preparation.																
Percent		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
Grade index.																
Average staple		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
Percentage rough preparation.																
Percent		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0
Less than 0.05 percent.																
Percent		0.1	1.5	11.8	25.6	17.7	11.4	9.6	11.9	2.0	2.3	4.4	0.9	0.1	0.7	100.0

Table 8. -- Grade and staple of upland cotton ginned in New Mexico, 1967-68 (Continued)

Grade	Code	13/16" and shorter (25)	7/8" (26)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	49	10	-	-	59
S.M.	(21)	-	-	-	-	10	-	10	10	69	998	4,487	1,163	39	10	6,796
M.+	(30)	-	-	-	-	-	-	-	-	-	19	10	-	-	-	29
M.	(31)	-	13	108	433	720	244	93	82	1,219	9,582	37,761	10,720	116	61	61,152
S.L.M.+	(40)	-	-	-	32	43	-	27	-	20	356	1,223	778	19	20	2,518
S.L.M.	(41)	-	-	218	906	880	658	265	324	1,711	7,260	15,497	5,085	369	353	33,526
L.M.+	(50)	-	-	-	-	13	-	-	-	22	121	80	127	271	-	634
L.M.	(51)	-	-	20	42	26	28	61	176	487	278	180	97	87	184	1,666
S.G.O.+	(60)	-	-	-	-	-	-	-	10	10	-	-	-	-	-	10
S.G.O.	(61)	-	-	-	27	-	25	86	76	101	42	-	13	-	-	370
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	-	10	-	44	52	64	-	-	-	-	-	170
Total		-	13	346	1,440	1,702	955	586	720	3,703	18,656	59,287	17,993	901	628	106,930
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	-	-	-	-	89	220	590	97	-	-	996
M.	(32)	-	26	198	702	675	396	125	272	1,946	4,499	5,364	409	20	10	14,642
S.L.M.	(42)	-	12	112	518	229	147	125	764	2,249	1,502	685	347	184	360	7,234
L.M.	(52)	-	5	11	28	7	59	107	640	662	100	10	13	87	-	1,729
Total		-	43	321	1,248	911	602	357	1,676	4,946	6,321	6,649	866	291	370	24,601
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	12	-	30	20	-	-	-	62
M.	(33)	-	-	12	79	58	50	107	304	807	171	30	12	-	-	1,630
S.L.M.	(43)	-	-	30	53	19	119	186	515	528	20	10	-	-	-	1,480
L.M.	(53)	-	-	-	-	-	64	85	223	117	-	-	-	-	-	489
Total		-	-	42	132	77	233	378	1,054	1,452	221	60	12	-	-	3,661
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	38	-	51	22	66	32	-	-	10	-	-	219
S.L.M.	(44)	-	-	-	-	-	22	19	12	26	-	-	-	-	-	79
L.M.	(54)	-	-	-	-	-	-	21	-	-	-	-	-	-	-	21
Total		-	-	-	38	-	73	62	78	58	-	-	10	-	-	319
Light Gray:																
G.M.	(16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(26)	-	-	-	-	12	25	-	30	20	62	90	-	-	-	239
M.	(36)	-	-	-	-	9	-	21	46	72	45	-	-	-	-	193
S.L.M.	(46)	-	-	-	-	-	-	12	12	26	10	-	-	-	-	60
Total		-	-	-	-	21	25	33	88	118	117	90	-	-	-	492
Below Grade																
		-	5	-	-	-	333	847	1,048	184	-	-	-	-	-	2,417
All grades		-	61	709	2,858	2,711	2,221	2,263	4,664	10,461	25,315	66,086	18,881	1,192	998	138,420
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	0.5	0.5	2.1	2.0	1.6	1.6	3.4	7.6	18.3	47.7	13.6	0.9	0.7	100.0
1/ As reported by the Bureau of the Census, running bales.																
Percentage rough preparation....																
Grade index.....																
Average staple.....																
		-														96.1
		-														36.3

Table 8. -- Grade and staple of upland cotton ginned in Arizona, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent
White:																
G.M.	(11)	-	-	-	-	-	-	-	2,822	156	10	-	-	-	10	0.9
S.M.	(21)	-	-	-	-	-	-	256	11	-	243	180	30	-	3,687	0.9
M.+	(30)	-	-	-	-	-	-	-	-	-	10	-	-	-	21	36.2
M.	(31)	-	-	-	-	-	146	11,382	112,907	10,923	5,441	6,113	1,143	23	1,838	2.5
S.L.M.+	(40)	-	-	-	-	-	12	506	6,129	1,805	381	382	97	17	996	1.2
S.L.M.	(41)	-	-	-	-	133	392	11,667	76,083	12,379	4,154	4,254	658	158	2,953	4.0
L.M.+	(50)	-	-	-	-	31	72	862	2,935	546	91	74	80	22	387	0.2
L.M.	(51)	11	12	11	64	185	1,573	6,444	6,698	1,059	263	79	127	36	89	1.2
S.G.O.+	(60)	-	-	21	21	27	43	394	32	32	-	6	11	-	-	0.2
S.G.O.	(61)	-	-	18	260	462	1,342	1,931	889	162	11	-	-	-	-	1.2
G.O.+	(70)	-	-	-	-	6	11	-	11	-	-	-	-	-	28	0.3
G.O.	(71)	-	-	57	170	249	234	277	154	30	6	-	-	-	1,177	73.7
Total		-	12	86	515	1,093	3,825	33,719	208,993	27,092	10,610	11,088	2,146	256	6,263	305,698
Light Spotted:																
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	-	11	-	155	698	-	82	-	-	-	-	0.2
M.	(32)	-	-	-	12	62	228	4,552	30,411	3,543	1,785	1,456	32	-	10	10.1
S.L.M.	(42)	-	-	12	124	181	1,305	6,710	15,481	2,368	675	426	42	19	23	6.6
L.M.	(52)	-	95	6	533	1,361	4,720	5,619	2,873	497	53	11	22	12	-	3.8
Total		-	95	18	789	1,615	6,253	17,036	49,463	6,408	2,595	1,893	96	31	33	86,325
Spotted:																
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	-	-	-	11	62	39	92	122	39	10	-	-	-	-	0.1
S.L.M.	(43)	-	-	-	45	62	271	330	278	61	-	-	-	-	-	0.3
L.M.	(53)	-	42	6	171	320	318	304	95	-	-	-	12	-	-	0.3
Total		-	42	6	227	382	628	726	495	100	10	-	12	-	-	2,628
Tinged:																
G.M.	(14)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(24)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.L.M.	(44)	-	-	-	-	11	11	-	-	-	-	-	-	-	-	22
L.M.	(54)	-	-	-	6	16	34	-	-	-	-	-	-	-	-	56
Total		-	-	-	6	27	45	-	-	-	-	-	-	-	-	78
Light Gray:																
G.M.	(15)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(25)	-	-	-	-	-	12	214	575	19	-	-	-	-	-	820
M.	(35)	-	-	-	-	-	85	1,270	952	21	-	-	-	-	-	2,328
S.L.M.	(45)	-	-	-	-	12	83	240	137	10	69	-	-	-	-	551
Total		-	-	-	-	12	180	1,724	1,664	50	69	-	-	-	-	3,699
Gray:																
G.M.	(17)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(27)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.	(37)	-	-	-	-	-	26	77	10	-	-	-	-	-	-	113
S.L.M.	(47)	-	-	-	-	24	73	24	-	-	-	-	-	-	-	121
Total		-	-	-	-	24	99	101	10	-	-	-	-	-	-	234
Below Grade		52	391	431	3,239	4,456	6,136	1,226	616	57	94	-	-	-	-	16,698
All grades		52	540	541	4,776	7,609	17,166	54,532	261,241	33,707	13,378	12,981	2,254	287	6,296	415,360
All grades		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
		0.1	0.1	0.1	1.1	1.8	4.1	13.1	63.2	8.1	3.2	3.1	0.5	0.1	1.5	100.0
1/ As reported by the Bureau of the Census, running bales.																
• Less than 0.05 percent.																
Percentage rough preparation....																
Grade index.....																
Average staple.....																
93.6																
34.0																

Table 8. -- Grade and staple of upland cotton ginned in Nevada, 1967-68 (Continued)

Grade	Code	13/16" and shorter (26)	7/8" (28)	29/32" (29)	15/16" (30)	31/32" (31)	1" (32)	1-1/32" (33)	1-1/16" (34)	1-3/32" (35)	1-1/8" (36)	1-5/32" (37)	1-3/16" (38)	1-7/32" (39)	1-1/4" and longer (40)	All staples	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Percent	
White:																	
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(21)	-	-	-	-	-	-	-	-	9	62	63	-	-	-	3.4	
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(31)	-	-	-	-	-	-	-	-	-	467	1,349	9	-	-	46.2	
S.L.M.+	(40)	-	-	-	-	-	-	-	-	-	21	136	-	-	-	4.0	
S.L.M.	(41)	-	-	-	-	-	-	-	11	43	558	1,022	-	-	-	41.4	
L.M.+	(50)	-	-	-	-	-	-	-	-	-	-	21	-	-	21	0.5	
L.M.	(51)	-	-	-	-	-	-	-	-	-	12	-	-	-	12	0.3	
S.G.O.+	(60)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.G.O.	(61)	-	-	-	-	-	-	-	-	4	4	-	-	-	8	0.2	
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G.O.	(71)	-	-	-	-	-	-	-	-	12	-	-	-	-	12	0.3	
Total		-	-	-	-	-	-	-	11	68	1,124	2,591	9	-	-	96.3	
Light Spotted:																	
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(22)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(32)	-	-	-	-	-	-	-	-	-	4	9	-	-	13	0.3	
S.L.M.	(42)	-	-	-	-	-	-	-	-	-	9	11	-	-	20	0.5	
L.M.	(52)	-	-	-	-	-	-	-	4	11	21	-	-	-	36	0.9	
Total		-	-	-	-	-	-	-	4	11	34	20	-	-	69	1.7	
Spotted:																	
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.	(33)	-	-	-	-	-	-	-	-	-	11	-	-	-	11	0.3	
S.L.M.	(43)	-	-	-	-	-	-	-	-	4	-	-	-	-	4	0.1	
L.M.	(53)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total		-	-	-	-	-	-	-	-	4	11	-	-	-	15	0.4	
Below Grade																	
		-	-	-	-	-	-	-	40	23	-	-	-	-	-	63	1.6
All grades		-	-	-	-	-	-	-	55	106	1,169	2,611	9	-	-	3,950 1/	100.0
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
All grades		-	-	-	-	-	-	-	1.4	2.7	29.6	66.1	0.2	-	-	100.0	
1/ As reported by the Bureau of the Census, running bales.																	
		Percentage rough preparation....															-
		Grade index.....															96.4
		Average staple.....															36.6

[illegible]

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68

RALEIGH							COLUMBIA						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	12	62	68	-	142	-	734	1,651	264	97	2,746
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	49	1,857	3,197	659	5,762	92	6,789	19,841	11,620	1,705	40,047
S.L.M.+	(40)	-	110	480	907	74	1,571	-	277	1,172	1,320	36	2,805
S.L.M.	(41)	-	172	6,222	11,112	1,384	18,890	-	3,296	26,527	30,835	3,446	64,104
L.M.+	(50)	-	25	1,811	2,638	363	4,837	-	131	2,064	5,666	605	8,466
L.M.	(51)	-	-	2,229	2,968	1,326	6,523	-	457	14,342	13,757	3,845	32,401
S.G.O.+	(60)	-	-	46	102	28	176	-	-	213	360	60	633
S.G.O.	(61)	-	-	124	187	276	587	-	-	932	1,200	967	3,099
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	15	25	27	67	-	-	40	104	217	361
Total		-	368	12,846	21,204	4,137	38,555	92	11,684	66,782	65,126	10,978	154,662
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	102	37	139	-	49	653	160	97	959
M.	(32)	-	-	62	483	955	1,500	91	245	2,490	1,953	1,354	6,133
S.L.M.	(42)	-	-	31	662	1,735	2,428	31	359	2,490	3,025	3,833	9,738
L.M.	(52)	-	-	124	343	1,368	1,835	-	16	1,585	712	4,403	6,716
Total		-	-	217	1,590	4,095	5,902	122	669	7,218	5,850	9,687	23,546
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	13	-	24	37
M.	(33)	-	-	-	59	297	356	-	-	-	8	387	395
S.L.M.	(43)	-	-	-	59	1,255	1,314	-	16	40	24	1,500	1,580
L.M.	(53)	-	-	-	17	1,087	1,104	-	16	13	8	2,601	2,638
Total		-	-	-	135	2,639	2,774	-	32	66	40	4,512	4,650
Tinged:													
All grades		-	-	-	-	145	145	-	-	-	-	290	290
Light Gray:													
All grades		-	-	15	59	36	110	-	-	93	160	84	337
Gray:													
All grades		-	-	15	-	9	24	-	-	-	-	-	-
Below Grade		-	-	-	8	410	418	-	-	13	32	677	722
All grades		-	368	13,093	22,996	11,471	47,928	214	12,385	74,172	71,208	26,228	184,207
Grade index		-	95.8	92.6	92.8	85.9	91.1	97.1	97.5	93.4	92.3	85.6	92.2
Staple (inches)													
13/16 & shorter													
7/8	(26)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(28)	-	-	-	-	-	-	-	-	-	-	-	-
15/16	(29)	-	-	-	-	-	-	-	-	-	-	-	-
31/32	(30)	-	-	-	-	-	-	-	-	-	-	-	-
1	(31)	-	-	-	-	54	54	-	16	-	-	-	16
1-1/32	(32)	-	-	-	8	468	476	-	-	40	48	204	292
1-1/16	(33)	-	-	30	591	2,126	2,747	-	-	653	1,216	3,585	5,454
1-3/32	(34)	-	122	5,727	15,440	7,066	28,355	91	5,695	24,410	24,688	14,873	69,757
1-1/8	(35)	-	221	6,843	6,569	1,674	15,307	92	6,021	41,839	40,135	7,216	95,303
1-5/32	(36)	-	25	447	372	83	927	31	588	7,111	4,985	350	13,065
1-3/16	(37)	-	-	46	16	-	62	-	65	106	128	-	299
1-7/32	(38)	-	-	-	-	-	-	-	-	13	8	-	21
1-1/4	(39)	-	-	-	-	-	-	-	-	-	-	-	-
& longer													
All staples		-	368	13,093	22,996	11,471	47,928	214	12,385	74,172	71,208	26,228	184,207
Average staple (32nd inches)		-	34.7	34.6	34.3	33.9	34.3	34.7	34.6	34.8	34.7	34.1	34.6

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

AUGUSTA							ATLANTA						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	12	-	-	-	12
S.M.	(21)	53	1,536	1,884	56	10	3,539	437	1,131	717	77	19	2,381
M.+	(30)	-	12	-	-	-	12	16	24	29	-	-	69
M.	(31)	160	3,729	7,105	2,212	161	13,367	1,000	6,893	7,796	2,051	170	17,910
S.L.M.+	(40)	-	81	658	256	31	1,026	-	925	1,095	321	28	2,369
S.L.M.	(41)	214	6,558	16,595	5,958	567	29,892	2,437	27,491	24,587	7,936	522	62,973
L.M.+	(50)	-	127	2,100	1,493	55	3,775	16	1,460	1,027	337	47	2,887
L.M.	(51)	-	1,212	3,405	3,362	1,381	9,360	156	4,180	6,472	3,130	912	14,850
S.G.O.+	(60)	-	23	113	319	47	502	-	-	87	46	19	152
S.G.O.	(61)	27	81	148	351	518	1,125	-	328	368	452	217	1,365
G.O.+	(70)	-	-	11	-	-	11	-	-	-	-	-	-
G.O.	(71)	-	-	23	24	86	133	-	12	58	38	56	164
Total		454	13,359	32,042	14,031	2,856	62,742	4,062	42,456	42,236	14,388	1,990	105,132
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	27	208	261	64	36	596	47	268	126	84	161	686
M.	(32)	53	1,801	2,122	759	362	5,097	297	3,272	1,948	872	285	6,674
S.L.M.	(42)	27	2,309	4,267	1,294	1,032	8,929	391	7,440	5,736	3,574	976	18,117
L.M.	(52)	-	439	1,362	543	963	3,307	62	1,929	2,781	1,270	1,009	7,051
Total		107	4,757	8,012	2,660	2,393	17,929	797	12,909	10,591	5,800	2,431	32,528
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	21	21	-	12	-	69	38	119
M.	(33)	-	-	34	8	75	117	31	97	58	122	313	621
S.L.M.	(43)	-	69	45	48	298	460	62	195	174	283	1,145	1,859
L.M.	(53)	-	46	182	96	531	855	16	182	268	230	2,451	3,147
Total		-	115	261	152	925	1,453	109	486	500	704	3,947	5,746
Tinged:													
All grades		-	-	-	-	62	62	-	-	20	16	1,105	1,141
Light Gray:													
All grades		-	12	22	32	285	351	-	36	39	8	122	205
Gray:													
All grades		-	-	-	8	-	8	-	-	10	-	28	38
Below Grade													
		-	35	45	40	398	518	-	116	165	92	1,257	1,630
All grades		561	18,278	40,382	16,923	6,919	83,063	4,968	56,003	53,561	21,008	10,880	146,420
Grade index		96.2	94.6	93.6	91.2	83.9	92.5	95.3	93.0	92.4	90.7	79.3	91.5
Staple (inches)													
13/16													
& shorter	(26)	-	-	-	-	-	-	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-	-	-	-	-	9	9
29/32	(29)	-	-	-	-	-	-	-	-	-	-	9	9
15/16	(30)	-	-	-	-	53	53	-	-	-	16	408	424
31/32	(31)	-	12	45	-	135	192	-	24	88	215	1,075	1,402
1	(32)	27	128	830	288	417	1,690	-	412	1,241	1,020	2,269	4,942
1-1/32	(33)	133	8,704	21,643	7,458	3,709	41,647	1,577	19,551	15,630	8,612	4,162	49,532
1-1/16	(34)	348	8,439	15,504	7,650	1,909	33,850	2,562	25,438	26,507	9,221	2,714	66,442
1-3/32	(35)	53	925	2,246	1,439	660	5,323	625	7,963	9,011	1,793	234	19,626
1-1/8	(36)	-	70	114	88	36	308	157	2,335	1,084	131	-	3,707
1-5/32	(37)	-	-	-	-	-	-	47	280	-	-	-	327
1-3/16	(38)	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
& longer													
All staples		561	18,278	40,382	16,923	6,919	83,063	4,968	56,003	53,561	21,008	10,880	146,420
Average staple (32nd inches)													
		33.8	33.6	33.5	33.6	33.4	33.5	33.9	33.9	33.9	33.6	32.8	33.7

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

BIRMINGHAM							MONTGOMERY						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	80	252	174	70	576	70	180	125	-	-	375
M.+	(30)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(31)	-	1,038	1,988	1,804	251	5,081	1,310	3,483	8,968	2,175	95	16,031
S.L.M.+	(40)	-	-	30	105	-	135	-	-	46	-	-	46
S.L.M.	(41)	-	200	2,994	7,042	411	10,647	307	11,223	29,510	14,972	1,626	57,638
L.M.+	(50)	-	-	45	262	28	335	-	48	342	217	38	645
L.M.	(51)	-	-	1,661	3,461	469	5,591	14	4,377	10,793	8,604	2,003	25,791
S.G.O.+	(60)	-	-	30	-	-	30	-	-	11	16	-	27
S.G.O.	(61)	-	-	371	645	268	1,284	-	421	1,387	1,866	1,496	5,170
G.O.+	(70)	-	-	-	9	-	9	-	-	-	-	-	-
G.O.	(71)	-	-	15	183	78	276	-	-	125	175	492	792
Total		-	1,318	7,386	13,685	1,575	23,964	1,701	19,732	51,307	28,025	5,750	106,515
Light Spotted:													
G.M.	(12)	-	-	-	-	10	10	-	-	-	-	-	-
S.M.	(22)	-	-	193	357	81	631	14	36	68	8	9	135
M.	(32)	-	120	935	2,755	566	4,376	151	1,850	3,242	1,052	170	6,465
S.L.M.	(42)	-	120	638	6,024	1,440	8,222	98	6,387	9,980	3,067	1,018	20,550
L.M.	(52)	-	-	326	2,040	823	3,189	14	3,003	4,275	1,574	1,049	9,915
Total		-	240	2,092	11,176	2,920	16,428	277	11,276	17,565	5,701	2,246	37,065
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	209	141	350	-	-	-	-	-	-
M.	(33)	-	-	15	907	966	1,888	-	24	23	16	57	120
S.L.M.	(43)	-	-	45	1,133	2,579	3,757	-	385	358	201	485	1,429
L.M.	(53)	-	-	15	593	3,887	4,495	-	696	759	384	1,047	2,886
Total		-	-	75	2,842	7,573	10,490	-	1,105	1,140	601	1,589	4,435
Tinged:													
All grades		-	-	-	44	2,709	2,753	-	12	11	-	58	81
Stained:													
All grades		-	-	-	-	8	8	-	-	-	-	-	-
Light Gray:													
All grades		-	-	-	-	78	78	-	324	386	128	331	1,169
Gray:													
All grades		-	-	-	18	46	64	-	48	23	-	29	100
Below Grade													
All grades		-	-	15	148	737	900	-	108	409	136	673	1,326
All grades		-	1,558	9,568	27,913	15,646	54,685	1,978	32,605	70,841	34,591	10,676	150,691
Grade index		-	98.4	92.7	90.0	80.3	87.9	98.2	90.5	91.1	89.6	82.0	90.1
Staple (inches)													
13/16													
& shorter	(26)	-	-	-	-	23	23	-	-	-	-	-	-
7/8	(28)	-	-	-	9	114	123	-	-	-	-	-	-
29/32	(29)	-	-	-	9	130	139	-	-	11	-	-	11
15/16	(30)	-	-	-	-	1,594	1,594	-	-	-	24	58	82
31/32	(31)	-	-	-	18	1,428	1,446	-	72	145	104	645	966
1	(32)	-	200	476	774	2,046	3,496	-	1,056	5,073	1,689	2,234	10,052
1-1/32	(33)	-	679	3,932	11,754	4,683	21,048	856	20,116	45,489	19,137	5,285	90,883
1-1/16	(34)	-	639	4,297	12,127	4,716	21,779	968	10,116	16,071	10,737	2,106	39,998
1-3/32	(35)	-	40	550	2,282	742	3,614	154	1,137	3,870	2,804	348	8,313
1-1/8	(36)	-	-	253	722	160	1,135	-	108	182	96	-	386
1-5/32	(37)	-	-	60	174	10	244	-	-	-	-	-	-
1-3/16	(38)	-	-	-	35	-	35	-	-	-	-	-	-
1-7/32	(39)	-	-	-	9	-	9	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
& longer													
All staples		-	1,558	9,568	27,913	15,646	54,685	1,978	32,605	70,841	34,591	10,676	150,691
Average staple (32nd inches)													
All staples		-	33.3	33.6	33.7	32.7	33.4	33.6	33.4	33.3	33.4	32.9	33.3

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

GREENWOOD							JACKSON						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	26	-	-	26	-	-	-	-	-	-
S.M.	(21)	28	5,840	17,569	3,198	15	26,650	42	1,071	3,333	188	42	4,676
M.+	(30)	-	81	300	68	3	452	-	-	28	-	-	28
M.	(31)	48	10,313	89,720	30,300	306	130,687	350	6,656	18,500	4,511	309	30,326
S.L.M.+	(40)	-	189	7,358	3,937	3	11,487	-	95	431	136	-	662
S.L.M.	(41)	-	6,908	211,830	179,915	2,727	401,380	126	5,126	19,859	11,484	927	37,522
L.M.+	(50)	-	41	15,759	20,715	183	36,698	-	38	316	532	6	892
L.M.	(51)	-	257	19,575	54,116	3,747	77,695	-	890	6,046	4,763	646	12,345
S.G.O.+	(60)	-	-	208	1,341	34	1,583	-	57	9	63	-	129
S.G.O.	(61)	-	14	742	3,043	858	4,657	-	76	660	1,084	363	2,183
G.O.+	(70)	-	-	-	10	-	10	-	-	-	10	-	10
G.O.	(71)	-	-	39	233	278	550	-	-	65	188	37	290
Total		76	23,643	363,126	296,876	8,154	691,875	518	14,009	49,247	22,959	2,330	89,063
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	54	287	554	68	963	-	161	298	313	31	803
M.	(32)	9	906	7,059	15,106	1,229	24,309	56	2,389	4,174	5,304	1,165	13,088
S.L.M.	(42)	-	365	9,403	45,426	7,278	62,472	28	1,421	3,879	5,857	1,279	12,464
L.M.	(52)	-	27	1,029	10,081	4,367	15,504	-	483	1,172	1,960	636	4,251
Total		9	1,352	17,778	71,167	12,942	103,248	84	4,454	9,523	13,434	3,111	30,606
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	13	165	68	246	-	-	9	188	23	220
M.	(33)	-	-	-	4,549	972	5,521	-	9	28	646	474	1,157
S.L.M.	(43)	-	-	13	5,862	3,687	9,562	-	28	56	886	589	1,559
L.M.	(53)	-	-	26	1,390	4,657	6,073	-	9	19	407	525	960
Total		-	-	52	11,966	9,384	21,402	-	46	112	2,127	1,611	3,896
Tinged:													
All grades		-	-	26	126	800	952	-	-	9	10	90	109
Stained:													
All grades		-	-	-	10	-	10	-	-	-	-	-	-
Light Gray:													
All grades		-	14	130	836	118	1,098	-	132	223	823	258	1,436
Gray:													
All grades		-	-	-	29	89	118	-	-	-	31	18	49
Below Grade													
		-	-	-	710	9,809	10,519	-	47	74	136	535	792
All grades		85	25,009	381,112	381,720	41,296	829,222	602	18,688	59,188	39,520	7,953	125,951
Grade index		101.0	98.8	95.2	91.7	78.7	92.9	98.2	95.8	94.9	91.5	86.5	93.4
Staple (inches)													
13/16													
& shorter	(26)	-	-	-	-	-	-	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(29)	-	-	-	-	-	-	-	-	-	-	-	-
15/16	(30)	-	-	-	-	24	24	-	-	-	-	-	-
31/32	(31)	-	-	-	39	86	125	-	-	9	10	30	49
1	(32)	-	14	65	106	3,222	3,407	-	151	391	509	330	1,381
1-1/32	(33)	-	313	3,672	2,699	11,377	18,061	70	2,984	11,173	7,524	1,575	23,326
1-1/16	(34)	28	8,665	168,046	141,444	20,941	339,124	238	13,139	41,310	26,165	5,727	86,579
1-3/32	(35)	57	13,759	194,068	208,336	5,292	421,512	252	2,311	6,127	5,085	291	14,066
1-1/8	(36)	-	2,203	13,960	26,558	333	43,054	42	103	178	197	-	520
1-5/32	(37)	-	55	1,197	1,565	18	2,835	-	-	-	30	-	30
1-3/16	(38)	-	-	78	768	3	849	-	-	-	-	-	-
1-7/32	(39)	-	-	26	78	-	104	-	-	-	-	-	-
1-1/4	(40)	-	-	-	127	-	127	-	-	-	-	-	-
& longer													
All staples		85	25,009	381,112	381,720	41,296	829,222	602	18,688	59,188	39,520	7,953	125,951
Average staple (32nd inches)													
		34.7	34.7	34.6	34.7	33.7	34.6	34.4	34.0	33.9	33.9	33.7	33.9

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

MEMPHIS

HAYTI

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	390	7,358	1,554	17	9,319	-	9	433	253	-	695
M.+	(30)	-	-	182	-	-	182	-	-	-	-	-	-
M.	(31)	-	1,107	24,682	18,311	387	44,487	-	29	3,371	2,984	7	6,391
S.L.M.+	(40)	-	-	1,330	1,784	-	3,114	-	-	210	242	-	452
S.L.M.	(41)	-	168	27,440	63,593	1,814	93,015	-	9	7,817	17,721	133	25,680
L.M.+	(50)	-	-	1,497	3,978	26	5,501	-	-	446	822	-	1,268
L.M.	(51)	-	69	4,735	16,617	1,954	23,375	-	-	118	654	53	825
S.G.O.+	(60)	-	-	-	108	11	119	-	-	-	32	-	32
S.G.O.	(61)	-	-	238	1,606	1,104	2,948	-	-	-	-	-	-
G.O.+	(70)	-	-	-	20	-	20	-	-	-	11	-	11
G.O.	(71)	-	-	12	119	148	279	-	-	-	-	-	-
Total		-	1,734	67,474	107,690	5,461	182,359	-	47	12,395	22,719	193	35,354
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	67	712	31	810	-	-	26	84	-	110
M.	(32)	-	-	570	11,046	1,139	12,755	-	-	472	1,708	65	2,245
S.L.M.	(42)	-	-	904	28,775	6,504	36,183	-	-	551	7,770	701	9,022
L.M.	(52)	-	-	323	6,219	4,851	11,393	-	-	-	580	277	857
Total		-	-	1,864	46,752	12,525	61,141	-	-	1,049	10,142	1,043	12,234
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	11	140	6	157	-	-	-	11	-	11
M.	(33)	-	-	24	4,018	942	4,984	-	-	13	1,128	95	1,236
S.L.M.	(43)	-	21	-	8,915	6,013	14,949	-	-	-	5,229	986	6,215
L.M.	(53)	-	10	11	2,579	7,658	10,258	-	-	-	875	1,094	1,969
Total		-	31	46	15,652	14,619	30,348	-	-	13	7,243	2,175	9,431
Tinged:													
All grades		-	30	12	484	4,001	4,527	-	-	-	759	1,096	1,855
Light Gray:													
All grades		-	-	-	249	163	412	-	-	-	-	70	70
Gray:													
All grades		-	-	-	10	26	36	-	-	-	-	23	23
Below Grade													
		-	10	11	273	5,621	5,915	-	-	-	116	1,005	1,121
All grades		-	1,805	69,407	171,110	42,416	284,738	-	47	13,457	40,979	5,605	60,088
Grade index		-	98.7	96.4	91.5	79.1	90.9	-	99.6	95.6	91.0	76.2	90.7
Staple (inches)													
13/16													
& shorter	(26)	-	-	-	-	-	-	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(29)	-	-	-	-	5	5	-	-	-	-	12	12
15/16	(30)	-	10	-	-	50	60	-	-	-	-	71	71
31/32	(31)	-	-	-	-	498	498	-	-	-	11	182	193
1	(32)	-	10	12	249	7,636	7,907	-	-	-	108	1,185	1,293
1-1/32	(33)	-	81	903	13,663	20,386	35,033	-	-	118	2,868	2,640	5,626
1-1/16	(34)	-	838	30,920	117,039	13,270	162,067	-	29	3,213	20,418	1,399	25,059
1-3/32	(35)	-	838	35,086	38,864	551	75,339	-	18	8,382	15,758	116	24,274
1-1/8	(36)	-	28	2,404	1,183	20	3,635	-	-	1,744	1,805	-	3,549
1-5/32	(37)	-	-	82	112	-	194	-	-	-	11	-	11
1-3/16	(38)	-	-	-	-	-	-	-	-	-	-	-	-
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
& longer													
All staples		-	1,805	69,407	171,110	42,416	284,738	-	47	13,457	40,979	5,605	60,088
Average staple (32nd inches)													
		-	34.4	34.6	34.2	33.1	34.1	-	34.4	34.9	34.4	33.0	34.4

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

BLYTHEVILLE							LITTLE ROCK						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	334	72	-	406	-	186	3,140	486	7	3,819
M.+	(30)	-	-	-	-	-	-	-	-	117	-	-	117
M.	(31)	-	8	2,926	2,505	4	5,443	-	1,145	24,165	10,745	252	36,307
S.L.M.+	(40)	-	-	134	505	-	639	-	124	1,891	930	-	2,945
S.L.M.	(41)	-	29	13,083	21,469	87	34,668	-	1,163	72,381	87,309	1,894	162,747
L.M.+	(50)	-	-	1,380	2,061	4	3,445	-	46	4,576	6,276	54	10,952
L.M.	(51)	-	6	1,279	4,700	119	6,104	-	-	12,631	28,727	1,836	43,194
S.G.O.+	(60)	-	-	11	278	9	298	-	-	362	328	20	710
S.G.O.	(61)	-	-	33	330	198	561	-	15	257	1,754	705	2,731
G.O.+	(70)	-	-	-	-	-	-	-	-	-	11	7	18
G.O.	(71)	-	-	-	41	-	41	-	-	35	85	223	343
Total		-	43	19,180	31,961	421	51,605	-	2,679	119,555	136,651	4,998	263,883
Light Spotted:													
G.M.	(12)	-	-	11	-	-	11	-	-	-	-	-	-
S.M.	(22)	-	-	11	-	-	11	-	15	35	137	27	214
M.	(32)	-	5	412	2,030	48	2,495	-	46	724	7,258	600	8,628
S.L.M.	(42)	-	4	1,213	22,740	829	24,786	-	62	2,078	36,704	5,169	44,013
L.M.	(52)	-	-	111	6,256	1,264	7,631	-	31	560	7,353	3,502	11,446
Total		-	9	1,758	31,026	2,141	34,934	-	154	3,397	51,452	9,298	64,301
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	74	14	88
M.	(33)	-	-	-	587	39	626	-	-	35	2,810	339	3,184
S.L.M.	(43)	-	12	-	6,390	1,014	7,416	-	15	12	11,527	5,187	16,741
L.M.	(53)	-	-	-	2,247	1,642	3,889	-	-	35	3,053	7,239	10,327
Total		-	12	-	9,224	2,695	11,931	-	15	82	17,464	12,779	30,340
Tinged:													
All grades		-	-	-	639	915	1,554	-	-	-	867	3,217	4,084
Light Gray:													
All grades		-	-	-	10	218	228	-	15	93	296	88	492
Gray:													
All grades		-	-	-	-	9	9	-	-	-	22	17	39
Below Grade													
All grades		-	-	-	536	2,628	3,164	-	-	12	592	5,153	5,757
All grades		-	64	20,938	73,396	9,027	103,425	-	2,863	123,139	207,344	35,550	368,896
Grade index		-	91.8	93.9	88.8	73.8	88.5	-	96.8	94.2	90.4	78.4	90.6
Staple (inches)													
13/16													
& shorter	(26)	-	-	-	-	-	-	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-	-	-	-	-	10	10
29/32	(29)	-	-	-	-	-	-	-	-	-	-	10	10
15/16	(30)	-	-	-	-	55	55	-	-	-	-	142	142
31/32	(31)	-	-	-	-	22	22	-	-	-	-	867	867
1	(32)	-	-	22	196	910	1,128	-	-	-	340	4,543	4,883
1-1/32	(33)	-	-	266	2,998	5,129	8,393	-	46	1,635	7,936	19,675	29,292
1-1/16	(34)	-	26	5,829	30,613	2,582	39,050	-	894	60,472	108,469	9,566	179,401
1-3/32	(35)	-	38	9,793	29,932	291	40,054	-	1,475	56,046	82,661	682	140,864
1-1/8	(36)	-	-	4,673	9,018	38	13,729	-	433	4,740	7,430	48	12,651
1-5/32	(37)	-	-	322	618	-	940	-	15	234	497	7	753
1-3/16	(38)	-	-	33	21	-	54	-	-	12	11	-	23
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
& longer													
All staples		-	64	20,938	73,396	9,027	103,425	-	2,863	123,139	207,344	35,550	368,896
Average staple (32nd inches)		-	34.6	35.0	34.6	33.2	34.6	-	34.8	34.5	34.4	33.1	34.3

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

WINNSBORO

ALEXANDRIA

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	72	31	-	-	103	-	-	-	-	-	-
S.M.	(21)	24	1,173	2,911	338	13	4,459	775	606	990	238	7	2,616
M.+	(30)	-	-	41	-	-	41	10	-	-	-	-	10
M.	(31)	165	8,286	49,705	13,731	73	71,960	931	6,209	23,010	5,438	39	35,627
S.L.M.+	(40)	-	29	877	210	-	1,116	20	21	398	52	-	491
S.L.M.	(41)	24	10,781	78,063	47,535	985	137,388	255	10,895	45,388	18,252	723	75,513
L.M.+	(50)	-	159	3,107	3,833	33	7,132	-	-	572	476	47	1,095
L.M.	(51)	-	478	8,042	10,365	711	19,596	-	936	4,359	4,506	538	10,339
S.G.O.+	(60)	-	-	41	91	7	139	-	-	10	62	20	92
S.G.O.	(61)	-	-	547	549	46	1,142	-	43	204	539	133	919
G.O.+	(70)	-	-	-	9	-	9	-	-	10	-	7	17
G.O.	(71)	-	-	-	46	6	52	-	-	10	114	7	131
Total		213	20,978	143,365	76,707	1,874	243,137	1,991	18,710	74,951	29,677	1,521	126,850
Light Spotted:													
G.M.	(12)	-	-	-	9	-	9	-	-	-	-	-	-
S.M.	(22)	-	101	413	302	33	849	10	32	163	93	-	298
M.	(32)	24	2,608	4,718	7,035	452	14,837	147	1,924	2,858	1,813	157	6,899
S.L.M.	(42)	-	1,927	4,903	7,556	1,130	15,516	-	2,860	3,359	2,051	573	8,843
L.M.	(52)	-	159	444	988	311	1,902	-	287	725	580	224	1,816
Total		24	4,795	10,478	15,890	1,926	33,113	157	5,103	7,105	4,537	954	17,856
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	43	31	375	20	469	-	-	-	10	-	10
M.	(33)	-	58	31	1,134	392	1,615	-	32	71	135	63	301
S.L.M.	(43)	-	-	41	549	418	1,008	-	106	71	31	129	337
L.M.	(53)	-	14	31	46	170	261	-	85	82	41	140	348
Total		-	115	134	2,104	1,000	3,353	-	223	224	217	332	996
Tinged:													
All grades		-	-	-	27	192	219	-	-	-	-	7	7
Light Gray:													
All grades		-	14	83	210	13	320	20	787	643	850	180	2,480
Gray:													
All grades		-	14	10	9	-	33	-	11	10	83	14	118
Below Grade													
All grades		-	-	21	37	143	201	-	11	51	52	165	279
All grades		237	25,916	154,091	94,984	5,148	280,376	2,168	24,845	82,984	35,416	3,173	148,586
Grade index		99.5	96.1	95.4	93.3	87.8	94.6	100.5	94.8	95.0	92.9	86.4	94.4
Staple (inches)													
13/16 & shorter													
7/8	(26)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(28)	-	-	-	-	-	-	-	-	-	-	-	-
15/16	(29)	-	-	-	-	-	-	-	-	-	-	-	-
31/32	(30)	-	-	-	9	-	9	-	-	-	-	-	-
1	(31)	-	14	-	-	-	14	-	-	-	-	-	-
1-1/32	(32)	-	43	165	200	110	518	-	11	20	113	49	193
1-1/16	(33)	-	2,041	9,259	12,376	1,376	25,052	137	1,352	5,664	10,368	1,476	18,997
1-3/32	(34)	166	16,793	116,690	71,029	3,536	208,214	1,589	21,494	73,390	23,799	1,629	121,901
1-1/8	(35)	71	6,752	26,470	11,234	126	44,653	422	1,956	3,808	1,044	13	7,243
1-5/32	(36)	-	273	1,445	136	-	1,854	20	32	102	72	6	232
1-3/16	(37)	-	-	52	-	-	52	-	-	-	20	-	20
1-7/32	(38)	-	-	10	-	-	10	-	-	-	-	-	-
1-1/4	(39)	-	-	-	-	-	-	-	-	-	-	-	-
& longer													
All staples		237	25,916	154,091	94,984	5,148	280,376	2,168	24,845	82,984	35,416	3,173	148,586
Average staple (32nd inches)		34.3	34.2	34.1	34.0	33.7	34.1	34.1	34.0	34.0	33.7	33.5	33.9

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

ALTUS							DALLAS						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	10	-	-	10	-	-	-	-	-	-
S.M.	(21)	-	6	702	273	8	989	72	-	31	32	-	135
M.	(30)	-	-	31	23	-	54	-	-	-	-	-	-
M.	(31)	-	140	15,277	22,534	5,578	43,529	2,177	858	1,225	741	57	5,058
S.L.M.+	(40)	-	17	434	1,057	71	1,579	-	-	21	74	-	95
S.L.M.	(41)	-	43	5,532	25,484	6,472	37,531	361	119	4,184	6,809	919	12,392
L.M.+	(50)	-	-	135	695	77	907	-	-	72	244	96	412
L.M.	(51)	-	-	486	2,798	822	4,106	96	156	1,511	4,048	1,062	6,873
S.G.O.+	(60)	-	-	10	129	-	139	-	10	-	11	10	31
S.G.O.	(61)	-	-	52	91	151	294	24	187	237	372	349	1,169
G.O.+	(70)	-	-	-	-	6	6	-	-	-	-	-	-
G.O.	(71)	-	-	-	23	70	93	-	31	31	32	62	156
Total		-	206	22,669	53,107	13,255	89,237	2,730	1,361	7,312	12,363	2,555	26,321
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	24	1,578	5,290	1,444	8,336	144	187	-	11	7	349
M.	(32)	-	179	35,152	91,050	31,667	158,048	17,738	10,608	2,202	808	257	31,613
S.L.M.	(42)	-	95	8,050	36,666	11,949	56,760	4,906	16,641	37,280	13,912	3,883	76,622
L.M.	(52)	-	-	320	1,790	1,312	3,422	241	10,649	21,182	5,336	3,924	41,332
Total		-	298	45,100	134,796	46,372	226,566	23,029	38,085	60,664	20,067	8,071	149,916
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	186	1,244	1,352	2,782	-	-	10	-	-	10
M.	(33)	-	-	1,032	8,228	5,512	14,772	1,599	614	123	437	352	3,125
S.L.M.	(43)	-	-	135	2,751	2,354	5,240	325	5,262	3,571	2,708	1,235	13,101
L.M.	(53)	-	-	10	114	438	562	12	5,564	5,404	1,060	1,227	13,267
Total		-	-	1,363	12,337	9,656	23,356	1,936	11,440	9,108	4,205	2,814	29,503
Tinged:													
All grades		-	-	-	139	1,515	1,654	24	83	20	76	164	367
Stained:													
All grades		-	-	-	23	15	38	-	-	-	-	-	-
Light Gray:													
All grades		-	-	62	46	132	240	12	-	-	-	28	40
Below Grade													
All grades		-	-	-	104	385	489	-	1,612	1,472	286	1,400	4,770
Grade Index		-	504	69,194	200,552	71,330	341,580	27,731	52,581	78,576	36,997	15,032	210,917
Staple (inches)		-	96.4	96.4	94.9	93.7	95.0	95.2	86.0	85.3	87.4	82.1	86.9
13/16 & shorter (26)													
7/8 (28)		-	6	82	57	29	174	24	10	380	86	-	500
29/32 (29)		-	29	515	606	271	1,421	961	3,451	10,785	2,233	483	17,913
15/16 (30)		-	113	8,933	8,763	2,239	20,048	8,395	25,535	45,359	10,156	3,408	92,853
31/32 (31)		-	144	33,870	78,476	22,532	135,022	14,096	20,396	15,901	14,289	6,895	71,577
1 (32)		-	39	12,399	64,567	27,041	104,046	3,090	2,330	1,903	2,766	1,020	11,109
1-1/32 (33)		-	24	4,546	28,195	13,279	46,044	1,021	705	493	673	748	3,640
1-1/16 (34)		-	58	2,055	10,013	3,683	15,809	120	74	505	1,089	638	2,426
1-3/32 (35)		-	42	2,882	5,756	1,484	10,164	-	80	2,500	4,309	1,016	7,905
1-1/8 (36)		-	43	1,982	1,612	327	3,964	-	-	679	956	433	2,068
1-5/32 (37)		-	6	1,126	1,374	199	2,705	-	-	51	235	149	435
1-3/16 (38)		-	-	207	331	117	655	12	-	-	76	114	202
1-7/32 (39)		-	-	113	207	57	377	-	-	10	65	84	159
1-1/4 (40)		-	-	51	69	-	120	12	-	-	-	29	41
& longer		-	-	433	526	72	1,031	-	-	10	64	15	89
All staples		-	504	69,194	200,552	71,330	341,580	27,731	52,581	78,576	36,997	15,032	210,917
Average staple (32nd inches)		-	31.0	30.8	30.9	31.0	30.9	29.8	29.5	29.4	30.5	30.6	29.7

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

AUSTIN							CORPUS CHRISTI						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	22	-	-	-	-	22	13	-	-	-	-	13
S.M.	(21)	2,546	32	10	8	-	2,596	1,201	-	-	-	-	1,201
M.+	(30)	79	-	-	-	-	79	66	-	-	-	-	66
M.	(31)	21,528	1,060	709	17	-	23,314	36,913	14	-	-	-	36,927
S.L.M.+	(40)	1,242	191	330	34	-	1,797	708	-	-	-	-	708
S.L.M.	(41)	20,684	15,400	12,645	399	59	49,187	59,243	27	-	-	-	59,270
L.M.+	(50)	443	329	270	51	-	1,093	895	-	-	-	-	895
L.M.	(51)	1,675	4,239	5,503	339	104	11,860	6,037	309	-	-	-	6,346
S.G.O.+	(60)	22	53	10	-	10	95	186	-	-	-	-	186
S.G.O.	(61)	146	1,410	1,318	178	39	3,091	1,392	108	-	-	-	1,500
G.O.+	(70)	-	-	-	-	-	-	63	-	-	-	-	63
G.O.	(71)	-	148	529	102	54	833	567	-	5	-	-	572
Total		48,387	22,862	21,324	1,128	266	93,967	107,284	458	5	-	-	107,747
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	5,082	138	10	-	-	5,230	2,158	-	-	-	-	2,158
M.	(32)	47,604	6,317	839	212	79	55,051	37,165	41	-	-	-	37,206
S.L.M.	(42)	13,050	24,653	10,717	1,215	969	50,604	24,079	230	-	-	-	24,309
L.M.	(52)	801	8,458	6,402	789	874	17,324	2,519	243	14	2	-	2,778
Total		66,537	39,566	17,968	2,216	1,922	128,209	65,921	514	14	2	-	66,451
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-	-	-	-	-	-	-
M.	(33)	427	413	240	34	39	1,153	352	-	-	-	-	352
S.L.M.	(43)	415	1,494	1,548	254	326	4,037	382	27	5	-	-	414
L.M.	(53)	101	890	1,578	322	276	3,167	124	122	-	1	-	247
Total		943	2,797	3,366	610	641	8,357	858	149	5	1	-	1,013
Tinged:													
All grades		11	11	10	8	10	50	-	27	5	-	-	32
Light Gray:													
All grades		281	190	100	25	-	596	1,130	68	-	-	-	1,198
Gray:													
All grades		11	-	10	8	-	29	138	-	-	-	-	138
Below Grade													
		90	318	809	509	408	2,134	307	81	22	-	-	410
All grades		116,260	65,744	43,587	4,504	3,247	233,342	175,638	1,297	51	3	-	176,989
Grade index		96.0	89.0	87.2	82.5	80.8	91.9	94.5	81.9	69.5	78.3	-	94.4
Staple (inches)													
13/16													
& shorter	(26)	33	21	90	25	20	189	290	82	10	-	-	382
7/8	(28)	2,926	2,408	3,436	392	301	9,463	3,026	163	-	-	-	3,189
29/32	(29)	48,908	25,733	7,280	723	1,257	83,901	16,378	70	-	-	-	16,448
15/16	(30)	12,099	5,066	900	329	618	19,012	36,766	137	-	1	-	36,904
31/32	(31)	3,224	1,243	400	193	159	5,219	39,057	28	5	-	-	39,090
1	(32)	10,239	1,454	720	568	250	13,231	39,750	323	14	2	-	40,089
1-1/32	(33)	21,376	5,795	5,505	1,045	296	34,017	29,087	425	12	-	-	29,524
1-1/16	(34)	13,315	21,764	23,207	933	167	59,386	9,534	69	10	-	-	9,613
1-3/32	(35)	3,580	2,217	1,849	247	129	8,022	1,314	-	-	-	-	1,314
1-1/8	(36)	538	22	160	41	10	771	312	-	-	-	-	312
1-5/32	(37)	11	21	-	-	-	32	48	-	-	-	-	48
1-3/16	(38)	11	-	20	-	-	31	13	-	-	-	-	13
1-7/32	(39)	-	-	-	8	-	8	-	-	-	-	-	-
1-1/4	(40)	-	-	20	-	40	60	63	-	-	-	-	63
& longer													
All staples		116,260	65,744	43,587	4,504	3,247	233,342	175,638	1,297	51	3	-	176,989
Average staple (32nd inches)													
		30.9	31.4	32.5	31.8	30.4	31.3	31.3	31.2	31.4	31.3	-	31.3

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

HARLINGEN

ABILENE

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	4,448	11	-	-	-	4,459	-	9	369	52	11	441
M.+	(30)	40	-	-	-	-	40	-	-	22	-	-	22
M.	(31)	55,328	22	-	-	-	55,350	5	143	16,342	6,044	2,993	25,527
S.L.M.+	(40)	2,559	-	-	-	-	2,559	-	-	260	93	53	406
S.L.M.	(41)	146,854	258	-	-	-	147,112	2	90	5,444	15,842	12,910	34,288
L.M.+	(50)	2,440	-	-	-	-	2,440	-	-	87	197	32	316
L.M.	(51)	29,327	707	-	-	-	30,034	-	-	499	3,079	3,086	6,664
S.G.O.+	(60)	29	-	-	-	-	29	-	-	11	-	30	41
S.G.O.	(61)	3,479	2,502	85	9	-	6,075	-	-	22	249	468	739
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	578	2,333	68	6	-	2,985	-	-	-	62	329	391
Total		245,082	5,833	153	15	-	251,083	7	242	23,056	25,618	19,912	68,835
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	931	11	-	-	-	942	-	36	1,670	1,711	710	4,127
M.	(32)	18,565	22	-	-	-	18,587	-	286	25,959	38,184	43,675	108,104
S.L.M.	(42)	27,772	213	-	-	-	27,985	-	108	9,543	28,946	46,863	85,460
L.M.	(52)	5,119	639	17	-	-	5,775	-	-	748	5,910	19,411	26,069
Total		52,387	885	17	-	-	53,289	-	430	37,920	74,751	110,659	223,760
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	50	-	-	-	-	50	-	-	33	684	877	1,594
M.	(33)	240	-	-	-	-	240	-	-	228	2,094	10,756	13,078
S.L.M.	(43)	524	79	34	-	-	637	-	-	347	1,991	9,331	11,669
L.M.	(53)	361	1,335	220	7	-	1,923	-	-	98	705	6,951	7,754
Total		1,175	1,414	254	7	-	2,850	-	-	706	5,474	27,915	34,095
Tinged:													
All grades		-	33	-	19	7	59	-	-	11	166	2,918	3,095
Stained:													
All grades		-	-	-	-	-	-	-	-	11	-	92	103
Light Gray:													
All grades		2,112	741	17	9	-	2,879	-	-	-	114	74	188
Gray:													
All grades		139	1,323	17	11	5	1,495	-	-	11	-	30	41
Below Grade													
		279	3,783	287	61	27	4,437	-	-	65	249	2,737	3,051
All grades		301,174	14,012	745	122	39	316,092	7	672	61,780	106,372	164,337	333,168
Grade index		93.5	72.3	69.6	68.4	64.1	92.5	98.3	96.3	96.0	92.7	89.3	91.6
Staple (inches)													
13/16													
& shorter	(26)	-	-	-	-	-	-	-	-	44	-	9	53
7/8	(28)	30	-	-	-	-	30	-	9	683	290	304	1,286
29/32	(29)	90	-	-	-	-	90	-	9	8,480	9,054	14,588	32,131
15/16	(30)	1,802	22	-	14	6	1,844	1	153	29,070	49,274	85,068	163,566
31/32	(31)	3,567	112	68	7	4	3,758	2	63	5,509	27,680	47,801	81,055
1	(32)	9,562	1,772	238	66	29	11,667	4	18	2,211	7,703	10,598	20,534
1-1/32	(33)	69,766	9,044	320	34	-	79,164	-	9	1,271	3,182	2,266	6,728
1-1/16	(34)	197,380	3,029	119	1	-	200,529	-	18	2,721	3,554	1,903	8,196
1-3/32	(35)	17,427	22	-	-	-	17,449	-	81	2,039	2,042	736	4,898
1-1/8	(36)	985	-	-	-	-	985	-	142	5,586	2,578	788	9,094
1-5/32	(37)	322	-	-	-	-	322	-	134	2,831	570	139	3,674
1-3/16	(38)	112	-	-	-	-	112	-	36	1,139	239	105	1,519
1-7/32	(39)	10	-	-	-	-	10	-	-	-	-	-	-
1-1/4	(40)	121	11	-	-	-	132	-	-	196	206	32	434
& longer													
All staples		301,174	14,012	745	122	39	316,092	7	672	61,780	106,372	164,337	333,168
Average staple (32nd inches)													
		33.7	33.1	32.7	32.0	31.6	33.7	31.4	33.9	31.4	30.9	30.5	30.8

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

LUBBOCK

EL PASO

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	60	31	-	91
S.M.	(21)	-	18	917	181	20	1,136	-	598	3,085	1,459	51	5,193
M.+	(30)	-	-	19	149	-	168	-	70	12	-	-	82
M.	(31)	-	244	22,891	122,569	7,353	153,057	-	899	31,881	30,131	982	63,893
S.L.M.+	(40)	-	9	318	1,162	75	1,564	-	69	1,047	1,700	216	3,032
S.L.M.	(41)	-	136	18,015	214,403	47,688	280,242	-	334	17,664	12,301	1,240	31,539
L.M.+	(50)	-	-	96	1,501	275	1,872	-	-	103	168	87	358
L.M.	(51)	-	9	955	7,995	3,832	12,791	-	-	128	571	278	977
S.G.O.+	(60)	-	-	-	21	27	48	-	-	-	-	-	-
S.G.O.	(61)	-	-	29	529	656	1,214	-	-	100	104	107	311
G.O.+	(70)	-	-	-	-	-	-	-	-	-	-	-	-
G.O.	(71)	-	-	-	117	337	454	-	-	10	153	124	287
Total		-	416	43,240	348,627	60,263	452,546	-	1,970	54,090	46,618	3,085	105,763
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	48	1,190	458	1,696	-	-	190	343	182	715
M.	(32)	-	118	5,751	227,027	124,469	357,365	-	253	13,649	6,110	1,866	21,878
S.L.M.	(42)	-	9	2,576	66,632	82,074	151,291	-	88	3,242	2,136	2,374	7,840
L.M.	(52)	-	-	280	4,569	8,019	12,968	-	-	37	890	1,282	2,209
Total		-	127	8,655	299,518	215,020	523,320	-	341	17,118	9,479	5,704	32,642
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	1,424	1,612	3,036	-	-	-	21	10	31
M.	(33)	-	-	58	17,678	74,107	91,843	-	-	10	201	525	736
S.L.M.	(43)	-	-	87	3,726	28,654	32,467	-	-	25	94	979	1,098
L.M.	(53)	-	-	19	404	4,326	4,749	-	-	-	55	462	517
Total		-	-	164	23,232	108,699	132,095	-	-	35	371	1,976	2,382
Tinged:													
All grades		-	-	-	468	22,885	23,353	-	-	10	44	195	249
Stained:													
All grades		-	-	-	11	419	430	-	-	-	-	-	-
Light Gray:													
All grades		-	-	280	1,319	847	2,446	-	-	20	-	31	51
Gray:													
All grades		-	-	67	309	147	523	-	-	-	-	-	-
Below Grade													
All grades		-	-	-	425	2,769	3,194	-	-	20	322	2,297	2,639
Grade Index													
All grades		-	543	52,406	673,909	411,049	1,137,907	-	2,311	71,293	56,834	13,288	143,726
Grade index		-	97.5	96.6	95.3	91.4	93.9	-	99.4	97.5	97.1	84.6	96.1
Staple (inches)													
13/16 & shorter (26)													
7/8	(28)	-	-	67	2,861	5,875	8,803	-	-	-	-	-	-
29/32	(29)	-	36	1,399	37,555	53,612	92,602	-	-	-	-	-	-
15/16	(30)	-	18	9,129	170,392	164,549	344,088	-	-	-	10	17	27
31/32	(31)	-	27	5,307	174,847	99,639	279,820	-	-	-	42	10	52
1	(32)	-	18	5,636	135,628	48,713	189,995	-	-	10	32	381	423
1-1/32	(33)	-	9	5,344	76,251	17,457	99,061	-	-	86	98	1,948	2,132
1-1/16	(34)	-	81	1,805	19,960	5,242	27,088	-	106	575	1,329	3,569	5,579
1-3/32	(35)	-	-	1,399	5,725	3,681	10,805	-	264	887	3,967	3,544	8,662
1-1/8	(36)	-	127	5,130	14,459	5,277	24,993	-	278	14,384	20,196	3,031	37,889
1-5/32	(37)	-	36	9,585	15,876	2,817	28,314	-	1,486	48,112	27,649	511	77,758
1-3/16	(38)	-	18	4,787	10,743	2,367	17,915	-	142	7,078	3,239	133	10,592
1-7/32	(39)	-	146	637	1,286	304	2,227	-	-	-	49	29	78
1-1/4	(40)	-	27	2,181	8,219	1,220	11,793	-	35	161	223	105	524
& longer													
All staples		-	543	52,406	673,909	411,049	1,137,907	-	2,311	71,293	56,834	13,288	143,726
Average staple (32nd inches)													
		-	35.7	34.0	31.7	30.7	31.4	-	36.6	36.8	36.5	34.7	36.5

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

CARLSBAD							PHOENIX						
Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	10	39	18	-	67	-	-	-	-	-	-
S.M.	(21)	-	684	3,870	427	-	4,981	-	692	1,545	928	45	3,210
M.+	(30)	-	-	273	119	-	392	-	-	-	10	11	21
M.	(31)	-	1,169	36,929	15,066	272	53,436	13	6,792	76,544	47,845	4,335	135,529
S.L.M.+	(40)	-	205	7,088	3,846	77	11,216	6	600	4,876	3,033	1,125	9,640
S.L.M.	(41)	-	520	21,392	20,203	2,497	44,612	6	2,807	43,511	35,310	12,984	94,618
L.M.+	(50)	-	10	468	432	12	922	-	224	1,798	1,228	1,577	4,827
L.M.	(51)	-	10	546	1,003	904	2,463	-	356	3,469	3,652	7,039	14,516
S.G.O.+	(60)	-	-	22	184	22	228	-	10	69	134	675	888
S.G.O.	(61)	-	-	22	764	511	1,297	-	41	542	1,104	2,359	4,046
G.O.+	(70)	-	-	-	9	11	20	-	-	-	-	28	28
G.O.	(71)	-	-	10	350	569	929	-	-	35	134	520	689
Total		-	2,608	70,659	42,421	4,875	120,563	25	11,522	132,389	93,378	30,698	268,012
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	133	574	293	33	1,033	-	102	715	41	11	869
M.	(32)	-	1,062	7,021	3,954	1,884	13,921	-	1,424	23,029	10,408	1,972	36,833
S.L.M.	(42)	-	122	1,978	1,988	2,389	6,477	-	753	8,057	8,232	4,487	21,529
L.M.	(52)	-	10	253	1,048	1,662	2,973	-	61	1,983	5,643	3,536	11,223
Total		-	1,327	9,826	7,283	5,968	24,404	-	2,340	33,784	24,324	10,006	70,454
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	40	23	63	-	-	-	-	-	-
M.	(33)	-	-	54	355	1,160	1,569	-	-	92	83	62	237
S.L.M.	(43)	-	-	11	158	1,022	1,191	-	10	81	268	396	755
L.M.	(53)	-	-	-	190	1,181	1,371	-	10	81	206	323	620
Total		-	-	65	743	3,386	4,194	-	20	254	557	781	1,612
Tinged:													
All grades		-	10	-	10	312	332	-	-	-	-	78	78
Stained:													
All grades		-	10	-	-	-	10	-	-	-	-	-	-
Light Gray:													
All grades		-	-	19	190	279	488	-	20	1,175	474	251	1,920
Gray:													
All grades		-	-	11	-	-	11	-	-	-	10	-	10
Below Grade													
All grades		-	-	-	442	4,781	5,223	-	10	231	2,569	12,195	15,005
Grade Index													
All grades		-	3,955	80,580	51,089	19,601	155,225	25	13,912	167,833	121,312	54,009	357,091
Grade index		-	98.4	97.6	94.8	80.6	94.5	97.8	97.2	96.6	94.5	82.9	93.8
Staple (inches)													
13/16													
& shorter (26)		-	-	-	-	-	-	-	-	-	41	11	52
7/8 (28)		-	-	-	-	12	12	-	-	-	72	124	196
29/32 (29)		-	-	-	-	59	59	-	-	-	10	287	297
15/16 (30)		-	-	-	-	128	128	-	-	116	1,042	2,514	3,672
31/32 (31)		-	-	79	557	385	1,021	-	-	243	1,352	4,651	6,246
1 (32)		-	-	21	498	1,469	1,988	-	82	1,096	3,942	9,110	14,230
1-1/32 (33)		-	-	70	537	2,420	3,027	-	2,167	17,776	8,884	15,800	44,627
1-1/16 (34)		-	-	146	2,305	5,272	7,723	25	11,276	137,930	78,717	16,370	244,318
1-3/32 (35)		-	50	2,781	4,456	5,829	13,116	-	336	7,390	22,426	1,486	31,638
1-1/8 (36)		-	171	5,763	13,125	3,281	22,340	-	51	1,269	1,805	224	3,349
1-5/32 (37)		-	3,534	56,275	25,121	314	85,244	-	-	543	299	111	953
1-3/16 (38)		-	150	11,366	2,034	168	13,718	-	-	302	391	325	1,018
1-7/32 (39)		-	10	1,124	268	176	1,578	-	-	82	21	151	254
1-1/4 (40)		-	40	2,955	2,188	88	5,271	-	-	1,086	2,310	2,845	6,241
& longer													
All staples		-	3,955	80,580	51,089	19,601	155,225	25	13,912	167,833	121,312	54,009	357,091
Average staple (32nd inches)													
All staples		-	37.0	37.1	36.5	34.4	36.6	34.0	33.9	34.0	34.1	33.3	33.9

Table 9. -- Grade and staple of upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Cont'd.)

FRESNO

BAKERSFIELD

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:													
G.M.	(11)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(21)	-	-	918	804	9	1,731	-	19	661	339	9	1,028
M.+	(30)	-	-	-	19	-	19	-	-	-	-	-	-
M.	(31)	-	-	86,154	63,832	291	150,277	-	33	91,438	43,945	1,534	136,950
S.L.M.+	(40)	-	-	12,140	9,258	80	21,478	-	5	8,663	3,941	516	13,125
S.L.M.	(41)	-	-	84,513	118,917	3,692	207,122	-	82	127,202	99,248	3,753	230,285
L.M.+	(50)	-	-	1,717	6,988	738	9,443	-	-	3,982	4,936	214	9,132
L.M.	(51)	-	-	4,644	19,111	9,572	33,327	-	14	5,114	14,336	6,817	26,281
S.G.O.+	(60)	-	-	32	2,307	531	2,870	-	-	33	216	491	740
S.G.O.	(61)	-	-	313	3,215	8,167	11,695	-	-	166	1,809	8,550	10,525
G.O.+	(70)	-	-	-	312	-	312	-	-	-	20	158	178
G.O.	(71)	-	-	-	340	1,878	2,218	-	-	22	403	3,672	4,097
Total		-	-	190,431	225,103	24,958	440,492	-	153	237,281	169,193	25,714	432,341
Light Spotted:													
G.M.	(12)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(22)	-	-	-	9	-	9	-	-	-	69	-	69
M.	(32)	-	-	799	2,487	159	3,445	-	-	2,662	3,057	39	5,758
S.L.M.	(42)	-	-	3,586	12,492	1,242	17,320	-	19	5,857	14,974	362	21,212
L.M.	(52)	-	-	367	4,189	2,559	7,115	-	-	754	8,603	2,102	11,459
Total		-	-	4,752	19,177	3,960	27,889	-	19	9,273	26,703	2,503	38,498
Spotted:													
G.M.	(13)	-	-	-	-	-	-	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	9	9	-	-	-	10	-	10
M.	(33)	-	-	-	47	39	86	-	-	55	197	20	272
S.L.M.	(43)	-	-	86	785	158	1,029	-	-	78	777	179	1,034
L.M.	(53)	-	-	54	908	446	1,408	-	-	-	1,298	1,209	2,507
Total		-	-	140	1,740	652	2,532	-	-	133	2,282	1,408	3,823
Tinged:													
All grades		-	-	-	19	27	46	-	-	22	59	123	204
Stained:													
All grades		-	-	-	-	-	-	-	-	-	-	9	9
Light Gray:													
All grades		-	-	303	1,730	824	2,857	-	-	188	1,229	1,519	2,936
Gray:													
All grades		-	-	11	37	98	146	-	-	-	118	622	740
Below Grade		-	-	22	946	2,121	3,089	-	-	22	2,399	4,248	6,669
All grades		-	-	195,659	248,752	32,640	477,051	-	172	246,919	201,983	36,146	485,220
Grade index		-	-	96.5	93.8	81.2	94.0	-	95.1	95.9	92.9	79.4	93.4
Staple (inches)													
13/16 & shorter	(26)	-	-	-	-	-	-	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-	-	-	-	-	-	-
29/32	(29)	-	-	-	-	-	-	-	-	-	-	-	-
15/16	(30)	-	-	-	-	-	-	-	-	-	-	-	-
31/32	(31)	-	-	-	-	9	9	-	-	-	-	-	-
1	(32)	-	-	-	28	18	46	-	-	-	-	-	-
1-1/32	(33)	-	-	-	46	110	156	-	-	33	79	89	201
1-1/16	(34)	-	-	4,094	1,654	6,130	11,878	-	-	7,986	5,272	4,350	17,608
1-3/32	(35)	-	-	116,738	122,198	24,061	262,997	-	97	225,904	152,999	25,225	404,225
1-1/8	(36)	-	-	74,027	121,309	2,312	197,648	-	75	12,594	42,099	5,569	60,337
1-5/32	(37)	-	-	800	3,508	-	4,308	-	-	402	1,525	913	2,840
1-3/16	(38)	-	-	-	9	-	9	-	-	-	9	-	9
1-7/32	(39)	-	-	-	-	-	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-	-	-	-	-	-
& longer													
All staples		-	-	195,659	248,752	32,640	477,051	-	172	246,919	201,983	36,146	485,220
Average staple (32nd inches)		-	-	35.4	35.5	34.9	35.4	-	35.4	35.0	35.2	35.1	35.1

Table 9. -- Grade and staple of upland cotton ginned, during specified periods,
by classing office territories, 1967-68 (Cont'd.)

EL CENTRO

Grade and staple	Code	Prior to Sept. 1	September	October	November	After Nov. 30	Total Crop
Grade		Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	-	40	48	522	239	849
M.+	(30)	-	-	-	-	10	10
M.	(31)	26	1,171	8,265	22,177	2,698	34,337
S.L.M.+	(40)	-	-	87	987	188	1,262
S.L.M.	(41)	27	2,053	9,288	15,003	12,111	38,482
L.M.+	(50)	-	-	67	320	930	1,317
L.M.	(51)	-	111	701	1,398	9,268	11,478
S.G.O.+	(60)	-	-	-	-	123	123
S.G.O.	(61)	-	15	26	259	3,428	3,728
G.O.+	(70)	-	-	-	-	31	31
G.O.	(71)	-	-	9	65	1,376	1,450
Total		53	3,390	18,491	40,731	30,402	93,067
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	-	7	-	151	10	168
M.	(32)	-	472	3,333	5,093	744	9,642
S.L.M.	(42)	-	731	3,619	4,741	1,909	11,000
L.M.	(52)	-	181	1,909	2,598	3,985	8,673
Total		-	1,391	8,861	12,583	6,648	29,483
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	-	-	-	-	-	-
M.	(33)	-	15	-	82	73	170
S.L.M.	(43)	-	30	26	242	191	489
L.M.	(53)	-	15	238	249	457	959
Total		-	60	264	573	721	1,618
Light Gray:							
All grades		-	133	864	685	980	2,662
Gray:							
All grades		-	30	87	71	139	327
Below Grade							
		-	-	87	314	2,259	2,660
All grades		53	5,004	28,654	54,957	41,149	129,817
Grade index		96.9	94.0	93.9	95.0	86.2	91.9
Staple (Inches)							
13/16 & shorter							
7/8	(28)	-	-	-	176	188	364
29/32	(29)	-	-	-	46	280	326
15/16	(30)	-	-	9	360	1,896	2,265
31/32	(31)	-	-	218	498	2,684	3,400
1	(32)	-	29	985	1,098	5,541	7,653
1-1/32	(33)	-	443	7,397	4,675	10,722	23,237
1-1/16	(34)	27	4,326	19,672	36,816	16,563	77,404
1-3/32	(35)	26	192	373	9,620	1,888	12,099
1-1/8	(36)	-	-	-	1,025	449	1,474
1-5/32	(37)	-	-	-	321	436	757
1-3/16	(38)	-	-	-	142	100	242
1-7/32	(39)	-	14	-	20	114	148
1-1/4	(40)	-	-	-	160	288	448
& longer							
All staples		53	5,004	28,654	54,957	41,149	129,817
Average staple (32nd inches)		34.5	34.0	33.7	34.1	33.2	33.7

SOUTHEASTERN AREA

SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68

RALEIGH				COLUMBIA		AUGUSTA		
Grade and staple	Code	Ginned in State		Classing Office total	::	Ginned in State South Carolina	::	Ginned in State Georgia
		North Carolina	Virginia					
Grade		Bales	Bales	Bales	::	Bales	::	Bales
White:								
G.M.	(11)	-	-	-	::	-	::	-
S.M.	(21)	142	-	142	::	2,746	::	3,539
M.+	(30)	-	-	-	::	-	::	12
M.	(31)	5,762	-	5,762	::	40,047	::	13,367
S.L.M.+	(40)	1,571	-	1,571	::	2,805	::	1,026
S.L.M.	(41)	18,890	-	18,890	::	64,104	::	29,892
L.M.+	(50)	4,837	-	4,837	::	8,466	::	3,775
L.M.	(51)	6,523	-	6,523	::	32,401	::	9,360
S.G.O.+	(60)	176	-	176	::	633	::	502
S.G.O.	(61)	587	-	587	::	3,099	::	1,125
G.O.+	(70)	-	-	-	::	-	::	11
G.O.	(71)	67	-	67	::	361	::	133
Total		38,555	-	38,555	::	154,662	::	62,742
Light Spotted:								
G.M.	(12)	-	-	-	::	-	::	-
S.M.	(22)	139	-	139	::	959	::	596
M.	(32)	1,500	-	1,500	::	6,133	::	5,097
S.L.M.	(42)	2,428	-	2,428	::	9,738	::	8,929
L.M.	(52)	1,738	97	1,835	::	6,716	::	3,307
Total		5,805	97	5,902	::	23,546	::	17,929
Spotted:								
G.M.	(13)	-	-	-	::	-	::	-
S.M.	(23)	-	-	-	::	37	::	21
M.	(33)	356	-	356	::	395	::	117
S.L.M.	(43)	1,263	51	1,314	::	1,580	::	460
L.M.	(53)	1,104	-	1,104	::	2,638	::	855
Total		2,723	51	2,774	::	4,650	::	1,453
Tinged:		145	-	145	::	290	::	62
All grades					::		::	
Light Gray:		110	-	110	::	337	::	351
All grades					::		::	
Gray:		24	-	24	::	-	::	8
All grades					::		::	
Below Grade		418	-	418	::	722	::	518
All grades		47,780	148	47,928	::	184,207	::	83,063
Grade index		91.2	81.0	91.1	::	92.2	::	92.5
Staple (inches)					::		::	
13/16 & shorter	(26)	-	-	-	::	-	::	-
7/8	(28)	-	-	-	::	-	::	-
29/32	(29)	-	-	-	::	-	::	-
15/16	(30)	-	-	-	::	-	::	53
31/32	(31)	54	-	54	::	16	::	192
1	(32)	476	-	476	::	292	::	1,690
1-1/32	(33)	2,747	-	2,747	::	5,454	::	41,647
1-1/16	(34)	28,256	99	28,355	::	69,757	::	33,850
1-3/32	(35)	15,258	49	15,307	::	95,303	::	5,323
1-1/8	(36)	927	-	927	::	13,065	::	308
1-5/32	(37)	62	-	62	::	299	::	-
1-3/16	(38)	-	-	-	::	21	::	-
1-7/32	(39)	-	-	-	::	-	::	-
1-1/4	(40)	-	-	-	::	-	::	-
& longer					::		::	
All staples		47,780	148	47,928	::	184,207	::	83,063
Average staple (32nd inches)		34.3	34.3	34.3	::	34.6	::	33.5

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

ATLANTA				BIRMINGHAM		MONTGOMERY		
Grade and staple	Code	Ginned in State		Classing Office total	::	Ginned in State		Classing Office total
		Georgia	Florida			Alabama	Alabama	
Grade		Bales	Bales	Bales	::	Bales	Bales	Bales
White:								
G.M.	(11)	12	-	12	::	-	-	-
S.M.	(21)	2,381	-	2,381	::	576	375	375
M.+	(30)	69	-	69	::	-	-	-
M.	(31)	17,875	35	17,910	::	5,081	15,670	16,031
S.L.M.+	(40)	2,369	-	2,369	::	135	46	46
S.L.M.	(41)	62,938	35	62,973	::	10,647	54,195	57,638
L.M.+	(50)	2,887	-	2,887	::	335	621	645
L.M.	(51)	14,831	19	14,850	::	5,591	24,661	25,791
S.G.O.+	(60)	152	-	152	::	30	27	27
S.G.O.	(61)	1,365	-	1,365	::	1,284	5,084	5,170
G.O.+	(70)	-	-	-	::	9	-	-
G.O.	(71)	164	-	164	::	276	778	792
Total		105,043	89	105,132	::	23,964	101,457	106,515
Light Spotted:								
G.M.	(12)	-	-	-	::	10	-	-
S.M.	(22)	686	-	686	::	631	135	135
M.	(32)	6,602	72	6,674	::	4,376	6,354	6,465
S.L.M.	(42)	18,098	19	18,117	::	8,222	19,319	20,550
L.M.	(52)	7,032	19	7,051	::	3,189	9,537	9,915
Total		32,418	110	32,528	::	16,428	35,345	37,065
Spotted:								
G.M.	(13)	-	-	-	::	-	-	-
S.M.	(23)	119	-	119	::	350	-	-
M.	(33)	621	-	621	::	1,888	120	120
S.L.M.	(43)	1,859	-	1,859	::	3,757	1,378	1,429
L.M.	(53)	3,131	16	3,147	::	4,495	2,791	2,886
Total		5,730	16	5,746	::	10,490	4,289	4,435
Tinged:								
All grades		1,141	-	1,141	::	2,753	81	81
Stained:								
All grades		-	-	-	::	8	-	-
Light Gray:								
All grades		205	-	205	::	78	1,159	1,169
Gray:								
All grades		38	-	38	::	64	100	100
Below Grade		1,611	19	1,630	::	900	1,316	1,326
All grades		146,186	234	146,420	::	54,685	143,757	150,691
Grade index		91.5	89.5	91.5	::	87.9	90.0	90.1
Staple (inches)								
13/16								
& shorter	(26)	-	-	-	::	23	-	-
7/8	(28)	9	-	9	::	123	-	-
29/32	(29)	9	-	9	::	139	11	11
15/16	(30)	424	-	424	::	1,594	82	82
31/32	(31)	1,402	-	1,402	::	1,446	956	966
1	(32)	4,942	-	4,942	::	3,496	9,877	10,052
1-1/32	(33)	49,405	127	49,532	::	21,048	87,163	90,883
1-1/16	(34)	66,354	88	66,442	::	21,779	37,352	39,998
1-3/32	(35)	19,607	19	19,626	::	3,614	7,932	8,313
1-1/8	(36)	3,707	-	3,707	::	1,135	374	386
1-5/32	(37)	327	-	327	::	244	-	-
1-3/16	(38)	-	-	-	::	35	-	-
1-7/32	(39)	-	-	-	::	9	-	-
1-1/4	(40)	-	-	-	::	-	-	-
& longer								
All staples		146,186	234	146,420	::	54,685	143,747	150,691
Average staple (32nd inches)		33.7	33.5	33.7	::	33.4	33.3	33.3

SOUTH CENTRAL AREA




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

GREENWOOD				JACKSON		
Grade and staple		Ginned in State		Ginned in State		Classing Office total
Code		Mississippi	Mississippi	Louisiana		
Grade		Bales	Bales	Bales	Bales	
White:						
G.M.	(11)	26	-	-	-	-
S.M.	(21)	26,650	4,654	22		4,676
M.+	(30)	452	28	-		28
M.	(31)	130,687	29,768	558		30,326
S.L.M.+	(40)	11,487	650	12		662
S.L.M.	(41)	401,380	37,372	150		37,522
L.M.+	(50)	36,698	892	-		892
L.M.	(51)	77,695	12,345	-		12,345
S.G.O.+	(60)	1,583	129	-		129
S.G.O.	(61)	4,657	2,183	-		2,183
G.O.+	(70)	10	10	-		10
G.O.	(71)	550	290	-		290
Total		691,875	88,321	742		89,063
Light Spotted:						
G.M.	(12)	-	-	-		-
S.M.	(22)	963	803	-		803
M.	(32)	24,309	12,878	210		13,088
S.L.M.	(42)	62,472	12,415	49		12,464
L.M.	(52)	15,504	4,251	-		4,251
Total		103,248	30,347	259		30,606
Spotted:						
G.M.	(13)	-	-	-		-
S.M.	(23)	246	220	-		220
M.	(33)	5,521	1,157	-		1,157
S.L.M.	(43)	9,562	1,539	20		1,559
L.M.	(53)	6,073	960	-		960
Total		21,402	3,876	20		3,896
Tinged:						
All grades		952	109	-		109
Stained:						
All grades		10	-	-		-
Light Gray:						
All grades		1,098	1,436	-		1,436
Gray:						
All grades		118	49	-		49
Below Grade						
		10,519	792	-		792
All grades						
		829,222	124,930	1,021		125,951
Grade index						
		92.9	93.4	97.7		93.4
Staple (inches)						
13/16						
& shorter	(26)	-	-	-		-
7/8	(28)	-	-	-		-
29/32	(29)	-	-	-		-
15/16	(30)	24	-	-		-
31/32	(31)	125	49	-		49
1	(32)	3,407	1,381	-		1,381
1-1/32	(33)	18,061	23,230	96		23,326
1-1/16	(34)	339,124	85,804	775		86,579
1-3/32	(35)	421,512	13,916	150		14,066
1-1/8	(36)	43,054	520	-		520
1-5/32	(37)	2,835	30	-		30
1-3/16	(38)	849	-	-		-
1-7/32	(39)	104	-	-		-
1-1/4	(40)	127	-	-		-
& longer						
All staples						
		829,222	124,930	1,021		125,951
Average staple (32nd inches)						
		34.6	33.9	34.1		33.9

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

		MEMPHIS					HAYTI	
Grade and staple	Code	Ginned in State					Classing Office total	Ginned in State Missouri
		Tennessee	Illinois	Kentucky	Arkansas	Mississippi		
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	(11)	-	-	-	-	-	-	-
S.M.	(21)	4,859	-	-	262	4,198	9,319	695
M.+	(30)	83	-	-	12	87	182	-
M.	(31)	24,105	-	13	3,223	17,146	44,487	6,391
S.L.M.+	(40)	1,688	-	-	417	1,009	3,114	452
S.L.M.	(41)	45,812	-	28	10,804	36,371	93,015	25,680
L.M.+	(50)	2,187	-	-	957	2,357	5,501	1,268
L.M.	(51)	8,809	-	-	4,812	9,754	23,375	825
S.G.O.+	(60)	51	-	-	27	41	119	32
S.G.O.	(61)	1,025	-	-	458	1,465	2,948	-
G.O.+	(70)	20	-	-	-	-	20	11
G.O.	(71)	52	-	-	66	161	279	-
Total		88,691	-	41	21,038	72,589	182,359	35,354
Light Spotted:								
G.M.	(12)	-	-	-	-	-	-	-
S.M.	(22)	412	-	-	18	380	810	110
M.	(32)	7,002	-	13	541	5,199	12,755	2,245
S.L.M.	(42)	20,175	-	68	3,953	11,987	36,183	9,022
L.M.	(52)	5,469	-	-	1,682	4,242	11,393	857
Total		33,058	-	81	6,194	21,808	61,141	12,234
Spotted:								
G.M.	(13)	-	-	-	-	-	-	-
S.M.	(23)	51	-	-	-	106	157	11
M.	(33)	3,247	-	14	103	1,620	4,984	1,236
S.L.M.	(43)	9,492	-	44	1,249	4,164	14,949	6,215
L.M.	(53)	5,534	-	-	1,117	3,607	10,258	1,969
Total		18,324	-	58	2,469	9,497	30,348	9,431
Tinged:								
All grades		3,297	-	-	292	938	4,527	1,855
Light Gray:								
All grades		171	-	-	18	223	412	70
Gray:								
All grades		-	-	-	-	36	36	23
Below Grade								
		2,589	-	-	919	2,407	5,915	1,121
All grades								
		146,130	-	180	30,930	107,498	284,738	60,088
Grade index								
		91.0	-	90.0	89.2	91.2	90.9	90.7
Staple (inches)								
13/16 & shorter								
(26)		-	-	-	-	-	-	-
7/8	(28)	-	-	-	-	-	-	-
29/32	(29)	5	-	-	-	-	5	12
15/16	(30)	33	-	-	11	16	60	71
31/32	(31)	315	-	-	45	138	498	193
1	(32)	4,349	-	-	546	3,012	7,907	1,293
1-1/32	(33)	19,725	-	72	2,214	13,022	35,033	5,626
1-1/16	(34)	82,190	-	95	17,031	62,751	162,067	25,059
1-3/32	(35)	37,199	-	13	10,443	27,684	75,339	24,274
1-1/8	(36)	2,141	-	-	640	854	3,635	3,549
1-5/32	(37)	173	-	-	-	21	194	11
1-3/16	(38)	-	-	-	-	-	-	-
1-7/32	(39)	-	-	-	-	-	-	-
1-1/4	(40)	-	-	-	-	-	-	-
& longer								
All staples		146,130	-	180	30,930	107,498	284,738	60,088
Average staple (32nd inches)								
		34.1	-	33.7	34.3	34.1	34.1	34.4

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

		BLYTHEVILLE		LITTLE ROCK		WINNSBORO		ALEXANDRIA	
Grade and staple		Ginned in State		Ginned in State		Ginned in State		Ginned in State	
Code		Arkansas		Arkansas		Louisiana		Louisiana	
Grade		Bales		Bales		Bales		Bales	
White:									
G.M.	(11)	-		-		103		-	
S.M.	(21)	406		3,819		4,459		2,616	
M.+	(30)	-		117		41		10	
M.	(31)	5,443		36,307		71,960		35,627	
S.L.M.+	(40)	639		2,945		1,116		491	
S.L.M.	(41)	34,668		162,747		137,388		75,513	
L.M.+	(50)	3,445		10,952		7,132		1,095	
L.M.	(51)	6,104		43,194		19,596		10,339	
S.G.O.+	(60)	298		710		139		92	
S.G.O.	(61)	561		2,731		1,142		919	
G.O.+	(70)	-		18		9		17	
G.O.	(71)	41		343		52		131	
Total		51,605		263,883		243,137		126,850	
Light Spotted:									
G.M.	(12)	11		-		9		-	
S.M.	(22)	11		214		849		298	
M.	(32)	2,495		8,628		14,837		6,899	
S.L.M.	(42)	24,786		44,013		15,516		8,843	
L.M.	(52)	7,631		11,446		1,902		1,816	
Total		34,934		64,301		33,113		17,856	
Spotted:									
G.M.	(13)	-		-		-		-	
S.M.	(23)	-		88		469		10	
M.	(33)	626		3,184		1,615		301	
S.L.M.	(43)	7,416		16,741		1,008		337	
L.M.	(53)	3,889		10,327		261		348	
Total		11,931		30,340		3,353		996	
Tinged:									
All grades		1,554		4,084		219		7	
Light Gray:									
All grades		228		492		320		2,480	
Gray:									
All grades		9		39		33		118	
Below Grade		3,164		5,757		201		279	
All grades		103,425		368,896		280,376		148,586	
Grade index		88.5		90.6		94.6		94.4	
Staple (inches)									
13/16 & shorter									
(26)		-		-		-		-	
7/8	(28)	-		10		-		-	
29/32	(29)	-		10		-		-	
15/16	(30)	55		142		9		-	
31/32	(31)	22		867		14		-	
1	(32)	1,128		4,883		518		193	
1-1/32	(33)	8,393		29,292		25,052		18,997	
1-1/16	(34)	39,050		179,401		208,214		121,901	
1-3/32	(35)	40,054		140,864		44,653		7,243	
1-1/8	(36)	13,729		12,651		1,854		232	
1-5/32	(37)	940		753		52		20	
1-3/16	(38)	54		23		10		-	
1-7/32	(39)	-		-		-		-	
1-1/4	(40)	-		-		-		-	
& longer									
All staples		103,425		368,896		280,376		148,586	
Average staple (32nd inches)		34.6		34.3		34.1		33.9	

SOUTHWESTERN AREA

SMITH-DOXEY CLASSING OFFICE TERRITORIES




Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

ALTUS				DALLAS			
Grade and staple	Code	Ginned in State		Classing Office total	Ginned in State		Classing Office total
		Oklahoma	Texas		Texas	Oklahoma	
Grade		Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	10	10	-	-	-
S.M.	(21)	485	504	989	135	-	135
M.+	(30)	11	43	54	-	-	-
M.	(31)	20,639	22,890	43,529	4,822	236	5,058
S.L.M.+	(40)	972	607	1,579	53	42	95
S.L.M.	(41)	21,448	16,083	37,531	7,872	4,520	12,392
L.M.+	(50)	556	351	907	157	255	412
L.M.	(51)	2,813	1,293	4,106	3,939	2,934	6,873
S.G.O.+	(60)	45	94	139	10	21	31
S.G.O.	(61)	207	87	294	845	324	1,169
G.O.+	(70)	6	-	6	-	-	-
G.O.	(71)	66	27	93	105	51	156
Total		47,248	41,989	89,237	17,938	8,383	26,321
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	783	7,553	8,336	349	-	349
M.	(32)	63,653	94,395	158,048	30,968	645	31,613
S.L.M.	(42)	39,970	16,790	56,760	69,672	6,950	76,622
L.M.	(52)	2,597	825	3,422	37,629	3,703	41,332
Total		107,003	119,563	226,566	138,618	11,298	149,916
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	215	2,567	2,782	10	-	10
M.	(33)	6,205	8,567	14,772	2,519	606	3,125
S.L.M.	(43)	3,529	1,711	5,240	11,277	1,824	13,101
L.M.	(53)	409	153	562	12,410	857	13,267
Total		10,358	12,998	23,356	26,216	3,287	29,503
Tinged:							
All grades		627	1,027	1,654	142	225	367
Stained:							
All grades		11	27	38	-	-	-
Light Gray:							
All grades		63	177	240	30	10	40
Below Grade		370	119	489	4,057	713	4,770
All grades		165,680	175,900	341,580	187,001	23,916	210,917
Grade index		93.9	95.9	95.0	87.0	86.3	86.9
Staple (inches)							
13/16 & shorter	(26)	157	17	174	500	-	500
7/8	(28)	1,117	304	1,421	17,747	166	17,913
29/32	(29)	15,900	4,148	20,048	89,866	2,987	92,853
15/16	(30)	67,499	67,523	135,022	61,816	9,761	71,577
31/32	(31)	40,505	63,541	104,046	8,347	2,762	11,109
1	(32)	18,139	27,905	46,044	2,446	1,194	3,640
1-1/32	(33)	9,120	6,689	15,809	1,089	1,337	2,426
1-1/16	(34)	7,222	2,942	10,164	3,949	3,956	7,905
1-3/32	(35)	3,285	679	3,964	1,049	1,019	2,068
1-1/8	(36)	1,815	890	2,705	91	344	435
1-5/32	(37)	463	192	655	23	179	202
1-3/16	(38)	227	150	377	7	152	159
1-7/32	(39)	76	44	120	12	29	41
1-1/4 & longer	(40)	155	876	1,031	59	30	89
All staples		165,680	175,900	341,580	187,001	23,916	210,917
Average staple (32nd inches)		30.9	30.9	30.9	29.5	31.3	29.7

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

		AUSTIN		CORPUS CHRISTI		HARLINGEN		ABILENE	
Grade and staple	Code	Ginned in State	::	Ginned in State	::	Ginned in State	::	Ginned in State	
		Texas	::	Texas	::	Texas	::	Texas	
Grade		Bales	::	Bales	::	Bales	::	Bales	
White:			::		::		::		
G.M.	(11)	22	::	13	::	-	::	-	
S.M.	(21)	2,596	::	1,201	::	4,459	::	441	
M.+	(30)	79	::	66	::	40	::	22	
M.	(31)	23,314	::	36,927	::	55,350	::	25,527	
S.L.M.+	(40)	1,797	::	708	::	2,559	::	406	
S.L.M.	(41)	49,187	::	59,270	::	147,112	::	34,288	
L.M.+	(50)	1,093	::	895	::	2,440	::	316	
L.M.	(51)	11,860	::	6,346	::	30,034	::	6,664	
S.G.O.+	(60)	95	::	186	::	29	::	41	
S.G.O.	(61)	3,091	::	1,500	::	6,075	::	739	
G.O.+	(70)	-	::	63	::	-	::	-	
G.O.	(71)	833	::	572	::	2,985	::	391	
Total		93,967	::	107,747	::	251,083	::	68,835	
Light Spotted:			::		::		::		
G.M.	(12)	-	::	-	::	-	::	-	
S.M.	(22)	5,230	::	2,158	::	942	::	4,127	
M.	(32)	55,051	::	37,206	::	18,587	::	108,104	
S.L.M.	(42)	50,604	::	24,309	::	27,985	::	85,460	
L.M.	(52)	17,324	::	2,778	::	5,775	::	26,069	
Total		128,209	::	66,451	::	53,289	::	223,760	
Spotted:			::		::		::		
G.M.	(13)	-	::	-	::	-	::	-	
S.M.	(23)	-	::	-	::	50	::	1,594	
M.	(33)	1,153	::	352	::	240	::	13,078	
S.L.M.	(43)	4,037	::	414	::	637	::	11,669	
L.M.	(53)	3,167	::	247	::	1,923	::	7,754	
Total		8,357	::	1,013	::	2,850	::	34,095	
Tinged:			::		::		::		
All grades		50	::	32	::	59	::	3,095	
Stained:			::		::		::		
All grades		-	::	-	::	-	::	103	
Light Gray:			::		::		::		
All grades		596	::	1,198	::	2,879	::	188	
Gray:			::		::		::		
All grades		29	::	138	::	1,495	::	41	
Below Grade		2,134	::	410	::	4,437	::	3,051	
All grades		233,342	::	176,989	::	316,092	::	333,168	
Grade index		91.9	::	94.4	::	92.5	::	91.6	
Staple (inches)			::		::		::		
13/16 & shorter	(26)	189	::	382	::	-	::	53	
7/8	(28)	9,463	::	3,189	::	30	::	1,286	
29/32	(29)	83,901	::	16,448	::	90	::	32,131	
15/16	(30)	19,012	::	36,904	::	1,844	::	163,566	
31/32	(31)	5,219	::	39,090	::	3,758	::	81,055	
1	(32)	13,231	::	40,089	::	11,667	::	20,534	
1-1/32	(33)	34,017	::	29,524	::	79,164	::	6,728	
1-1/16	(34)	59,386	::	9,613	::	200,529	::	8,196	
1-3/32	(35)	8,022	::	1,314	::	17,449	::	4,898	
1-1/8	(36)	771	::	312	::	985	::	9,094	
1-5/32	(37)	32	::	48	::	322	::	3,674	
1-3/16	(38)	31	::	13	::	112	::	1,519	
1-7/32	(39)	8	::	-	::	10	::	-	
1-1/4 & longer	(40)	60	::	63	::	132	::	434	
All staples		233,342	::	176,989	::	316,092	::	333,168	
Average staple (32nd inches)		31.3	::	31.3	::	33.7	::	30.8	

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

LUBBOCK				EL PASO				
Grade and staple	Code	Ginned in State		Classing Office total	Ginned in State			Classing Office total
		Texas	New Mexico		Texas	New Mexico	Arizona	
Grade		Bales	Bales	Bales	Bales	Bales	Bales	Bales
White:								
G.M.	(11)	-	-	-	61	20	10	91
S.M.	(21)	1,136	-	1,136	2,121	2,619	453	5,193
M.+	(30)	168	-	168	82	-	-	82
M.	(31)	151,568	1,489	153,057	20,823	31,421	11,649	63,893
S.L.M.+	(40)	1,492	72	1,564	1,220	1,268	544	3,032
S.L.M.	(41)	277,948	2,294	280,242	12,095	12,483	6,961	31,539
L.M.+	(50)	1,859	13	1,872	91	140	127	358
L.M.	(51)	12,701	90	12,791	323	228	426	977
S.G.O.+	(60)	48	-	48	-	-	-	-
S.G.O.	(61)	1,174	40	1,214	154	61	96	311
G.O.+	(70)	-	-	-	-	-	-	-
G.O.	(71)	454	-	454	77	79	131	287
Total		448,548	3,998	452,546	37,047	48,319	20,397	105,763
Light Spotted:								
G.M.	(12)	-	-	-	-	-	-	-
S.M.	(22)	1,696	-	1,696	335	310	70	715
M.	(32)	355,836	1,529	357,365	11,431	7,050	3,397	21,878
S.L.M.	(42)	150,313	978	151,291	4,261	2,236	1,343	7,840
L.M.	(52)	12,890	78	12,968	1,123	696	390	2,209
Total		520,735	2,585	523,320	17,150	10,292	5,200	32,642
Spotted:								
G.M.	(13)	-	-	-	-	-	-	-
S.M.	(23)	3,036	-	3,036	21	10	-	31
M.	(33)	91,749	94	91,843	337	350	49	736
S.L.M.	(43)	32,356	111	32,467	637	394	67	1,098
L.M.	(53)	4,749	-	4,749	373	125	19	517
Total		131,890	205	132,095	1,368	879	135	2,382
Tinged:								
All grades		23,353	-	23,353	98	151	-	249
Stained:								
All grades		430	-	430	-	-	-	-
Light Gray:								
All grades		2,446	-	2,446	-	42	9	51
Gray:								
All grades		523	-	523	-	-	-	-
Below Grade								
		3,189	5	3,194	1,319	777	543	2,639
All grades		1,131,114	6,793	1,137,907	56,982	60,460	26,284	143,726
Grade index								
		93.9	94.7	93.9	95.4	97.0	95.7	96.1
Staple (inches)								
13/16								
& shorter	(26)	403	-	403	-	-	-	-
7/8	(28)	8,754	49	8,803	10	-	-	10
29/32	(29)	91,952	650	92,602	-	-	-	-
15/16	(30)	341,338	2,750	344,088	8	-	19	27
31/32	(31)	278,002	1,818	279,820	11	10	31	52
1	(32)	189,205	790	189,995	221	183	19	423
1-1/32	(33)	98,746	315	99,061	1,405	549	178	2,132
1-1/16	(34)	26,981	107	27,088	3,105	1,548	926	5,579
1-3/32	(35)	10,792	13	10,805	3,243	3,639	1,780	8,662
1-1/8	(36)	24,919	74	24,993	11,965	15,919	10,005	37,889
1-5/32	(37)	28,240	74	28,314	34,035	31,695	12,028	77,758
1-3/16	(38)	17,815	100	17,915	2,550	6,818	1,224	10,592
1-7/32	(39)	2,227	-	2,227	10	49	19	78
1-1/4	(40)	11,740	53	11,793	419	50	55	524
& longer								
All staples		1,131,114	6,793	1,137,907	56,982	60,460	26,284	143,726
Average staple (32nd inches)								
		31.4	30.9	31.4	36.5	36.6	36.4	36.5

WESTERN AREA
SMITH-DOXEY CLASSING OFFICE TERRITORIES

The map displays the Western Area of California, divided into Smith-Doxey Classing Office Territories. The territories are outlined in thick black lines. Major cities marked with dots include Fresno, Bakersfield, Phoenix, El Centro, and Carlsbad. County names are labeled throughout the map, including San Joaquin, Stanislaus, Merced, Fresno, Kings, Tulare, Inyo, Mono, San Bernardino, Los Angeles, Ventura, Santa Barbara, Santa Cruz, Pima, Pinal, Graham, Riverside, Imperial, San Diego, Orange, and Kern. The map also shows the Pacific Ocean to the west and the Colorado River to the south.

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

CARLSBAD				PHOENIX		FRESNO		
Grade and staple Code		Ginned in State		Classing Office total	Ginned in State		Ginned in State	
		New Mexico	Texas		Arizona	California		
Grade		Bales	Bales	Bales	Bales	Bales	Bales	
White:								
G.M.	(11)	39	28	67	-	-		
S.M.	(21)	4,177	804	4,981	3,210	1,731		
M.+	(30)	29	363	392	21	19		
M.	(31)	28,242	25,194	53,436	135,529	150,277		
S.L.M.+	(40)	1,178	10,038	11,216	9,640	21,478		
S.L.M.	(41)	18,749	25,863	44,612	94,618	207,122		
L.M.+	(50)	481	441	922	4,827	9,443		
L.M.	(51)	1,348	1,115	2,463	14,516	33,327		
S.G.O.+	(60)	10	218	228	888	2,870		
S.G.O.	(61)	269	1,028	1,297	4,046	11,695		
G.O.+	(70)	-	20	20	28	312		
G.O.	(71)	91	838	929	689	2,218		
Total		54,613	65,950	120,563	268,012	440,492		
Light Spotted:								
G.M.	(12)	-	-	-	-	-		
S.M.	(22)	686	347	1,033	869	9		
M.	(32)	6,063	7,858	13,921	36,833	3,445		
S.L.M.	(42)	4,020	2,457	6,477	21,529	17,320		
L.M.	(52)	955	2,018	2,973	11,223	7,115		
Total		11,724	12,680	24,404	70,454	27,889		
Spotted:								
G.M.	(13)	-	-	-	-	-		
S.M.	(23)	52	11	63	-	9		
M.	(33)	1,186	383	1,569	237	86		
S.L.M.	(43)	975	216	1,191	755	1,029		
L.M.	(53)	364	1,007	1,371	620	1,408		
Total		2,577	1,617	4,194	1,612	2,532		
Tinged:								
All grades		168	164	332	78	46		
Stained:								
All grades		-	10	10	-	-		
Light Gray:								
All grades		450	38	488	1,920	2,857		
Gray:								
All grades		-	11	11	10	146		
Below Grade		1,635	3,588	5,223	15,005	3,089		
All grades		71,167	84,058	155,225	357,091	477,051		
Grade index		95.5	93.7	94.5	93.8	94.0		
Staple (inches)								
13/16								
& shorter (26)		-	-	-	52	-		
7/8 (28)		12	-	12	196	-		
29/32 (29)		59	-	59	297	-		
15/16 (30)		108	20	128	3,672	-		
31/32 (31)		883	138	1,021	6,246	9		
1 (32)		1,248	740	1,988	14,230	46		
1-1/32 (33)		1,399	1,628	3,027	44,627	156		
1-1/16 (34)		3,009	4,714	7,723	244,318	11,878		
1-3/32 (35)		6,809	6,307	13,116	31,638	262,997		
1-1/8 (36)		9,322	13,018	22,340	3,349	197,648		
1-5/32 (37)		34,317	50,927	85,244	953	4,308		
1-3/16 (38)		11,963	1,755	13,718	1,018	9		
1-7/32 (39)		1,143	435	1,578	254	-		
1-1/4 (40)		895	4,376	5,271	6,241	-		
& longer								
All staples		71,167	84,058	155,225	357,091	477,051		
Average staple (32nd inches)		36.5	36.6	36.6	33.9	35.4		

Table 10. -- Grade and staple of upland cotton ginned in classing office territories, by states, 1967-68 (Cont'd.)

BAKERSFIELD				EL CENTRO			
Grade and staple Code		Ginned in State		Classing Office total	Ginned in State		Classing Office total
		California	Nevada		California	Arizona	
Grade		Bales	Bales	Bales	Bales	Bales	Bales
White:							
G.M.	(11)	-	-	-	-	-	-
S.M.	(21)	894	134	1,028	825	24	849
M.+	(30)	-	-	-	10	-	10
M.	(31)	135,125	1,825	136,950	31,599	2,738	34,337
S.L.M.+	(40)	12,968	157	13,125	1,121	141	1,262
S.L.M.	(41)	228,651	1,634	230,285	27,230	11,252	38,482
L.M.+	(50)	9,111	21	9,132	1,171	146	1,317
L.M.	(51)	26,269	12	26,281	9,780	1,698	11,478
S.G.O.+	(60)	740	-	740	123	-	123
S.G.O.	(61)	10,517	8	10,525	2,795	933	3,728
G.O.+	(70)	178	-	178	31	-	31
G.O.	(71)	4,085	12	4,097	1,093	357	1,450
Total		428,538	3,803	432,341	75,778	17,289	93,067
Light Spotted:							
G.M.	(12)	-	-	-	-	-	-
S.M.	(22)	69	-	69	161	7	168
M.	(32)	5,745	13	5,758	7,781	1,861	9,642
S.L.M.	(42)	21,192	20	21,212	6,506	4,494	11,000
L.M.	(52)	11,423	36	11,459	4,364	4,309	8,673
Total		38,429	69	38,498	18,812	10,671	29,483
Spotted:							
G.M.	(13)	-	-	-	-	-	-
S.M.	(23)	10	-	10	-	-	-
M.	(33)	261	11	272	143	27	170
S.L.M.	(43)	1,030	4	1,034	264	225	489
L.M.	(53)	2,507	-	2,507	330	629	959
Total		3,808	15	3,823	737	881	1,618
Tinged:							
All grades		204	-	204	-	-	-
Stained:							
All grades		9	-	9	-	-	-
Light Gray:							
All grades		2,936	-	2,936	892	1,770	2,662
Gray:							
All grades		740	-	740	103	224	327
Below Grade							
		6,606	63	6,669	1,510	1,150	2,660
All grades							
		481,270	3,950	485,220	97,832	31,985	129,817
Grade index							
		93.4	96.4	93.4	92.9	88.9	91.9
Staple (inches)							
13/16							
& shorter	(26)	-	-	-	-	-	-
7/8	(28)	-	-	-	20	344	364
29/32	(29)	-	-	-	82	244	326
15/16	(30)	-	-	-	1,180	1,085	2,265
31/32	(31)	-	-	-	2,068	1,332	3,400
1	(32)	-	-	-	4,736	2,917	7,653
1-1/32	(33)	201	-	201	13,510	9,727	23,237
1-1/16	(34)	17,553	55	17,608	61,407	15,997	77,404
1-3/32	(35)	404,119	106	404,225	11,810	289	12,099
1-1/8	(36)	59,168	1,169	60,337	1,450	24	1,474
1-5/32	(37)	229	2,611	2,840	757	-	757
1-3/16	(38)	-	9	9	230	12	242
1-7/32	(39)	-	-	-	134	14	148
1-1/4	(40)	-	-	-	448	-	448
& longer							
All staples		481,270	3,950	485,220	97,832	31,985	129,817
Average staple (32nd inches)							
		35.1	36.6	35.1	33.9	33.2	33.7

Table 11. -- Percentage distribution of micronaire readings for upland cotton ginned in the United States, by states, 1967-68 with comparisons

State	2.6 and below		2.7-2.9		3.0-3.2		3.3-3.4		3.5-3.9		4.0-4.4		4.5-4.9		5.0-5.2		5.3 and above		Totals			Average	
	1966 1967		1966 1967		1966 1967		1966 1967		1966 1967		1966 1967		1966 1967		1966 1967		1966 1967		1966 1967		1966 1967		Rdg.
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Va.	-	-	-	32.4	-	34.5	-	-	1.1	33.1	62.9	-	36.0	-	-	-	-	66.9	100.0	33.1	-	-	4.3 3.3
N. C.	*	1.1	0.2	5.7	1.2	12.9	1.3	11.7	10.8	36.9	40.6	26.8	39.4	4.6	5.5	0.3	1.0	-	2.7	31.4	90.8	68.3	6.5 0.3 4.4 3.7
S. C.	*	0.6	0.3	4.2	0.9	10.2	1.0	9.1	6.4	30.7	24.4	31.2	44.1	12.2	17.0	1.6	5.9	0.2	2.2	24.1	74.9	74.1	22.9 1.8 4.6 3.9
Ga.	*	0.1	*	0.9	0.4	3.0	0.4	2.7	4.1	14.9	22.2	40.2	42.5	31.5	18.9	5.6	11.5	1.1	0.8	6.7	68.8	86.6	30.4 6.7 4.7 4.3
Fla.	-	-	-	-	0.1	0.5	-	1.2	1.0	8.0	9.9	36.7	31.2	42.2	28.4	8.7	29.4	2.7	0.1	1.7	42.1	86.9	57.8 11.4 5.0 4.5
Ala.	*	0.1	*	1.7	0.4	5.9	0.5	5.2	4.3	18.2	22.9	34.5	41.2	28.9	20.3	4.7	10.4	0.8	0.9	12.9	68.4	81.6	30.7 5.5 4.7 4.2
Miss.	0.1	0.9	0.6	5.4	1.8	10.5	1.7	7.4	7.1	23.4	18.3	29.2	36.1	18.6	21.3	3.9	13.0	0.7	4.2	24.2	61.5	71.2	34.3 4.6 4.7 3.9
Ill.	-	-	4.0	-	18.2	-	22.6	-	29.0	-	26.2	-	-	-	-	-	-	44.8	-	55.2	-	-	3.6 -
Ky.	0.3	-	2.8	11.1	4.9	10.6	5.7	17.8	16.0	56.6	45.9	3.9	23.5	-	0.9	-	-	13.7	39.5	85.4	60.5	0.9 -	4.1 3.4
Tenn.	0.3	1.0	1.4	6.9	3.4	14.9	3.6	11.2	17.2	34.7	34.7	25.5	29.9	5.7	7.4	0.1	2.1	-	8.7	34.0	81.8	65.9	9.5 0.1 4.3 3.7
Mo.	0.2	0.4	1.8	4.4	6.9	15.1	6.4	14.1	21.7	39.9	37.3	22.8	22.8	3.2	2.6	0.1	0.3	-	15.3	34.0	81.8	65.9	2.9 0.1 4.1 3.7
Ark.	0.2	1.5	1.4	6.1	4.2	12.6	3.5	9.3	14.4	27.2	30.3	27.4	31.8	13.0	10.4	2.7	3.8	0.2	9.3	29.5	76.5	67.6	14.2 2.9 4.3 3.8
La.	0.1	1.1	0.8	5.4	2.2	8.3	1.8	5.9	7.0	19.1	21.7	26.0	40.5	25.3	18.3	7.2	7.6	1.7	4.9	20.7	69.2	70.4	25.9 8.9 4.6 4.1
Okla.	6.5	0.2	7.4	0.9	9.4	2.7	6.0	2.5	17.2	11.4	20.7	28.5	21.4	35.1	8.9	13.9	2.5	4.8	29.3	6.3	59.3	75.0	11.4 18.7 4.0 4.4
Tex.	5.8	5.1	10.8	9.8	13.7	13.0	7.8	7.6	17.3	19.6	17.6	22.0	15.8	17.5	7.9	4.2	3.3	1.2	38.1	35.5	50.7	59.1	11.2 5.4 3.8 3.8
N. Mex.	6.0	4.9	11.7	11.8	18.4	16.8	13.3	11.5	35.7	35.5	14.3	18.4	0.6	1.1	*	*	-	49.4	45.0	50.6	55.0	*	3.4 3.5
Ariz.	0.6	0.5	1.8	2.6	4.1	5.1	3.6	4.0	14.7	15.8	23.0	26.9	34.0	34.3	15.1	9.3	3.1	1.5	10.1	12.2	71.7	77.0	18.2 10.8 4.4 4.3
Nev.	1.2	1.7	1.5	2.5	8.4	15.0	20.7	19.6	46.4	52.3	20.1	8.9	1.7	-	-	-	-	31.8	38.8	68.2	61.2	-	3.6 3.5
Calif.	0.2	0.3	0.7	1.5	2.0	3.0	2.0	2.3	8.4	8.4	48.9	32.8	36.8	47.6	1.0	4.0	*	0.1	4.9	7.1	94.1	88.8	1.0 4.1 4.3 4.4
U. S.	2.2	2.4	4.5	6.1	6.6	9.8	4.2	6.5	12.7	19.5	25.3	26.8	28.7	23.3	10.9	4.6	4.9	1.0	17.5	24.8	66.7	69.6	15.8 5.6 4.2 4.0

* Less than 0.05 percent.

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68

Period	2.6 and below	Pct.	2.7-2.9	Pct.	3.0-3.2	Pct.	3.3-3.4	Pct.	3.5-3.9	Pct.	4.0-4.4	Pct.	4.5-4.9	Pct.	5.0-5.2	Pct.	5.3 and above	Totals			Average mike			
																		Below 3.5	Pct.	3.5-4.9		Pct.	5.0 and above	Pct.
<u>RALEIGH</u>																								
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Sept.	-	-	-	-	-	-	-	-	9.9	-	76.7	13.4	-	-	-	-	-	-	100.0	-	4.2			
Oct.	-	-	0.2	3.0	6.8	36.3	42.6	10.7	36.3	-	42.6	10.7	0.4	-	0.4	-	-	10.0	89.6	0.4	4.0			
Nov.	1.3	6.2	6.2	14.7	13.8	40.4	21.2	2.3	40.4	-	21.2	2.3	0.1	-	0.1	-	-	36.0	63.9	0.1	3.6			
After Nov. 30	2.1	11.5	11.5	21.6	13.4	31.1	18.1	2.0	31.1	-	18.1	2.0	0.2	-	0.2	-	-	48.6	51.2	0.2	3.5			
Total crop	1.1	5.8	5.8	13.0	11.6	36.9	26.7	4.6	36.9	-	26.7	4.6	0.3	-	0.3	-	-	31.5	68.2	0.3	3.7			
<u>COLUMBIA</u>																								
Prior to Sept. 1	-	-	-	-	-	-	-	-	56.5	-	14.5	14.5	14.5	-	14.5	-	-	-	85.5	14.5	4.2			
Sept.	-	-	-	1.3	1.7	16.7	49.0	26.7	16.7	-	49.0	26.7	3.6	1.0	3.6	1.0	3.0	3.0	92.4	4.6	4.3			
Oct.	*	0.3	0.3	1.6	3.3	25.2	44.8	21.2	25.2	-	44.8	21.2	3.2	0.4	3.2	0.4	5.2	5.2	91.2	3.6	4.2			
Nov.	0.7	5.0	5.0	15.5	13.9	39.3	21.5	3.9	39.3	-	21.5	3.9	0.2	-	0.2	-	35.1	35.1	64.7	0.2	3.6			
After Nov. 30	3.0	14.7	14.7	24.2	15.6	29.1	10.5	2.8	29.1	*	10.5	2.8	0.1	*	0.1	*	57.5	57.5	42.4	0.1	3.4			
Total crop	0.6	4.2	4.2	10.2	9.1	30.7	31.2	12.2	30.7	0.2	31.2	12.2	1.6	0.2	1.6	0.2	24.1	24.1	74.1	1.8	3.9			
<u>AUGUSTA</u>																								
Prior to Sept. 1	-	-	-	4.8	-	19.0	42.8	19.0	19.0	-	42.8	19.0	4.8	9.6	4.8	9.6	4.8	4.8	85.6	14.4	4.3			
Sept.	-	0.1	0.1	0.6	1.1	14.9	42.7	31.5	14.9	-	42.7	31.5	7.4	1.7	7.4	1.7	1.8	1.8	89.1	9.1	4.4			
Oct.	-	*	*	0.4	1.0	7.4	28.5	45.8	7.4	-	28.5	45.8	14.3	2.6	14.3	2.6	1.4	1.4	81.7	16.9	4.5			
Nov.	0.2	2.8	2.8	7.4	6.8	24.4	34.2	20.9	24.4	-	34.2	20.9	3.0	0.3	3.0	0.3	17.2	17.2	79.5	3.3	4.0			
After Nov. 30	1.1	7.1	7.1	11.4	11.7	27.2	23.3	14.1	27.2	-	23.3	14.1	3.4	0.7	3.4	0.7	31.3	31.3	64.6	4.1	3.8			
Total crop	0.1	1.2	1.2	2.9	3.1	14.1	32.4	34.9	14.1	-	32.4	34.9	9.4	1.9	9.4	1.9	7.3	7.3	81.4	11.3	4.3			
<u>ATLANTA</u>																								
Prior to Sept. 1	-	-	-	0.9	0.6	8.6	34.3	46.9	8.6	-	34.3	46.9	7.2	1.5	7.2	1.5	1.5	1.5	89.8	8.7	4.5			
Sept.	-	-	-	0.5	0.9	13.3	48.6	33.3	13.3	-	48.6	33.3	2.9	0.5	2.9	0.5	1.4	1.4	95.2	3.4	4.3			
Oct.	-	-	-	0.2	0.2	10.1	50.3	34.0	10.1	-	50.3	34.0	4.5	0.7	4.5	0.7	0.4	0.4	94.4	5.2	4.4			
Nov.	-	0.6	0.6	8.5	7.1	26.2	37.6	17.8	26.2	-	37.6	17.8	2.0	0.2	2.0	0.2	16.2	16.2	81.6	2.2	4.0			
After Nov. 30	0.5	7.2	7.2	20.3	14.3	32.1	18.2	6.6	32.1	-	18.2	6.6	0.5	0.3	0.5	0.3	42.3	42.3	56.9	0.8	3.6			
Total crop	*	0.6	0.6	3.0	2.6	15.2	45.0	29.8	15.2	-	45.0	29.8	3.3	0.5	3.3	0.5	6.2	6.2	90.0	3.8	4.2			

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above	Totals			Average mike
										Below 3.5	3.5-4.9	5.0 and above	
<u>BIRMINGHAM</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	20.6	74.2	5.2	-	94.8	5.2	4.6	4.6
Oct.	-	-	0.2	0.8	22.6	56.8	19.4	0.2	-	98.8	0.2	4.2	4.2
Nov.	0.5	5.3	20.4	16.4	39.0	17.1	1.3	-	-	57.4	-	3.6	3.6
After Nov. 30	0.9	9.0	24.5	20.8	32.7	11.4	0.7	-	-	44.8	-	3.4	3.4
Total crop	0.5	5.3	17.5	14.4	33.4	22.5	6.2	0.2	-	62.1	0.2	3.7	3.7
<u>MONTGOMERY</u>													
Prior to Sept. 1	-	-	-	-	0.6	21.6	62.3	12.0	3.5	84.5	15.5	4.7	4.7
Sept.	-	-	0.3	0.4	4.9	40.4	47.1	6.1	0.8	92.4	6.9	4.5	4.5
Oct.	-	*	0.2	0.4	6.7	39.6	42.8	8.7	1.6	89.1	10.3	4.5	4.5
Nov.	-	0.4	2.4	3.2	24.9	41.3	23.9	3.4	0.5	90.1	3.9	4.2	4.2
After Nov. 30	0.1	1.8	9.5	8.6	31.9	31.4	15.2	1.2	0.3	78.5	1.5	3.9	3.9
Total crop	*	0.2	1.4	1.6	12.2	39.5	37.6	6.4	1.1	89.3	7.5	4.4	4.4
<u>GREENWOOD</u>													
Prior to Sept. 1	-	-	-	-	-	-	22.4	33.0	44.6	22.4	77.6	5.1	5.1
Sept.	-	-	-	-	0.8	9.3	44.6	32.1	13.2	54.7	45.3	4.9	4.9
Oct.	*	0.1	1.2	1.8	14.2	42.9	33.3	5.7	0.8	90.4	6.5	4.3	4.3
Nov.	1.0	8.0	18.0	12.9	35.1	21.9	3.0	0.1	*	60.0	0.1	3.6	3.6
After Nov. 30	7.2	32.0	31.3	11.4	14.3	3.4	0.4	*	-	18.1	*	3.1	3.1
Total crop	0.7	5.4	10.4	7.4	23.4	30.1	18.1	3.7	0.8	71.6	4.5	3.9	3.9
<u>JACKSON</u>													
Prior to Sept. 1	-	-	-	-	7.0	53.4	25.7	11.6	2.3	86.1	13.9	4.5	4.5
Sept.	-	-	-	0.2	2.4	24.4	53.4	17.2	2.4	80.2	19.6	4.6	4.6
Oct.	-	*	0.6	1.4	9.3	33.4	42.9	10.9	1.5	85.6	12.4	4.5	4.5
Nov.	0.6	4.0	11.7	8.9	32.1	28.5	12.6	1.5	0.1	73.2	1.6	3.8	3.8
After Nov. 30	1.4	7.0	15.6	12.7	28.9	23.4	9.5	1.4	0.1	61.8	1.5	3.7	3.7
Total crop	0.3	1.7	4.9	4.2	16.6	30.0	32.8	8.4	1.1	79.4	9.5	4.3	4.3

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above	Totals		Average mike Rdg.	
										Below 3.5	3.5-4.9		5.0 and above
<u>MEMPHIS</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	
Sept.	0.6	1.2	0.6	0.6	12.6	41.4	38.5	4.5	-	3.0	92.5	4.3	
Oct.	0.4	0.4	2.4	3.8	28.8	46.1	17.7	0.8	0.1	6.6	92.6	4.1	
Nov.	1.3	9.2	19.3	13.4	35.3	18.9	2.5	0.1	-	43.2	56.7	3.5	
After Nov. 30	3.5	16.5	25.8	15.7	28.0	9.3	1.2	0.1	-	61.5	38.5	3.4	
Total crop	1.3	8.0	16.1	11.3	32.6	24.2	6.2	0.3	0.1	36.7	63.0	3.7	
<u>HAYTI</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	-	-	81.0	19.0	-	-	-	-	100.0	3.9	
Oct.	0.1	-	3.5	6.4	39.0	41.7	8.8	0.5	-	10.0	89.5	4.0	
Nov.	0.1	3.9	16.1	16.4	42.4	19.3	1.7	0.1	0.1	36.5	63.4	3.6	
After Nov. 30	3.1	18.3	36.5	16.7	20.5	4.5	0.4	-	-	74.6	25.4	3.2	
Total crop	0.4	4.4	15.1	14.1	39.9	22.8	3.2	0.1	0.1	34.0	65.9	3.7	
<u>BLYTHEVILLE</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	3.1	14.1	40.6	39.1	3.1	-	-	17.2	82.8	3.9	
Oct.	-	-	1.6	4.6	26.0	42.7	23.0	2.1	-	6.2	91.7	4.1	
Nov.	0.4	3.5	12.9	12.6	39.6	25.8	5.0	0.2	-	29.4	70.4	3.7	
After Nov. 30	1.5	8.0	23.7	18.3	32.6	13.8	2.1	-	-	51.5	48.5	3.5	
Total crop	0.4	3.2	11.6	11.5	36.0	28.2	8.4	0.7	-	26.7	72.6	3.8	
<u>LITTLE ROCK</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	-	-	1.1	17.8	49.7	26.5	4.9	-	68.6	4.8	
Oct.	0.4	0.2	1.4	2.2	14.8	39.4	32.3	8.4	1.3	3.8	86.5	4.3	
Nov.	1.9	8.7	17.3	11.9	30.0	23.7	5.9	0.6	0.1	39.8	59.6	3.6	
After Nov. 30	6.2	18.8	25.1	12.5	23.1	11.7	2.5	0.1	-	62.6	37.3	3.3	
Total crop	1.6	6.8	12.7	8.7	23.8	27.9	14.7	3.3	0.5	29.8	66.4	3.8	

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	Pct.	2.7-2.9	Pct.	3.0-3.2	Pct.	3.3-3.4	Pct.	3.5-3.9	Pct.	4.0-4.4	Pct.	4.5-4.9	Pct.	5.0-5.2	Pct.	Totals		Average mike				
																	Below 3.5	Pct.		3.5-4.9	Pct.	5.0 and above	Pct.
<u>WINNSBORO</u>																							
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	40.1	-	19.8	40.1	-	40.1	59.9	5.1			
Sept.	-	-	-	0.1	1.0	11.3	-	48.7	29.1	9.8	0.1	61.0	38.9	0.1	61.0	38.9	0.1	61.0	38.9	4.8			
Oct.	■	0.5	0.5	2.3	18.9	34.7	3.3	31.2	7.5	1.6	6.1	84.8	9.1	6.1	84.8	9.1	6.1	84.8	9.1	4.3			
Nov.	3.4	16.4	16.4	22.4	28.8	13.0	13.5	2.4	0.1	■	55.7	44.2	0.1	55.7	44.2	0.1	55.7	44.2	0.1	3.4			
After Nov. 30	13.5	35.6	35.6	21.2	14.4	3.5	10.0	1.7	0.1	-	80.3	19.6	0.1	80.3	19.6	0.1	80.3	19.6	0.1	3.1			
Total crop	1.4	6.6	6.6	9.2	20.6	24.4	6.6	22.4	6.9	1.9	23.8	67.4	8.8	23.8	67.4	8.8	23.8	67.4	8.8	4.0			
<u>ALEXANDRIA</u>																							
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	28.5	-	36.2	35.3	-	28.5	71.5	5.1			
Sept.	-	■	■	*	1.3	11.4	■	59.9	23.9	3.5	■	72.6	27.4	■	72.6	27.4	■	72.6	27.4	4.8			
Oct.	0.2	1.0	1.0	3.1	15.7	39.3	2.9	32.1	5.2	0.5	7.2	87.1	5.7	7.2	87.1	5.7	7.2	87.1	5.7	4.3			
Nov.	1.3	10.2	10.2	17.3	29.8	20.6	10.9	8.0	1.6	0.3	39.7	58.4	1.9	39.7	58.4	1.9	39.7	58.4	1.9	3.7			
After Nov. 30	3.6	20.4	20.4	25.8	16.0	11.4	13.2	6.7	2.1	0.8	63.0	34.1	2.9	63.0	34.1	2.9	63.0	34.1	2.9	3.4			
Total crop	0.6	3.5	3.5	6.4	16.4	28.9	4.6	30.3	7.8	1.5	15.1	75.6	9.3	15.1	75.6	9.3	15.1	75.6	9.3	4.2			
<u>ALTUS</u>																							
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Sept.	-	■	-	2.4	10.8	21.7	-	40.0	16.9	8.2	2.4	72.5	25.1	2.4	72.5	25.1	2.4	72.5	25.1	4.6			
Oct.	■	0.2	0.2	1.0	7.0	25.2	1.1	40.7	18.7	6.1	2.3	72.9	24.8	2.3	72.9	24.8	2.3	72.9	24.8	4.6			
Nov.	0.7	1.8	1.8	4.2	16.5	30.7	3.2	30.2	9.5	3.2	9.9	77.4	12.7	9.9	77.4	12.7	9.9	77.4	12.7	4.3			
After Nov. 30	2.1	6.4	6.4	11.5	22.7	25.1	6.9	19.2	4.7	1.4	26.9	67.0	6.1	26.9	67.0	6.1	26.9	67.0	6.1	3.9			
Total crop	0.8	2.4	2.4	5.1	15.8	28.5	3.6	30.1	10.3	3.4	11.9	74.4	13.7	11.9	74.4	13.7	11.9	74.4	13.7	4.3			
<u>DALLAS</u>																							
Prior to Sept. 1	■	0.3	0.3	3.3	28.5	38.8	4.5	21.2	3.0	0.4	8.1	88.5	3.4	8.1	88.5	3.4	8.1	88.5	3.4	4.1			
Sept.	■	0.4	0.4	2.8	24.0	38.5	3.6	22.1	5.4	3.2	6.8	84.6	8.6	6.8	84.6	8.6	6.8	84.6	8.6	4.2			
Oct.	-	0.2	0.2	0.5	5.5	19.3	0.5	34.8	24.7	14.5	1.2	59.6	39.2	1.2	59.6	39.2	1.2	59.6	39.2	4.7			
Nov.	0.3	1.3	1.3	4.6	13.4	19.7	3.4	30.9	17.7	8.7	9.6	64.0	26.4	9.6	64.0	26.4	9.6	64.0	26.4	4.5			
After Nov. 30	1.7	4.0	4.0	5.6	16.6	24.7	4.7	28.4	10.2	4.1	16.0	69.7	14.3	16.0	69.7	14.3	16.0	69.7	14.3	4.2			
Total crop	0.2	0.7	0.7	2.6	15.4	27.0	2.6	28.7	14.8	8.0	6.1	71.1	22.8	6.1	71.1	22.8	6.1	71.1	22.8	4.4			

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above	Totals			Average mike
										Below 3.5	3.5-4.9	5.0 and above	
<u>AUSTIN</u>													
Prior to Sept. 1	-	■	0.2	0.3	4.9	24.6	44.7	17.2	8.1	0.5	74.2	25.3	4.7
Sept.	■	0.1	0.5	0.8	10.2	32.7	40.4	12.9	2.4	1.4	83.3	15.3	4.5
Oct.	0.2	1.2	3.1	2.1	9.7	25.9	41.4	13.9	2.5	6.6	77.0	16.4	4.4
Nov.	1.4	7.4	8.4	2.2	14.5	20.7	26.7	13.9	4.8	19.4	61.9	18.7	4.2
After Nov. 30	1.7	2.8	4.8	2.4	10.6	32.1	27.5	14.0	4.1	11.7	70.2	18.1	4.3
Total crop	■	0.5	1.1	0.9	7.5	27.1	42.3	15.3	5.3	2.5	76.9	20.6	4.6
<u>CORPUS CHRISTI</u>													
Prior to Sept. 1	■	0.3	1.4	2.2	18.3	44.9	28.6	3.7	0.6	3.9	91.8	4.3	4.3
Sept.	-	-	4.3	2.2	23.8	38.4	27.0	3.2	1.1	6.5	89.2	4.3	4.2
Oct.	-	-	-	-	-	47.0	53.0	-	-	-	100.0	-	4.5
Nov.	-	-	-	-	100.0	-	-	-	-	-	100.0	-	3.5
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-	-	-
Total crop	■	0.3	1.5	2.2	18.3	45.1	28.5	3.5	0.6	4.0	91.9	4.1	4.3
<u>HARLINGEN</u>													
Prior to Sept. 1	■	0.6	2.2	2.1	13.0	37.8	39.6	4.4	0.3	4.9	90.4	4.7	4.3
Sept.	-	1.8	10.7	8.0	22.4	29.9	25.0	2.1	0.1	20.5	77.3	2.2	4.0
Oct.	-	-	2.3	11.4	29.6	33.7	13.8	9.2	-	13.7	77.1	9.2	4.1
Nov.	2.5	8.2	17.2	17.2	39.3	15.6	-	-	-	45.1	54.9	-	3.5
After Nov. 30	5.1	23.1	17.9	20.6	33.3	-	-	-	-	66.7	33.3	-	3.2
Total crop	■	0.6	2.5	2.5	13.2	37.5	39.1	4.3	0.3	5.6	89.8	4.6	4.3
<u>ABILENE</u>													
Prior to Sept. 1	-	-	-	-	-	100.0	-	-	-	-	100.0	-	4.3
Sept.	-	1.3	2.6	1.3	14.7	57.3	17.5	4.0	1.3	5.2	89.5	5.3	4.2
Oct.	■	0.3	1.2	1.5	13.9	36.3	37.0	8.3	1.5	3.0	87.2	9.8	4.4
Nov.	0.2	1.7	5.1	5.8	20.0	28.9	31.0	6.4	0.9	12.8	79.9	7.3	4.2
After Nov. 30	9.0	14.3	17.4	8.7	20.1	16.8	11.2	2.0	0.5	49.4	48.1	2.5	3.6
Total crop	4.4	7.6	10.5	6.4	19.0	24.4	22.2	4.6	0.9	28.9	65.6	5.5	3.9

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above	Totals			Average mike
										Below 3.5	3.5-4.9	5.0 and above	
<u>LUBBOCK</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	33.7	44.7	19.9	-	1.7	-	-	98.3	1.7
Oct.	0.2	2.0	7.0	10.4	42.0	30.4	7.0	0.8	0.2	-	-	79.4	1.0
Nov.	4.3	16.0	24.4	14.1	26.3	12.0	2.5	0.4	*	*	19.6	40.8	0.4
After Nov. 30	21.2	26.3	23.9	10.4	13.5	3.9	0.7	0.1	■	■	58.8	18.1	0.1
Total crop	10.2	19.1	23.7	12.5	22.3	10.0	1.9	0.3	■	■	81.8	34.2	0.3
<u>EL PASO</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	0.8	29.1	56.5	13.6	-	-	-	0.8	99.2	4.1
Oct.	■	0.5	4.6	9.1	49.8	33.2	2.8	*	-	-	14.2	85.8	3.8
Nov.	1.9	12.1	25.5	15.8	34.3	10.3	0.1	-	-	-	55.3	44.7	3.4
After Nov. 30	19.9	32.9	25.7	9.1	10.5	1.9	-	-	-	-	87.6	12.4	3.0
Total crop	2.6	8.1	14.6	11.6	39.7	21.7	1.7	*	-	-	36.9	63.1	3.6
<u>CARLSBAD</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	0.3	0.5	26.2	68.6	4.4	-	-	-	0.8	99.2	4.1
Oct.	0.1	1.0	4.5	6.7	45.6	39.7	2.4	-	-	-	12.3	87.7	3.9
Nov.	3.5	15.5	25.6	13.6	33.7	7.4	0.7	*	*	*	58.2	41.8	3.3
After Nov. 30	20.4	32.9	24.5	9.3	10.8	2.1	*	-	-	-	87.1	12.9	3.0
Total crop	3.8	9.8	13.7	9.2	36.8	25.0	1.7	*	*	*	36.5	63.5	3.6
<u>PHOENIX</u>													
Prior to Sept. 1	-	-	-	-	-	24.0	52.0	24.0	-	-	-	76.0	24.0
Sept.	-	-	0.2	0.5	9.0	30.1	47.3	11.2	1.7	0.7	0.7	86.4	12.9
Oct.	■	0.1	0.6	0.9	8.3	26.9	45.6	14.8	2.8	1.6	1.6	80.8	17.6
Nov.	0.4	2.0	5.0	3.9	17.5	29.6	33.2	7.7	0.7	11.3	11.3	80.3	4.2
After Nov. 30	1.8	9.5	18.0	11.9	28.0	20.4	9.0	1.2	0.2	41.2	41.2	57.4	3.6
Total crop	0.5	2.2	4.8	3.6	14.4	27.0	35.6	10.2	1.7	11.1	11.1	77.0	11.9

Table 12. -- Percentage distribution of micronaire readings for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	2.6 and below	2.7-2.9	3.0-3.2	3.3-3.4	3.5-3.9	4.0-4.4	4.5-4.9	5.0-5.2	5.3 and above	Totals			Average micke
										Below 3.5	3.5-4.9	5.0 and above	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Rdg.
<u>FRESNO</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	■	■	■	1.9	25.7	64.7	7.5	0.2	■	92.3	7.7	4.6
Nov.	■	0.8	2.7	2.4	9.5	30.4	49.1	5.0	0.1	5.9	89.0	5.1	4.4
After Nov. 30	3.7	14.0	21.2	14.4	23.7	15.1	7.3	0.6	■	53.3	46.1	0.6	3.5
Total crop	0.3	1.4	2.8	2.3	7.4	27.3	52.7	5.7	0.1	6.8	87.4	5.8	4.4
<u>BAKERSFIELD</u>													
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	51.8	45.3	2.9	-	-	97.1	2.9	4.4
Oct.	-	■	■	0.1	4.4	42.1	51.2	2.2	■	0.1	97.7	2.2	4.5
Nov.	■	0.9	2.9	3.0	11.7	37.9	41.3	2.3	-	6.8	90.9	2.3	4.3
After Nov. 30	2.2	11.2	22.5	13.7	22.4	18.5	9.3	0.2	-	49.6	50.2	0.2	3.6
Total crop	0.1	1.2	2.9	2.3	8.8	38.6	44.0	2.1	■	6.5	91.4	2.1	4.3
<u>EL CENTRO</u>													
Prior to Sept. 1	-	-	-	-	-	100.0	-	-	-	-	100.0	-	4.3
Sept.	-	-	0.1	0.3	2.9	19.6	64.0	12.5	0.6	0.4	86.5	13.1	4.6
Oct.	-	-	0.3	0.2	3.5	28.9	56.3	10.2	0.6	0.5	88.7	10.8	4.6
Nov.	■	0.2	0.7	1.1	6.9	32.9	50.7	6.7	0.8	2.0	90.5	7.5	4.5
After Nov. 30	2.9	11.3	13.2	8.3	27.5	26.3	10.0	0.5	■	35.7	63.8	0.5	3.7
Total crop	0.9	3.8	4.5	3.1	12.5	29.4	39.6	5.7	0.5	12.4	81.4	6.2	4.2

■ Less than 0.05 percent.

Table 13. -- Percentage distribution of fiber strength for upland cotton ginned in the United States, by states, 1967-68 with comparisons

State	Zero Gage Fiber Strength (Mpsi)																Average strength	
	64 & below		65-69		70-74		75-79		80-84		85-89		90-94		95-99 1/		100 & above	
	1966	Pct.	1966	Pct.	1966	Pct.	1966	Pct.	1966	Pct.	1966	Pct.	1966	Pct.	1966	Pct.	1966	Pct.
N. C.	-	-	-	-	6.3	4.8	36.8	39.8	45.0	47.7	11.0	7.5	0.9	0.2	-	-	-	80.2 79.9
S. C.	-	-	0.1	0.2	3.3	8.6	26.1	34.8	46.2	40.1	20.6	15.1	3.5	1.2	0.2	*	-	81.8 80.2
Ga.	-	*	-	0.5	1.7	7.5	30.2	38.4	51.3	39.5	14.9	12.4	1.8	1.7	0.1	*	-	81.3 80.1
Ala.	-	*	0.1	3.1	3.2	29.6	22.7	43.4	43.6	20.1	23.8	3.2	5.9	0.6	0.7	-	-	82.4 76.6
Miss.	-	*	0.1	1.0	3.4	16.1	26.4	48.2	43.0	27.0	20.9	7.0	5.1	0.7	1.1	*	-	82.0 78.3
Tenn.	-	0.1	0.1	1.7	3.9	22.0	35.7	49.7	45.0	23.4	13.6	2.8	1.6	0.3	0.1	-	-	80.7 77.2
Mo.	-	-	0.2	0.1	4.8	7.2	34.2	40.8	45.0	38.9	14.1	11.3	1.7	1.6	*	0.1	-	80.6 80.0
Ark.	-	*	0.1	0.1	3.5	4.4	28.9	33.7	46.0	45.0	18.5	15.5	2.7	1.2	0.3	0.1	-	81.4 80.8
La.	-	-	0.1	0.5	4.3	17.1	30.2	50.0	43.1	26.3	18.6	5.6	3.3	0.5	0.4	-	-	81.4 78.1
Okla.	3.8	1.3	24.3	8.8	33.8	26.7	25.0	37.0	9.6	18.1	2.6	6.7	0.8	0.9	0.1	0.5	-	73.3 76.4
Tex.	4.9	0.7	14.0	7.1	20.9	14.1	24.1	22.3	19.5	24.9	11.4	18.0	3.9	8.5	1.3	2.8	-	76.8 80.8
N. Mex.	0.1	*	0.4	*	1.0	0.6	4.7	1.7	18.8	8.3	38.1	31.7	27.3	39.2	9.6	15.9	-	87.5 90.3
Ariz.	-	-	-	*	0.1	0.2	4.5	8.0	27.9	36.9	42.4	30.2	19.6	13.4	5.5	5.7	-	86.6 86.5
Calif.	-	-	-	-	*	*	0.4	0.2	5.7	2.2	21.5	6.7	34.5	16.5	37.9	32.0	-	91.5 98.0
U. S.	1.7	0.3	5.2	3.2	9.3	11.3	21.8	26.4	29.1	24.5	17.9	13.6	9.0	7.3	6.0	6.4	-	81.5 82.9

1/ Cotton having fiber strength of 100 Mpsi and higher was reported in the "95 & above" category in the 1966-67 season.
 * Less than 0.05 percent.

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68

Period	Zero Gage Fiber Strength (Mpsi)										Average strength
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
<u>RALEIGH</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	0.8	20.7	65.1	13.1	0.3	-	-	-	81.5
Nov.	-	-	5.1	44.5	43.9	6.3	0.2	-	-	-	79.6
After Nov. 30	-	-	9.6	55.2	32.6	2.6	-	-	-	-	78.4
Total crop	-	-	4.8	39.8	47.7	7.5	0.2	-	-	-	79.9
<u>COLUMBIA</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	3.1	24.2	51.3	19.6	1.2	0.6	-	-	81.5
Oct.	-	-	4.0	29.5	42.8	21.5	2.2	-	-	-	81.4
Nov.	-	0.5	12.0	40.2	37.5	9.1	0.7	-	-	-	79.2
After Nov. 30	-	0.4	15.8	40.3	32.9	10.2	0.4	-	-	-	78.8
Total crop	-	0.2	8.6	34.8	40.1	15.1	1.2	*	-	-	80.2
<u>AUGUSTA</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	0.9	8.8	39.6	40.0	9.2	1.5	-	-	-	79.6
Oct.	-	-	2.8	32.3	46.6	16.1	2.2	-	-	-	81.2
Nov.	-	0.2	9.1	49.0	34.1	6.3	1.1	0.2	-	-	79.1
After Nov. 30	0.4	0.8	16.0	44.5	32.1	5.8	0.4	-	-	-	78.3
Total crop	*	0.3	6.2	38.3	41.8	11.7	1.7	*	-	-	80.2
<u>ATLANTA</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	-
Sept.	-	1.0	10.9	45.4	34.3	7.5	0.9	-	-	-	79.0
Oct.	-	0.1	4.3	31.1	42.7	19.2	2.6	*	-	-	81.2
Nov.	-	0.8	9.1	37.8	38.7	11.6	1.9	-	0.1	-	79.9
After Nov. 30	-	0.9	11.6	41.6	35.7	9.2	0.9	0.1	-	-	79.2
Total crop	-	0.6	8.0	38.7	38.3	12.6	1.8	*	*	*	80.0

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Mpsi	
<u>BIRMINGHAM</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	
Sept.	-	4.9	47.5	39.1	5.1	-	3.4	-	-	75.1	
Oct.	0.2	3.6	40.8	41.4	12.7	1.3	-	-	-	75.3	
Nov.	-	6.3	46.4	41.1	5.8	0.4	-	-	-	74.3	
After Nov. 30	0.9	5.7	43.4	39.8	9.2	0.8	0.2	-	-	74.7	
Total crop	0.1	5.6	44.7	40.9	7.9	0.6	0.2	-	-	74.6	
<u>MONTGOMERY</u>											
Prior to Sept. 1	-	0.6	15.7	40.9	38.6	3.6	0.6	-	-	78.5	
Sept.	-	1.2	20.0	47.6	28.7	2.3	0.2	-	-	77.5	
Oct.	-	2.1	23.3	44.8	23.1	5.6	1.1	-	-	77.5	
Nov.	-	3.0	27.4	41.2	23.9	4.0	0.5	-	-	77.0	
After Nov. 30	-	4.9	37.2	42.2	14.2	1.4	0.1	-	-	75.5	
Total crop	-	2.2	24.3	44.4	24.1	4.3	0.7	-	-	77.3	
<u>GREENWOOD</u>											
Prior to Sept. 1	-	-	-	21.3	32.8	21.3	24.6	-	-	84.3	
Sept.	-	0.2	0.4	12.5	38.0	40.5	8.0	0.4	-	84.1	
Oct.	-	0.2	7.7	43.9	35.2	11.6	1.4	-	-	79.8	
Nov.	-	0.6	15.2	54.7	26.2	3.2	0.1	-	-	78.0	
After Nov. 30	-	0.8	15.0	50.5	29.1	4.5	0.1	-	-	78.1	
Total crop	-	0.3	11.2	48.2	31.1	8.4	0.8	-	-	79.0	
<u>JACKSON</u>											
Prior to Sept. 1	-	-	1.6	21.5	58.3	18.6	-	-	-	81.5	
Sept.	-	0.2	8.1	48.2	35.9	7.2	0.4	-	-	79.1	
Oct.	-	2.3	29.7	54.0	12.6	1.4	-	-	-	76.2	
Nov.	-	4.8	44.6	42.9	7.3	0.4	-	-	-	74.8	
After Nov. 30	0.2	5.6	38.4	45.8	9.3	0.7	-	-	-	74.9	
Total crop	*	2.9	31.6	49.2	14.3	2.0	*	-	-	76.2	

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods,
by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)									Average strength
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<u>MEMPHIS</u>										
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-
Oct.	-	0.9	16.9	51.3	26.3	4.2	0.3	-	0.1	77.9
Nov.	0.1	2.8	28.9	48.9	17.2	1.9	0.2	*	-	76.3
After Nov. 30	0.1	4.8	32.3	49.5	12.1	1.0	0.2	-	-	75.6
Total crop	0.1	2.6	26.2	49.5	19.0	2.4	0.2	*	*	76.7
<u>HAYTI</u>										
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-	-
Oct.	-	-	7.3	31.2	38.9	19.7	2.9	-	-	81.0
Nov.	-	0.1	6.4	43.4	39.6	9.2	1.2	0.1	-	79.8
After Nov. 30	-	1.0	16.7	50.5	28.2	3.6	-	-	-	78.0
Total crop	-	0.1	7.2	40.8	38.9	11.3	1.6	0.1	-	80.0
<u>BLYTHEVILLE</u>										
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-
Sept.	-	3.1	12.5	54.7	26.6	3.1	-	-	-	77.6
Oct.	-	-	2.5	21.9	45.9	25.2	4.1	0.4	-	82.3
Nov.	0.1	0.1	5.9	35.6	46.2	11.2	0.9	-	-	80.3
After Nov. 30	-	0.5	14.5	48.9	32.2	3.9	-	-	-	78.3
Total crop	0.1	0.1	5.6	33.1	45.8	13.8	1.5	*	-	80.7
<u>LITTLE ROCK</u>										
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	0.7	13.5	54.8	26.3	4.7	-	-	83.0
Oct.	-	-	2.2	23.7	45.4	24.9	3.4	0.4	-	82.2
Nov.	-	-	3.7	37.1	46.5	12.5	0.2	-	-	80.4
After Nov. 30	-	0.2	7.3	44.2	41.5	6.7	0.1	-	-	79.3
Total crop	-	*	3.3	32.8	46.0	16.5	1.2	0.2	-	81.0

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
<u>WINNSBORO</u>											
Prior to Sept. 1	-	-	-	-	77.6	22.4	-	-	-	82.5	
Sept.	-	0.2	5.8	29.5	48.2	13.7	2.6	-	-	80.8	
Oct.	-	0.3	13.8	51.6	28.5	5.7	0.1	-	-	78.3	
Nov.	-	0.5	23.0	55.2	19.6	1.7	-	-	-	77.0	
After Nov. 30	-	-	18.5	60.9	20.0	0.6	-	-	-	77.2	
Total crop	-	0.4	16.2	50.7	27.3	5.1	0.3	-	-	78.1	
<u>ALEXANDRIA</u>											
Prior to Sept. 1	-	1.6	20.3	46.3	25.8	4.8	1.2	-	-	77.9	
Sept.	-	1.5	17.0	41.5	28.8	10.1	1.1	-	-	78.7	
Oct.	-	0.6	16.9	46.6	26.8	8.0	1.1	-	-	78.4	
Nov.	-	0.4	22.6	55.1	18.4	2.9	0.6	-	-	77.2	
After Nov. 30	-	0.6	19.2	58.0	21.4	0.8	-	-	-	77.1	
Total crop	-	0.7	18.4	47.9	25.0	7.0	1.0	-	-	78.1	
<u>ALTUS</u>											
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-	
Sept.	-	-	8.7	25.0	36.7	13.3	4.6	-	-	84.1	
Oct.	0.5	3.7	24.5	35.1	22.6	9.9	2.1	0.9	11.7	78.2	
Nov.	0.8	9.5	24.7	37.0	18.5	6.7	1.7	0.5	0.6	76.7	
After Nov. 30	1.7	8.3	24.2	33.4	21.2	8.4	2.6	0.2	-	77.0	
Total crop	1.1	8.0	24.7	36.0	20.0	7.6	2.0	0.4	0.2	77.1	
<u>DALLAS</u>											
Prior to Sept. 1	-	-	2.8	33.7	41.4	14.9	6.0	0.8	0.4	81.6	
Sept.	-	0.4	2.2	25.2	47.1	19.7	5.0	0.4	-	82.0	
Oct.	-	0.9	17.2	42.1	30.8	8.1	0.8	0.1	-	78.6	
Nov.	-	3.4	20.1	38.6	27.3	8.1	1.6	0.9	-	78.1	
After Nov. 30	0.5	8.7	19.8	36.9	21.4	9.7	3.0	-	-	77.6	
Total crop	*	1.6	12.3	35.7	35.2	11.8	2.9	0.4	0.1	79.7	

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods,
by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)										Average strength
	64 & below		65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<u>AUSTIN</u>											
Prior to Sept. 1	-	-	-	0.6	5.4	27.7	33.0	22.3	9.7	1.3	87.2
Sept.	-	0.2	0.2	1.2	18.8	43.6	25.5	8.7	1.7	0.3	83.4
Oct.	0.1	1.8	1.8	7.9	36.9	37.3	13.6	1.9	0.3	0.2	80.1
Nov.	-	3.5	3.5	15.3	38.5	28.4	10.8	3.2	0.4	-	78.9
After Nov. 30	0.6	12.3	12.3	18.3	33.2	23.8	8.5	0.6	0.3	2.4	77.7
Total crop	*	0.6	0.6	2.7	16.0	34.1	26.4	14.1	5.3	0.8	84.5
<u>CORPUS CHRISTI</u>											
Prior to Sept. 1	0.1	0.5	0.5	3.5	15.9	27.7	32.3	16.1	3.1	0.8	84.6
Sept.	-	-	-	2.5	28.5	35.9	23.1	10.0	-	-	82.4
Oct.	-	-	-	9.8	17.6	29.4	33.4	9.8	-	-	82.2
Nov.	-	-	-	-	-	-	-	-	-	-	-
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-
Total crop	0.1	0.5	0.5	3.5	16.0	27.8	32.1	16.1	3.1	0.8	84.6
<u>HARLINGEN</u>											
Prior to Sept. 1	-	*	*	0.7	10.6	36.6	36.0	14.3	1.7	0.1	84.9
Sept.	-	-	-	1.7	17.7	48.1	25.6	5.6	1.3	-	83.1
Oct.	-	1.5	1.5	1.5	23.8	52.2	15.0	3.0	1.5	1.5	81.9
Nov.	-	-	-	-	-	-	-	-	-	-	-
After Nov. 30	-	-	-	-	-	-	-	-	-	-	-
Total crop	-	*	*	0.7	11.0	37.4	35.3	13.8	1.7	0.1	84.8
<u>ABILENE</u>											
Prior to Sept. 1	-	-	-	-	-	100.0	-	-	-	-	81.6
Sept.	-	-	-	8.2	16.9	17.1	19.2	16.8	10.0	11.8	86.8
Oct.	0.5	6.5	6.5	25.3	28.4	17.4	8.9	7.9	3.4	1.7	79.1
Nov.	0.8	14.7	14.7	27.1	34.8	13.6	4.2	2.8	1.4	0.6	76.0
After Nov. 30	3.6	20.0	20.0	34.0	28.7	9.9	2.7	0.5	0.4	0.2	73.7
Total crop	2.1	15.7	15.7	30.1	30.6	12.6	4.4	2.6	1.3	0.6	75.5

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)									Average strength
	64 & below	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 & above	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<u>LUBBOCK</u>										
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	6.8	30.8	17.3	17.3	7.0	7.0	13.8	86.4
Oct.	0.1	4.1	7.7	13.0	17.2	12.7	15.7	9.8	19.7	88.7
Nov.	1.0	10.9	16.5	22.7	22.9	14.0	6.2	3.0	2.8	79.8
After Nov. 30	1.4	11.5	21.9	26.1	23.2	11.7	2.5	1.1	0.6	77.7
Total crop	1.1	10.8	18.0	23.5	23.1	13.0	5.2	2.6	2.7	79.5
<u>EL PASO</u>										
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	0.7	11.1	2.9	12.1	34.7	29.3	9.2	91.7
Oct.	-	-	0.1	1.0	13.2	39.8	34.4	10.1	1.4	89.2
Nov.	-	-	0.3	1.6	12.6	41.7	35.0	8.6	0.2	88.8
After Nov. 30	-	-	0.4	5.3	21.3	42.5	23.2	4.2	3.1	87.4
Total crop	-	-	0.2	1.8	13.6	39.9	33.9	9.4	1.2	89.0
<u>CARLSBAD</u>										
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	0.7	0.3	2.2	14.9	37.3	29.6	15.0	93.7
Oct.	-	*	0.2	1.4	9.7	28.0	38.2	18.4	4.1	90.7
Nov.	-	0.1	1.0	2.0	8.5	32.2	39.8	12.2	4.2	90.2
After Nov. 30	0.1	0.8	1.8	6.3	15.5	37.3	27.9	7.3	3.0	88.0
Total crop	*	0.1	0.7	2.1	9.8	30.1	37.3	15.4	4.5	90.3
<u>PHOENIX</u>										
Prior to Sept. 1	-	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	2.3	28.2	42.5	13.6	6.1	7.3	87.9
Oct.	-	-	0.1	7.7	38.9	29.1	14.6	5.0	4.6	86.3
Nov.	-	-	0.4	7.8	40.5	30.5	8.9	7.2	4.7	86.0
After Nov. 30	-	-	0.8	13.9	37.1	18.1	10.1	5.8	14.2	87.4
Total crop	-	-	0.2	8.4	39.0	28.4	11.9	5.9	6.2	86.4

Table 14. -- Percentage distribution of fiber strength for upland cotton ginned, during specified periods, by classing office territories, 1967-68 (Continued)

Period	Zero Gage Fiber Strength (Mpsi)								Average strength Mpsi
	64 & below Pct.	65-69 Pct.	70-74 Pct.	75-79 Pct.	80-84 Pct.	85-89 Pct.	90-94 Pct.	95-99 Pct.	100 & above Pct.
<u>FRESNO</u>									
Prior to Sept. 1	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	0.9	9.2	28.9	61.0
Nov.	-	-	-	-	0.9	4.2	22.2	35.7	101.1
After Nov. 30	-	-	-	0.9	5.1	18.0	36.4	27.3	97.9
Total crop	-	-	-	*	0.7	3.8	17.8	32.5	93.1
<u>BAKERSFIELD</u>									
Prior to Sept. 1	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	-	-	-	-	-	-
Oct.	-	-	-	-	-	1.6	7.9	18.8	81.2
Nov.	-	-	-	-	0.2	3.8	16.2	33.8	102.2
After Nov. 30	-	-	-	-	1.5	17.1	40.0	39.3	100.3
Total crop	-	-	-	-	0.1	3.5	13.6	33.4	98.3
<u>EL CENTRO</u>									
Prior to Sept. 1	-	-	-	-	-	-	-	-	-
Sept.	-	-	-	1.4	23.9	47.3	24.3	-	-
Oct.	-	-	0.3	4.9	34.8	42.8	10.7	2.8	87.2
Nov.	-	-	0.3	2.7	18.2	37.5	24.9	2.9	86.2
After Nov. 30	-	*	0.7	4.6	21.0	32.0	19.6	10.5	89.1
Total crop	-	*	0.5	3.7	23.0	37.3	20.1	13.5	89.0
	-	-	-	-	-	-	-	9.5	88.4

* Less than 0.05 percent.

Table 15. -- Grade and staple of American-Egyptian cotton ginned, by states and United States, 1967-68

Grade	Code	Ginnings					Percentages						
		1-1/4 inches and shorter (40)	1-5/16 inches (42)	1-3/8 inches (44)	1-7/16 inches (46)	1-1/2 inches and longer (48)	All staples	1-1/4 inches and shorter (40)	1-5/16 inches (42)	1-3/8 inches (44)	1-7/16 inches (46)	1-1/2 inches and longer (48)	All staples
		Bales	Bales	Bales	Bales	Bales	Bales	Percent	Percent	Percent	Percent	Percent	Percent
<u>TEXAS</u>													
1	(10)	-	-	90	-	-	90	-	-	0.4	-	-	0.3
2	(20)	-	-	4,859	50	-	4,909	-	-	24.1	1.4	-	18.2
3	(30)	-	44	9,615	1,437	-	11,096	-	1.6	47.9	41.1	-	41.3
4	(40)	-	-	4,173	1,797	-	5,970	-	-	20.7	51.5	-	22.1
5	(50)	11	281	1,151	211	-	1,654	1.7	10.4	5.7	6.0	-	6.1
6	(60)	49	590	181	-	-	820	7.5	21.9	0.9	-	-	3.0
7	(70)	141	680	48	-	-	869	21.6	25.4	0.2	-	-	3.2
8	(80)	23	466	27	-	-	516	3.5	17.3	0.1	-	-	1.9
9	(90)	53	359	-	-	-	412	8.1	13.3	-	-	-	1.5
10	(00)	376	271	-	-	-	647	57.6	10.1	-	-	-	2.4
All grades		653	2,691	20,144	3,495	-	26,983	100.0	100.0	100.0	100.0	-	100.0
<u>NEW MEXICO</u>													
1	(10)	-	-	-	-	-	-	-	-	-	-	-	-
2	(20)	-	-	1,059	20	-	1,079	-	-	19.6	2.1	-	16.5
3	(30)	-	-	2,689	427	-	3,116	-	-	49.7	45.9	-	47.7
4	(40)	-	-	1,280	474	-	1,754	-	-	23.7	50.9	-	26.9
5	(50)	-	30	322	10	-	362	-	16.7	6.0	1.1	-	5.6
6	(60)	-	41	53	-	-	94	-	22.7	1.0	-	-	1.4
7	(70)	-	30	-	-	-	30	-	16.7	-	-	-	0.5
8	(80)	-	37	-	-	-	37	-	20.5	-	-	-	0.6
9	(90)	-	23	-	-	-	23	-	12.8	-	-	-	0.4
10	(00)	7	19	-	-	-	26	100.0	10.6	-	-	-	0.4
All grades		7	180	5,403	931	-	6,521	100.0	100.0	100.0	100.0	-	100.0
<u>ARIZONA</u>													
1	(10)	-	-	53	10	-	63	-	-	0.2	0.1	-	0.2
2	(20)	-	-	1,709	292	-	2,001	-	-	7.1	3.5	-	5.8
3	(30)	-	53	9,524	3,465	-	13,042	-	3.4	39.6	41.5	-	37.9
4	(40)	-	82	7,843	3,678	-	11,603	-	5.3	32.5	43.9	-	33.7
5	(50)	7	288	3,563	774	-	4,632	1.8	18.6	14.8	9.3	-	13.5
6	(60)	-	282	788	89	-	1,159	-	18.2	3.3	1.1	-	3.4
7	(70)	7	312	470	41	-	830	1.8	20.3	1.9	0.5	-	2.4
8	(80)	69	220	124	10	-	423	17.5	14.2	0.5	0.1	-	1.2
9	(90)	92	153	31	-	-	276	23.3	9.9	0.1	-	-	0.8
10	(00)	220	157	10	-	-	387	55.6	10.1	*	-	-	1.1
All grades		395	1,547	24,115	8,359	-	34,416	100.0	100.0	100.0	100.0	-	100.0
<u>CALIFORNIA</u>													
1	(10)	-	-	-	-	-	-	-	-	-	-	-	-
2	(20)	-	-	10	-	-	10	-	-	2.8	-	-	2.5
3	(30)	-	-	10	-	-	10	-	-	2.8	-	-	2.5
4	(40)	-	10	141	-	-	151	-	32.3	38.8	-	-	37.6
5	(50)	-	-	128	-	-	128	-	-	35.4	-	-	31.8
6	(60)	-	-	63	-	-	63	-	-	17.4	-	-	15.7
7	(70)	-	11	10	-	-	21	-	35.4	2.8	-	-	5.2
8	(80)	-	-	-	-	-	-	-	-	-	-	-	-
9	(90)	-	10	-	-	-	10	-	32.3	-	-	-	2.5
10	(00)	9	-	-	-	-	9	100.0	-	-	-	-	2.2
All grades		9	31	362	-	-	402	100.0	100.0	100.0	-	-	100.0
<u>UNITED STATES</u>													
1	(10)	-	-	143	10	-	153	-	-	0.3	0.1	-	0.2
2	(20)	-	-	7,637	362	-	7,999	-	-	15.3	2.8	-	11.7
3	(30)	-	97	21,838	5,329	-	27,264	-	2.2	43.5	41.7	-	39.9
4	(40)	-	92	13,437	5,949	-	19,478	-	2.1	26.9	46.5	-	28.5
5	(50)	18	599	5,164	995	-	6,776	1.7	13.5	10.3	7.8	-	9.9
6	(60)	49	913	1,085	89	-	2,136	4.6	20.5	2.2	0.7	-	3.1
7	(70)	148	1,033	528	41	-	1,750	13.9	23.2	1.1	0.3	-	2.6
8	(80)	92	723	151	10	-	976	8.6	16.3	0.3	0.1	-	1.4
9	(90)	145	545	31	-	-	721	13.6	12.2	0.1	-	-	1.1
10	(00)	612	447	10	-	-	1,069	57.6	10.0	*	-	-	1.6
All grades		1,064	4,449	50,024	12,785	-	68,322 1/	100.0	100.0	100.0	100.0	-	100.0

1/ As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Table 16. -- Grade and staple of American-Egyptian cotton ginned in the United States, during specified periods, 1967-68

Grade and staple	Code	Ginnings					Total Crop
		Prior to Sept. 1	September	October	November	After Nov. 30	
Grade		Bales	Bales	Bales	Bales	Bales	Bales
1	(10)	-	20	63	60	10	153
2	(20)	-	49	1,595	5,685	670	7,999
3	(30)	-	-	6,360	17,098	3,806	27,264
4	(40)	-	-	3,931	9,293	6,254	19,478
5	(50)	-	-	870	1,665	4,241	6,776
6	(60)	-	-	43	398	1,695	2,136
7	(70)	-	-	40	327	1,383	1,750
8	(80)	-	-	11	31	934	976
9	(90)	-	-	-	31	690	721
10	(00)	-	-	11	10	1,048	1,069
All grades		-	69	12,924	34,598	20,731	68,322 ^{1/}
<u>Staple</u>							
(inches)							
1-1/4 and shorter	(40)	-	-	-	86	978	1,064
1-5/16	(42)	-	-	94	399	3,956	4,449
1-3/8	(44)	-	69	11,323	24,809	13,823	50,024
1-7/16	(46)	-	-	1,507	9,304	1,974	12,785
1-1/2 and longer	(48)	-	-	-	-	-	-
All staples		-	69	12,924	34,598	20,731	68,322 ^{1/}
Grade		Percent	Percent	Percent	Percent	Percent	Percent
1	(10)	-	29.0	0.5	0.2	*	0.2
2	(20)	-	71.0	12.3	16.4	3.2	11.7
3	(30)	-	-	49.3	49.4	18.4	39.9
4	(40)	-	-	30.4	26.9	30.1	28.5
5	(50)	-	-	6.7	4.8	20.5	9.9
6	(60)	-	-	0.3	1.2	8.2	3.1
7	(70)	-	-	0.3	0.9	6.7	2.6
8	(80)	-	-	0.1	0.1	4.5	1.4
9	(90)	-	-	-	0.1	3.3	1.1
10	(00)	-	-	0.1	*	5.1	1.6
All grades		-	100.0	100.0	100.0	100.0	100.0
<u>Staple</u>							
(inches)							
1-1/4 and shorter	(40)	-	-	-	0.2	4.7	1.6
1-5/16	(42)	-	-	0.7	1.2	19.1	6.5
1-3/8	(44)	-	100.0	87.6	71.7	66.7	73.2
1-7/16	(46)	-	-	11.7	26.9	9.5	18.7
1-1/2 and longer	(48)	-	-	-	-	-	-
All staples		-	100.0	100.0	100.0	100.0	100.0

^{1/} As reported by the Bureau of the Census, running bales.

* Less than 0.05 percent.

Average grade.... 3.8

Average staple... 44.2

Table 17. -- Percentage distribution of micronaire readings for American-Egyptian cotton ginned in the United States, by states, 1967-68 with comparisons

Readings	State									
	Texas		New Mexico		Arizona		California		United States	
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
	Percent		Percent		Percent		Percent		Percent	
2.4 and below	-	-	0.1	-	-	-	-	-	*	-
2.5	*	0.1	0.2	-	-	-	-	-	*	*
2.6	0.6	-	1.2	0.3	*	*	-	-	0.4	*
2.7	1.0	0.5	1.4	0.2	*	*	-	-	0.5	0.2
2.8	2.3	0.4	3.4	0.9	0.2	0.3	1.4	-	1.3	0.4
2.9	2.6	1.0	4.3	0.8	0.8	0.4	-	-	1.9	0.7
3.0	4.8	2.2	5.2	2.1	2.3	2.2	-	2.2	3.6	2.2
3.1	5.0	2.9	7.3	1.5	2.2	1.7	-	-	3.8	2.2
3.2	6.8	3.9	10.2	2.7	4.0	3.4	1.4	-	5.7	3.5
3.3	7.2	4.4	9.7	4.8	3.9	3.4	9.6	2.5	5.8	3.9
3.4	9.8	6.2	11.2	8.0	7.3	6.8	10.8	-	8.7	6.6
3.5	8.7	9.1	7.5	9.2	5.8	7.1	12.5	5.0	7.1	8.1
3.6	11.9	9.9	7.0	11.9	13.0	8.9	15.3	20.1	12.0	9.6
3.7	8.2	11.4	7.8	10.9	10.0	11.4	13.5	20.7	9.1	11.4
3.8	10.8	11.4	9.5	13.3	13.5	12.8	14.0	17.2	12.2	12.5
3.9	7.5	11.7	4.6	8.4	10.3	12.8	12.8	12.4	8.6	11.9
4.0	6.3	8.9	4.1	9.9	11.8	11.4	-	10.2	8.8	10.3
4.1	2.7	6.8	2.2	5.6	7.0	8.9	4.3	7.5	4.8	7.7
4.2	2.6	4.4	1.5	4.9	4.8	5.0	2.9	2.2	3.6	4.7
4.3	0.9	2.7	0.9	3.0	1.7	2.2	1.5	-	1.3	2.5
4.4	0.3	1.4	0.7	1.4	0.9	0.8	-	-	0.7	1.1
4.5	-	0.4	-	-	0.3	0.3	-	-	0.1	0.3
4.6	-	0.3	-	0.2	0.1	0.1	-	-	*	0.2
4.7	-	*	-	-	0.1	0.1	-	-	*	*
4.8	-	-	-	-	-	-	-	-	-	-
4.9	-	-	-	-	-	-	-	-	-	-
5.0 and above	-	-	-	-	-	-	-	-	-	-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average mike	3.5	3.7	3.4	3.7	3.7	3.7	3.7	3.8	3.6	3.7

* Less than 0.05 percent.

